17th European AIDS Conference November 6-9, 2019 Basel, Switzerland

Scientific Programme

Wednesday, 06 November 2019

Industry sponsored session 08:00 - 12:00

Boston 1-3

Industry sponsored session

(For more details, please visit the conference website)

Pre-conference workshop/course 09:30 - 16:00

Singapore

EACS pre-educational course

Convener: EACS

Access to the webcasted session:

- Introduction
- Zzzzzzz: Sleep issues beyond efavirenz: Clinical case
- Zzzzzzz: Sleep issues beyond efavirenz: Overview
- Zzzzzzz: Sleep issues beyond
 efavirenz: Questions
- $<\!a href="http://resourcelibrary.eacs.cyim.com?mediald=77969" target="_blank">Non-AIDS respiratory issues: Clinical case$
- Non-AIDS respiratory issues:
 Overview
- $<\!a href="http://resourcelibrary.eacs.cyim.com?mediald=77975" target="_blank">Non-AIDS respiratory issues: Questions$
- Dermatology in the modern era of HIV: Clinical case
- Dermatology in the modern era of HIV: Overview
- Dermatology in the modern era of HIV: Questions
- $<\!a\ href="http://resourcelibrary.eacs.cyim.com?mediald=77989"\ target="_blank">Chem\ sex:\ East\ and\ West;\ Eastern\ European\ perspective$
- Chem sex: East and West: Western European perspective
- Chem sex: East and West: Questions
- Using new ARVs in real life: Clinical case + Overview
- Using new ARVs in real life: Questions
- $<\!a\ href="http://resourcelibrary.eacs.cyim.com?mediald=78001"\ target="_blank">YING\ Session$
- $<\!a\ href="http://resourcelibrary.eacs.cyim.com?mediald=77997"\ target="_blank">EACS\ Educational\ programme\ and\ opportunities\ Intro/background\ to\ YING>$
- Introduce YING Faculty and panel discussion: Q&A
- Close

Chairs:

Tristan Barber, United Kingdom Laura Waters, United Kingdom

Coffee break 09:30 - 10:00

Introduction 10:00 - 10:10

Tristan Barber, United Kingdom Laura Waters, United Kingdom

Zzzzzz: Sleep issues beyond efavirenz

Clinical case Nina Vora, United Kingdom	10:10 - 10:30
Overview Hugh Soleick United Kingdom	10:30 - 10:50
Hugh Selsick, United Kingdom Questions Panel	10:50 - 11:00
Non-AIDS respiratory issues	
Clinical case Jochen Schneider, Germany	11:00 - 11:20
Overview James Brown, United Kingdom	11:20 - 11:40
Questions	11:40 - 11:50
Lunch break	11:50 - 12:20
Dermatology in the modern era of HIV	
Clinical case Tala Ballouz, Switzerland	12:20 - 12:40
Overview Stefan Esser, Germany	12:40 - 13:00
Questions Panel	13:00 - 13:10
Chem sex: East and West	
Eastern European perspective Magdalena Ankiersztejn-Bartczak, Poland	13:10 - 13:30
Western European perspective Dominic Rowley, Ireland	13:30 - 13:50
Questions Panel	13:50 - 14:00
Tea break	14:00 - 14:20
Using new ARVs in real life	
Clinical case	14:20 - 14:40
Rocio Montejano Sanchez, Spain	
Overview Jose Arribas, Spain	14:40 - 15:00
Questions Panel	15:00 - 15:10
YING session	
EACS Educational programme and opportunities Saniav Bhagani, United Kingdom	15:10 - 15:30

Intro/background to YING Tristan Barber, United Kingdom	15:30 - 15:40
Introduce YING Faculty and panel discussion/Q&A Laura Waters, United Kingdom	15:40 - 15:55
Close Tristan Barber, United Kingdom Laura Waters, United Kingdom	15:55 - 16:00

Pre-conference workshop/course 10:00 - 13:00

Sydney

WAVE workshop - Women against viruses in Europe

Convener: EACS

Access to the webcasted session:

SESSION 1 - If women are more mature... - menopause and ageing

SESSION 1 - WAVE 2017-2019
report including WWC

SESSION 1 - Menopause: Patient's
perspective

 SESSION 1 - Clinical cases #1 and 2: Menopause and ageing

SESSION 1 - Menopause:
Everything we know or not about women living with HIV

 $<a\ href="http://resourcelibrary.eacs.cyim.com?mediald=77978" target="_blank">SESSION 1 - Discussion <math display="block"><a\ href="http://resourcelibrary.eacs.cyim.com?mediald=77982" target="_blank">SESSION 2 - PrEP for women in Europe$

SESSION 2 - Clinical case #3: Breastfeeding

SESSION 2 - Discussion Patient's view on breastfeeding

How to counsel and manage women living with HIV who are breastfeeding?

Wrap up + Plan 2019-2021

SESSION 1 - If women are more mature... - menopause and ageing Chairs:

Yvonne Gilleece, United Kingdom Antonella d'Arminio Monforte, Italy Justyna Kowalska, Poland

Welcome remarks	10:00 - 10:05
Karoline Aebi-Popp, Switzerland	
WAVE 2017-2019 report including WWC	10:05 - 10:15
Karoline Aebi-Popp, Switzerland Sonia Ganai, United Kingdom	
Menopause: Patient's perspective	10:15 - 10:25
Sophie Strachan, United Kingdom	10.15 10.25

Clinical cases #1 and 2: Menopause and ageing Lesia Ostapiuk, Ukraine Umbelina Caixas, Portugal	10:25 - 10:35
Menopause: Everything we know or not about women living with HIV Shema Tariq, United Kingdom	10:35 - 11:00
Discussion	11:00 - 11:20
Networking	11:20 - 11:35
SESSION 2 - If women are missing clear guidelines PrEP and breastfeeding Chairs: Fiona Mulcahy, Ireland Karoline Aebi-Popp, Switzerland	
PrEP for women in Europe Ben Collins, United Kingdom	11:35 - 11:45
PrEP for women: Facts and figures Yvonne Gilleece, United Kingdom	11:45 - 12:00
Discussion	12:00 - 12:05
Clinical case #3: Breastfeeding Marta Lipińska, Poland	12:05 - 12:10
Patient's view on breastfeeding Franziska Borkel, Germany	12:10 - 12:20
How to counsel and manage women living with HIV who are breastfeeding? Christian R Kahlert, Switzerland	12:20 - 12:35
Discussion	12:35 - 12:45
Wrap up + Plan 2019-2021	12:45 - 13:00

ePosters 12:45 - 20:00

Exhibition hall

Access to and models of care

- PE1/1 Barriers in TB services for people living with HIV and overcoming them according to the health care workers opinion in the TB facilities in Russia (sociological study)

 Zinaida Zagdyn, Russian Federation
- PE1/2 Investigating the impact of peer counseling intervention on access and use of sexual and reproductive health services in women Living with HIV in Nepal: a prospective cohort study Khem Pokhrel, Nepal
- PE1/3 Health care delivery for HIV-positive people with tuberculosis in Europe Adrian Bentzon, Denmark
- PE1/4 A survey of physicians on circumstances and factors influencing testing for HIV in Lithuania Raimonda Matulionyte, Lithuania

PE1/5	Experiences of forgiveness and unforgiveness of HIV-specific offenses among people living with HIV/AIDS in Ghana Judith A. Osae-Larbi, Ghana
PE1/6	Time to antiretroviral therapy: service model adaptation during an outbreak of HIV in people who inject drugs (PWIDs) Harrison Stubbs, United Kingdom
PE1/7	HIV infection hospital-based active case finding in Sardinia, Italy: results from the SHOT project Maria Sabrina Mameli, Italy
PE1/8	Retention activities based on home visits as a tool of return and keeping in care of low adhered patients. Results of work 2016-2019 Krasnoyarsk AIDS clinic Konstantin Kandlen, Russian Federation
PE1/9	Pilot project of shared assistance with primary care for patients with HIV infection Adrián Ferre, Spain

ePosters 12:45 - 20:00 Exhibition hall

Antiretroviral observational studies

Antiretroviral observational studies		
PE2/1	A study of the effect of antiretroviral therapy on sexual risk behavior in a high-risk cohort of Congolese women	
	Samuel Bita, Congo, the Democratic Republic of the	
PE2/2	Coagulation system and HIV infection: a review	
	Nnamdi Nwachukwu, Nigeria	
PE2/3	Effectiveness, persistence and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF), F/TAF+3rd agent or rilpivirine/F/TAF (R/F/TAF) in treatment-naïve HIV-1 infected patients - 24-month results from the German TAFNES cohort study	
	Hans-Jürgen Stellbrink, Germany	
PE2/4	"Attracting men" - extended clinic hours as differentiated model of care in an urban Malawian cohort	
	Sam Phiri, Malawi	
PE2/5	HIV care in India: a systematic review of barriers to anti-retroviral therapy adherence	
	Charu Kohli, India	
PE2/6	Comparing NRTI-sparing dual regimens using data from the Swiss HIV cohort study	
	Jim Young, Switzerland	
PE2/7	Physicians' opinions on generic antiretroviral drugs and single tablet regimen (STR) desimplification for the treatment of HIV infection: a multicentre survey in Spain	
	Inés Suárez-García, Spain	
PE2/8	Simplifying salvage regimens with darunavir-based dual therapy in HIV-infected individuals harboring multidrug-resistance	
	Pilar Vizcarra, Spain	
PE2/9	Clinical outcomes among HIV-infected Africans with advanced disease in Spain	
	Adrià Ramírez-Mena, Switzerland	

PE2/10	The Treatment of Primary HIV (TopHIV) cohort: a prospective multicenter cohort in Germany Melanie Stecher, Germany
PE2/11	No decrease in CD4/CD8 ratio after 36 months therapy in patients who were switched to two dual regimens containing rilpivirine Cecilia Tortajada, Spain
PE2/12	Clinical experience of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) in real life practice: data from the Turkish HIV-TR cohort Volkan Korten, Turkey
PE2/13	Real world utilisation of raltegravir 1200mg once daily (The RETRO Study) Christine Mackay, United Kingdom
PE2/14	Effectiveness, persistence and safety in treatment-naïve and treatment-experienced HIV-1 infected patients receiving elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) - 12-month evaluation of the French TARANIS cohort
	Jean-Luc Meynard, France
PE2/15	24-month evaluation of the German TAFNES cohort - Effectiveness, persistence and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF), F/TAF + 3rd agent or rilpivirine/F/TAF (R/F/TAF) in treatment-experienced HIV-1 infected patients
	Heribert Knechten, Germany
PE2/16	Effectiveness, safety and tolerability of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in HIV-1 infected adult patients in routine clinical practice - 6 months results of the BICSTaR cohort
	Stefan Esser, Germany
PE2/17	Short-term increase in Body Mass Index and systolic blood pressure elevation in treatment naïve persons starting INSTI-based antiretroviral therapy Ronald Galdamez, Spain
PE2/18	Baseline characteristics in JUNGLE, a German observational cohort study of Juluca as 2-drug Regimen in virologically suppressed patients, compared to the phase-3 SWORD 1 & 2 study populations
	F. Schabaz, Germany
PE2/19	Examining the efficacy in clinical practice of the dual antiretroviral therapy regimen of boosted protease inhibitors with maraviroc Abhishek Katiyar, United Kingdom
PE2/20	Good efficacy but side effects including hypercholesterolemia and body weight gain after switching to dolutegravir plus booster protease inhibitor regimen among treatment experienced HIV-positive patients Yu-Lin Lee, Taiwan, Republic of China
PE2/21	Rates of DTG/ABC/3TC discontinuation in a real-life setting: no surprises found in reported adverse events
	Ana Gorgulho, Portugal
PE2/22	Low baseline HIV viral loads with a history of PrEP use - how should these patients be managed?
	Victoria Tittle, United Kingdom
PE2/23	Lamivudine-based maintenance 2-drugs regimens: an algorithm for the estimation of 2-years risk of virological failure in clinical practice Alberto Borghetti, Italy

F in clinical practice nulti-tablet regimens to or olus raltegravir in HIV-
or
lus raltegravir in HIV-
ociated with treatment
remia using a joint latent
ir alafenamide (F/TAF) infected adult patients in
al-world setting in a
initiation in treatment-
: a new cohort
reference center (CRT-
rudine and dolutegravir ir eliminary single-center
us other regimens in
andard three-drug viduals in the real world

PE2/38	Effectiveness of the combination elvitegravir/cobicistat/tenofovir/emtricitabine (EVG/COB/TFV/FTC) plus darunavir in treatment-experienced patients: a multicentre cohort study
	Inés Suárez-García, Spain
PE2/39	High persistence of dolutegravir-containing 2-drug regimens in routine clinical care Sebastian Noe, Germany
PE2/40	Virologic, immunologic and clinical outcomes in antiretroviral treatment (ART) naïve individuals in the RESPOND cohort collaboration Amanda Mocroft, United Kingdom
PE2/41	A retrospective analysis of the EuResist data set assessing HIV dual therapy success in a real-life context Michael Böhm, Germany
PE2/42	The real-world impact of switching to tenofovir-alafenamide (TAF) on metabolic co- morbidities in PLWH aged over 60s Ming Jie Lee, United Kingdom
PE2/43	Effect of simplification to INSTI-based dual therapy on residual inflammation and viral reservoir Giulia Marchetti, Italy
PE2/44	Changes in LDL after switch from TDF to TAF in the U.S. Paddy Mallon, Ireland
PE2/45	A retrospective analysis of the EuResist data set assessing if NRTI resistance impairs INSTI based treatment with NRTI backbone Michael Böhm, Germany
PE2/46	Impact of archived M184V/I mutations on the effectiveness of switching to coformulated elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide among virologically suppressed HIV-positive patients Chien-Ching Hung, Taiwan, Republic of China
PE2/47	Central nervous system (CNS) side effects and viral blips post cART switch from atazanavir boosted with ritonavir (ATZ/r) to atazanavir boosted with cobicistat (ATZ/c) Stephanie Tyler, United Kingdom
PE2/48	Quantitation of cellular HIV-1 DNA levels by droplet digital PCR in virologically-suppressed patients switching to dolutegravir plus lamivudine: a prospective study Francesca Lombardi, Italy
PE2/49	Evaluation of weight gain in incarcerated individuals living with HIV/AIDS after switching to a raltegravir-based regimen Melissa Badowski, United States
PE2/50	Determinants of viral non-suppression among people living with HIV (PLHIV) in rural setting, Neno: a retrospective cohort study Potiphar Damiano, Malawi
PE2/51	Risk of developing HIV resistance in patients with low level viraemia in a large London cohort Naomi Fitzgerald, United Kingdom

PE2/52	Virological outcomes of first line regimens in women living with HIV from Icona cohort: comparison with clinical trial data Cristina Mussini, Italy
PE2/53	Well-being in people living with HIV/AIDS (PLWHA) according to cART exposure: data from IOCONA cohort Antonella Cingolani, Italy
PE2/54	Body composition changes in HIV: do INSTI matter? Giovanni Guaraldi, Italy
PE2/55	Dolutegravir-based regimens are associated with weight gain over two years following ART-initiation in ART-naïve people living with HIV (PLWH) Heidi Crane, United States
PE2/56	Efficacy and safety of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in combination with boosted darunavir (DRV) in treatment experienced patients with HIV Lucas Hill, United States
PE2/57	Real world data of using Triumeq (dolutegravir/abacavir/lamivudine; DTG/ABC/3TC): final outcomes of the 3-year German TRIUMPH cohort show good virologic effectiveness and safety in clinical routine Nils Postel, Germany
PE2/58	The effectiveness of E/C/F/TAF in treatment-naive (TN) or treatment-experienced (TE) adult HIV-infected patients in a real-world setting, results from southern Turkey Dilara Inan, Turkey
PE2/59	Comparison of efficacy and safety of a switch to fixed-dose combination FTC/TDF-TAF/RPV versus fixed-dose combination 3TC/ABC/DTG in HIV-1-infected, treatment experienced and virologically suppressed patients: a cohort study Gaetana Sterrantino, Italy
PE2/60	COPEDOL: a 2-year French multicentric, observational, longitudinal retro-prospective study, in pretreated HIV-1-infected patients starting dolutegravir based regimen due to treatment failure Roland Landman, France
PE2/61	Drug-drug interactions with recommended first-line antiretroviral therapy in real-world settings Wang-Huei Sheng, Taiwan, Republic of China
PE2/62	Determinants of switching to TAF-based cART or dual combinations (DC) from TDF-based regimens in a cohort of HIV-infected individuals with controlled viral load≤50 copies/mL Alessandra Vergori, Italy
PE2/63	An early proactive switch to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/T/TAF) is effective in maintaining virologic control and improving quality of life (QoL) in patients with a primary HIV-1 infection (PHI). An interim analysis of a phase IV clinical trial (ESTER study) Marta Camici, Italy
PE2/64	Prevalence of neuropsychiatric conditions in patients living with HIV-1 treated with antiretroviral therapies - a perspective from US Medicaid Wing Chow, United States
PE2/65	Switch to dolutergravir dual regimens and imflammation mediated by annexin Claudio Ucciferri, Italy

PE2/66	Efficacy of dual antiretroviral therapy (ART) as intermittent short cycle regimen in virologically suppressed HIV-infected patients: an observational cohort Romain Palich, France
PE2/67	Modelling time varying viral load and CD4 cell counts response to antiretroviral therapy in a cohort of HIV naive patients Margarida Tavares, Portugal
PE2/68	Impact of switching to E/C/F/TAF on lipid profile and renal function in HIV-infected patients Bilgul Mete, Turkey

ePosters 12:45 - 20:00 Exhibition hall

Sharon Walmsley, Canada

	12:45 - 20:00	0 Ex	thibition hall
Antiretroviral randomized clinical trials			
	PE3/1	Genital HIV-1 RNA and DNA shedding in virologically suppressed individuals switch triple- to dual- or monotherapy: pooled results from two randomized controlled triple- Laurent Hocqueloux, France	
	PE3/2	Comparison of the Ease of Swallowability of B/F/TAF placebo compared to DTG/ABO placebo John Ernest McKinnon, United States	C/ 3TC
	PE3/3	Evaluation of total HIV-DNA changes in HIV-1 infected patients who continue a 2-d regimen with dolutegravir plus one reverse transcriptase inhibitor or switch to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide enrolled in the Be-One Maria Mercedes Santoro, Italy	_
	PE3/4	Phase-3 trials of new antiretrovirals are not representative of the global HIV epide Toby Pepperrell, United Kingdom	emic
	PE3/5	Impact of susceptibility scoring on virologic response in heavily treatment-experie participants with HIV-1 receiving a fostemsavir-based antiretroviral regimen: resulthrough week 96 from the randomized cohort of the Phase 3 BRIGHTE study Peter Ackerman, United States	
	PE3/6	Reversibility of dolutegravir/lamivudine/abacavir neuropsychiatric toxicity after 24 switching to elvitegravir/cobicistat/emtricitabine/tenofovir-alafenamide (EVG/c/FTGThe DREAM Clinical Trial Ignacio Pérez-Valero, Spain	
	PE3/7	A switch to dolutegravir in combination with boosted darunavir is safe and effection suppressed patients with HIV - a predefined psychosocial subanalysis of the DUAL Christoph Spinner, Germany	
	PE3/8	Tenofovir alafenamide versus tenofovir disoproxil fumarate - is there a true difference safety? Toby Pepperrell, United Kingdom	ence in
	PE3/9	Biologic sex is not the only difference between men and women: data from the Do phase 2/3 clinical trials	ravirine

PE3/10	No metabolic or renal benefits when switching to an NRTI-free dolutegravir-containing 2 drug regimen (2DR) - a subanalysis of the DUALIS study Christoph Boesecke, Germany
PE3/11	Sustained viral suppression with dolutegravir monotherapy during 9,899 patient weeks of follow-up in individuals starting combination antiretroviral therapy during primary HIV infection (EARLY SIMPLIFIED): a randomized, controlled, multi-site, non-inferiority trial
	Dominique Laurent Braun, Switzerland
PE3/12	Rapid initiation of darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) in patients with human immunodeficiency virus (HIV)-1 infection: age, race/ethnicity, and gender subgroup analyses from the DIAMOND study David Anderson, United States
PE3/13	A systematic review and meta-analysis evaluating the risk of central nervous system adverse events in randomised controlled trials of dolutegravir Khadija Muniath Chowdhury, United Kingdom
PE3/14	Long-term efficacy and safety of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in ART-naïve adults Chloe Orkin, United Kingdom
PE3/15	Switching from a 3-drug tenofovir alafenamide (TAF)-based regimen (TBR) to a 2-drug dolutegravir/lamivudine (2DR, DTG/3TC FDC) was not associated with a higher frequency of intermittent viremia in suppressed patients in the TANGO study Ruolan Wang, United States
PE3/16	Phase 3 randomized, controlled DISCOVER study of daily emtricitabine/tenofovir alafenamide (F/TAF) or emtricitabine/tenofovir disoproxil fumarate (F/TDF) for HIV pre-exposure prophylaxis (PrEP): week 96 results Peter Ruane, United States
PE3/17	Single doses of long-acting capsid inhibitor GS-6207 administered by subcutaneous injection are safe and efficacious in people living with HIV Eric S Daar, United States
PE3/18	Long-term safety and efficacy of rilpivirine plus nucleoside/nucleotide reverse transcriptase inhibitors in HIV-1 infected patients: 7-year roll-over study from phase 2 and 3 clinical studies Jean-Michel Molina, France
PE3/20	Prevalence of archived HIV-1 DNA resistance-associated mutations (RAMs) and their lack of effect on virologic outcome at week 96 in antiretroviral treatment (ART)-experienced, virologically suppressed patients receiving the once-daily, single-tablet regimen (STR) darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) in the EMERALD phase III trial
	Erkki Lathouwers, Belgium
PE3/21	Islatravir efficacy and safety for selected demographic and baseline subgroups from a Phase 2 trial in treatment naïve adults with HIV-1 infection
	lean-Michel Molina. France

ePosters 12:45 - 20:00

Exhibition hall

Antiretroviral therapy preclinical

PE4/3	In vivo dissection of the effects of HIV and antivirals on mitochondrial function in chronic treated HIV Theodoros Kelesidis. United States
PE4/4	The main barriers to "Test and Start" in Central Asia from the service providers' and patients' point of view Yelena Kudussova, Kazakhstan
PE4/5	Preclinical aspects of an anti-HIV molecule targeting vimentin Celia Berta Fernandez-Ortega, Cuba
PE4/6	PK/PD modelling of bnAbs for HIV treatments identifying knowledge gaps Mark Baker, Switzerland
PE4/7	A new inhibitor of HIV-1 infection exploiting host intracellular signaling to alter viral RNA processing Raymond Waiman Wong, Canada

ePosters 12:45 - 20:00 Exhibition hall

Behavioural interventions

Benavioural interventions	
PE5/1	Close group social media network and social gatherings for comprehensive HIV services among adolescent MSM in Lagos Nigeria Orobosa Enadeghe, Nigeria
	orobosa Enadegrie, riigeria
PE5/2	Good hygiene practices post circumcision: a case for low adverse events in VMMC Timothy Kipkosgei, Kenya
PE5/3	Challenges of implementing HIV counselling and testing (HCT) campaigns for higher education distance learning students at University of South Africa Nkay Pascal Kiabilua, South Africa
PE5/4	Enhancing effective HIV prevention among girls by fighting child marriage and sexual and gender based violence in Karonga district, Malawi Shora Manuel Kauluka, Malawi
PE5/5	Effectiveness of rapid HIV and HCV testing programmes based on mobile units Ekaterina Zinger, Russian Federation
PE5/6	It can't happen to me - tackling cognitive mistakes and HIV using a national campaign Arian Diskovic, Croatia
PE5/7	Is mobility still a HIV/STI associated vulnerable factor in the changing sex work dynamics among female sex workers in India? - Emerging evidence Priyanka Dixit, India
PE5/8	"Amare con Sapienza": an Italian digital ambient media prevention campaign in one of the largest European University to increase U=U, PreP, TasP knowledge Serena Vita, Italy
PE5/9	Assessing high risky sexual behaviors in vulnerable women in northern Uganda: baseline results of "Pe Atye Kena, no longer alone" study Antonella Cingolani, Italy

PE5/10 HIV/AIDS educational program for secondary school female students in Iran: a school-based randomized controlled trial

Farid Yousefi, Iran, Islamic Republic of

ePosters 12:45 - 20:00 Exhibition hall

Cascade of care

PE6/1	Self-reported non-receipt of HIV test results: a silent barrier to HIV epidemic control in Mozambique Didier Mugabe, Mozambique
PE6/2	Improvement in ART initiation in different regions of Ukraine from 2010 to 2014 Tetiana Salyuk, Ukraine
PE6/3	The HIV treatment cascade in Azerbaijan, 2018 Natig Zulfugarov, Azerbaijan
PE6/4	Seven years of European Testing Week: impact of a regional awareness campaign on increase in awareness and testing activities in Europe Lauren Combs, Denmark
PE6/5	Impact of integrated family planning and HIV services on early postpartum contraceptive use among women with HIV in the Eastern Cape, South Africa Oladele Vincent Adeniyi, South Africa
PE6/6	The first report of Prevention of Mother-to-Child Transmission (PMTCT) of HIV in Islamic Republic of Iran Ebrahim Ghaderi, Iran, Islamic Republic of
PE6/7	New HIV diagnosis and linkage to care in two outpatient units in South Europe Alessio Pampaloni, Italy
PE6/8	The HIV- and HCV-cascade in Swiss opioid agonist treatment (OAT) patients - the SAMMSU-cohort Andrea Bregenzer, Switzerland
PE6/9	Increased Integrated testing for HIV and HCV in health care facilities: examples from the INTEGRATE activities in Lithuania and Romania Raimonda Matulionyte, Lithuania
PE6/10	AIDS and late presentation follows testing gaps in Poland - data from Test and Keep in care (TAK) Polska project Justyna Kowalska, Poland
PE6/11	Loss to follow-up and re-linkage to care in a single cohort study: who do we re-link to care? Laura Magnasco, Italy
PE6/12	Expanding access to HIV tests in 13 cities in Indonesia: an interrupted time series investigating effect of HIV policy intervention using six years population data Yane Tarigan, Australia
PE6/13	Link HIV-infected injection drug users after the imprisonment to continuum of HIV care program in Taiwan Wei-Wei Wu, Taiwan, Republic of China

PE6/14	HIV continuum of care by sex and mode of transmission in Spain, 2016: use of different sources of information Victoria Hernando, Spain
PE6/15	Temporal trends in time from HIV diagnosis to viral load suppression in CoRIS Belén Alejos, Spain
PE6/16	Navigation of HIV positive clients. Reasons of gaps in HIV cascade among PWID Oksana Pashchuk, Ukraine
PE6/17	Tracing the patterns of HIV-1 transmission among individuals with different time to diagnosis in Greece Evangelia-Georgia Kostaki, Greece
PE6/18	Late diagnosis and delayed presentation in Korean HIV/AIDS cohort Shin Woo Kim, Korea, Republic of
PE6/19	Interruption of HIV care: understanding the predictors and outcomes in the Belgian national HIV cohort Dominique Van Beckhoven, Belgium
PE6/20	The HIV continuum of care: current situation and advances. A systematic review Georgia Vourli, Greece
PE6/21	The contribution of a partnership with a civil society organization (SCO) to early HIV diagnosis and UNAIDS goals Antonio Diniz, Portugal
PE6/22	HIV cascade of care in Turkey: data from the HIV-TR cohort Deniz Gökengin, Turkey
PE6/23	Cascade analysis of anonymous voluntary HIV counseling and testing among HIV-infected patients in Taiwan Chun-Yuan Lee, Taiwan, Republic of China
PE6/24	Late presentation of HIV in Armenia Trdat Grigoryan, Armenia
PE6/25	Oral self-testing for individuals absent or refusing testing during home-based HIV testing - a cluster-randomized trial in Lesotho (HOSENG trial) Tracy R Glass, Switzerland
PE6/26	Acceptability of rapid tests for migrants during the medical consultation at the migration point Martin Duracinsky, France
PE6/27	Evaluation of the "test and treat" strategy in an high-income setting: data from a multicenter Italian cohort Gianmaria Baldin, Italy
PE6/28	Pill box return as a predictor of treatment outcome to antiretroviral therapy in PLHIV: a prospective cohort study Robert Ndege, Tanzania, United Republic of
PE6/29	Potentially missed opportunity to diagnose HIV with standard testing algorithm among adult patients with ongoing mononucleosis-like illness Anna Vassilenko, Belarus

PE6/30	HIV Continuum of Care Cascade in Cluj County, Romania. Comparative situation of the years 2016, 2017, 2018
	Adriana Topan, Romania
PE6/31	People living with HIV lost to follow up in the Paris region area and actions carried out by HIV care centers
	Nicolas Vignier, France
PE6/32	Far from 90-90-90 goals in Latin America Maria Greco, Argentina
PE6/33	Barriers to involving patients in ART as a challenge to the national health system in Ukraine Serhii Riabokon, Ukraine
PE6/34	Index testing and intensified case finding for efficiency in HIV testing in Rwanda Eric Remera, Switzerland

ePosters 12:45 - 20:00 Exhibition hall

Clinical case

PE7/1	Disseminated histoplasmosis in HIV, a key point of interest in Latin America Nelson Delgado, Ecuador
PE7/2	H-ART to Heart: a 43 year old body builder with HIV on anti-retroviral therapy with recurrent myocardial infractions (5 heart attacks)
PE7/3	Gavin Paul Raphael Manmathan, United Kingdom Immune reconstitution inflammatory syndrome presenting as toxoplasma macular retinochoroiditis of eyes
	Dombu Guiafaing Reine Charlye, Cameroon
PE7/4	Invasive pulmonary aspergillosis and pulmonary tuberculosis in newly HIV diagnosed patients without prior ART exposure: differential diagnosis difficulties, treatment strategy
	Katerina Lytvin, Ukraine
PE7/5	Pseudotumor mimicking lung malignancy as a clinical presentation of Mycobacterium Avium infection in AIDS patient Luka Jovanovic, Serbia
PE7/6	Use of ibalizumab in a heavily treatment-experienced HIV-1-infected subject harbouring a multidrug-resistant virus Diana Canetti, Italy
PE7/7	Successful use of long-acting injectable cabotegravir and rilpivirine combination therapy in a patient with HIV-1 infection unable to absorb oral medication Razan Saman, United Kingdom
PE7/8	Cutaneous malignancy in a Romanian HIV-infected patient: diagnosis and treatment challenges Irina Cristiana Ianache, Romania
PE7/9	Autoantibodies, drugs and a failing liver

Sonia Raffe, United Kingdom

ePosters 12:45 - 20:00 Exhibition hall

Clinical trials of vaccines

PE8/1 Seroprevelance of vaccine preventable viral diseases and vaccine response among HIV positive patients

Fatma Sebnem Erdinc, Turkey

PE8/2 Could we recommend the current herpes zoster vaccine for patients living with HIV (PLHIV)?

Thomas Huleux, France

ePosters 12:45 - 20:00 Exhibition hall

Co-morbidities, ageing

PE9/1	Detectable subclinical myocardial abnormalities in people living with HIV: insights from cardiac magnetic resonance imaging (MRI) Gavin Paul Raphael Manmathan, United Kingdom
PE9/2	Hypertension and ECG alterations in HIV positive patients in DREAM centres in Mozambique Isotta Triulzi, Italy
PE9/3	Cardiovascular events are declining in men with HIV aged 50 years or older in Austria Maria Kitchen, Austria
PE9/4	Prevalence of HIV-associated neurocognitive disorder (HAND) in Turkey and assessment of Addenbrooke's Cognitive Examination Revised (ACE-R) test as a screening tool Volkan Korten, Turkey
PE9/5	Pilot study assessing the Rotterdam Healthy Aging Score in a cohort of HIV-positive adults Sharon Walmsley, Canada
PE9/6	Obesity and HIV - the overlaping epidemics Justyna Kowalska, Poland
PE9/7	Exhaled nitric oxide levels are higher in people living with HIV compared to uninfected controls suggesting increased eosinophilic pulmonary inflammation Rebekka Faber Thudium, Denmark
PE9/8	Comparison of changes in bone microarchitecture with abacavir-lamivudine versus tenofovir disoproxil fumarate-emtricitabine in adults living with HIV Roger Bedimo, United States
PE9/9	Limitations of FRAX equation for predicting low bone mineral density or bone loss progression among people living with HIV: the role of secondary causes of osteoporosis Pilar Vizcarra, Spain
PE9/10	Elevated body mass index during pregnancy and gestational weight gain in HIV-infected women in Cape Town, South Africa: association with adverse birth outcomes Hlengi Madlala, South Africa
PE9/11	Facilitating primary care non-antiretroviral drug prescribing in people living with HIV: the Think ARV project

Jaime Vera, United Kingdom

PE9/12	Characterization of moderate and severe anemia by peripheral blood smear in HIV infected patients in the Kilombero and Ulanga antiretroviral cohort Vanesa Anton-Vazquez, United Kingdom
PE9/13	HIV infection and smoking: PET imaging reveals early pulmonary perfusion abnormalities Puja Kohli, United States
PE9/14	Bariatric surgery in HIV obese patients: first results of the French ObéVIH ongoing study Valérie Pourcher, France
PE9/16	Plasma cotinine cut-off for distinguishing smokers from non-smokers among people living with HIV (PLWH)
	Omid Rezahosseini, Denmark
PE9/17	An analysis of HIV and co-morbidity profiles for adults accessing health care in Khayelitsha, South Africa
	Richard Osei-Yeboah, South Africa
PE9/18	Femoral arteries better indicator than carotid arteries of cardiovascular risk in HIV/AIDS patients
	Gordana Dragovic Lukic, Serbia
PE9/19	Cardiovascular risk assessment in PLWH over 50: agreement between cardiovascular risk predictors and Coronary Artery Calcium CT Scoring (CACS) Branca Pereira, United Kingdom
PE9/20	Safety and tolerance of denosumab in HIV patients Sara Vela, Spain
PE9/21	Lower incidence of liver steatosis in patients treated with lamivudine plus dolutegravir dual therapy
	Davide Moschese, Italy
PE9/22	Correlations between computerised and standard cognitive testing in persons with HIV and controls
	Davide De Francesco, United Kingdom
PE9/23	Whole body MRI detects high prevalence of incidental findings in older HIV-1-infected patients participating in a randomised, controlled trial of maraviroc and/or metformin for non-alcoholic fatty liver disease
	Sarah Pett, United Kingdom
PE9/24	An analysis of potential drug-drug interactions in an aging HIV cohort Pádraig Gardiner, Ireland
PE9/25	A standardized comparison of cardiovascular risk factor prevalence between people living with HIV and general population in Spain
	Vicente Estrada, Spain
PE9/26	Subclinical atherosclerosis burden by ultrasound in carotid and femoral territories in HIV subjects: relationships with HIV and non-HIV related factors Vicente Estrada, Spain
PE9/27	Subcutaneous adipose tissue modifications induced by a switch to dual raltegravir- maraviroc therapy in controlled HIV-infected patients: a sub-study of the ANRS- ROCnRAL157 clinical trial Jacqueline Capeau, France

PE9/28	Results of 10 year experience of a specialist clinic for people living with HIV over 50 at Chelsea and Westminster Hospital
	Branca Pereira, United Kingdom
PE9/29	Discordance in diagnosis of osteoporosis in HIV-infected patients: prevalence, characteristics, and impact on FRAX equation Pilar Vizcarra, Spain
PE9/30	CD4/CD8 ratio is a better indicator of acute phase inflammation than absolute CD4 count during virally-suppressed HIV infection Rodney Rousseau, Canada
PE9/31	Immune activation and chronic inflammation: is there an additional effect of HIV in a geriatric population? Clotilde Allavena, France
PE9/32	Trends in cardiovascular risk factors and estimated 10-year cardiovascular risk score in a spanish cohort of PLWH: 2010-2018 Francisco Fanjul, Spain
PE9/33	Prevalence of depression and associated psychosocial factors among HIV positive patients attending ART clinic at Gulu Regional Referral Hospital Ronald Kiyemba, Uganda
PE9/34	Potentially inappropriate medications in older adults with HIV in the region of Madrid, Spain Beatriz López-Centeno, Spain
PE9/35	Impact of the reproductive/hormonal status on weight, fat and insulin resistance in HIV-infected women switching from a PI regimen to dual raltegravir-etravirine therapy: results from the ANRS163-ETRAL trial at 48 and 96 weeks
	Jacqueline Capeau, France
PE9/37	Age- and sex-related differences in concomitant diseases and use of co-medication in patients with treated HIV-infection in Germany Karen Martin, Germany
PE9/38	Kidney transplantation in HIV-positive patients in Israel including the first case of HIV-positive living donor to HIV-positive recipient with a 7-year follow-up Eugene Katchman, Israel
PE9/39	Vitamin D deficiency and frailty phenotype in HIV-infected men Fiona Bhondoekhan, United States
PE9/40	The UCSD performance-based skills assessment is associated to cognitive performance in HIV positive population with very good immunological condition Valentina Delle Donne, Italy
PE9/41	Alcohol, smoking and the association with HIV virological non-suppression among people living with HIV on ART Timothy Peter Wynne Jones, United Kingdom
PE9/42	Decreasing incidence of diabetes mellitus in HIV-positive Taiwanese patients on combination antiretroviral therapy from 2004 to 2011 Pei-Ying Wu, Taiwan, Republic of China
PE9/43	Incidental findings in PLWH over 50 undergoing coronary artery calcium scoring (CACS) for cardiovascular risk assessment Maria Mazzitelli, United Kingdom

PE9/44	Aging biomarkers, inflammatory cytokines and development of cardiovascular ischemic events or diabetes in HIV-infected persons Jose I Bernardino, Spain
PE9/45	Falls but not frailty are common in people living with HIV using an mHealth platform: issues of ageing within the EmERGE cohort Tom Levett, United Kingdom
PE9/46	A standardized comparison of cardiovascular risk factor treatment in people living with HIV and general population Vicente Estrada, Spain
PE9/48	Perceptions of ageing and desire for ageing information amongst users of the EmERGE mHealth platform Tom Levett, United Kingdom
PE9/49	Switching to bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in adults aged >65 or older: week 48 results from a phase 3b, open-label trial Franco Maggiolo, Italy
PE9/50	Safety and efficacy of switching from tenofovir disoproxil fumarate to tenofovir alafenamide in people with HIV aged 50 years and older Hans-Jürgen Stellbrink, Germany
PE9/51	HIV testing in patients diagnosed with community acquired pneumonia or primary lung cancer from 2014 to 2018 in a tertiary reference hospital in Northern Spain Teresa Rubio Obanos, Spain
PE9/52	Menopause in aging women living with HIV: changes in bone mineral density and trabecular bone score Giovanni Guaraldi, Italy
PE9/53	Higher anti-CMV IgG concentrations are not associated with longitudinal brain injury in virally suppressed people with HIV Jonathan Underwood, United Kingdom
PE9/55	Higher Prevalence of CKD in HIV+ individuals compared to the general population Stefan Esser, Germany
PE9/56	Effect of CMV viraemia on endothelial dysfunction over 42 weeks in Malawian adults initiating ART with advanced immune suppression Christine Kelly, Ireland
PE9/57	High prevalence of neurocognitive impairment in adults with perinatally acquired HIV infection Irene Portilla-Tamarit, Spain
PE9/58	Modeling 2018 AHA cholesterol guidelines in HIV Giacomo Ciusa, Italy
PE9/59	A multi-disciplinary Neuro-HIV Platform in managing patients with neurocognitive impairment Phanie Bidlingmeyer, Switzerland
PE9/60	Archi-Prevaleat project. A national register of color-Doppler ultrasonography of the epi- aortic vessels in patients living with HIV Salvatore Martini, Italy

PE9/61	disease in HIV positive patients
	Giovanni Millotti, Italy
PE9/62	Bone mineral density changes in young African women on tenofovir disoproxil fumarate antiretroviral therapy and non-hormonal contraception Flavia Kiweewa Matovu, Uganda
PE9/63	Examination of HIV-infected patients regarding weight gain while using integrase inhibitors in Japan Ryoko Sekiya, Japan
PE9/65	Predictors of sarcopenia and its impact on components of the frailty phenotype in an Asian population living with HIV Grace Lui, Hong Kong
PE9/66	Failure to restore CD4 cell count with combination antiretroviral therapy is associated with increased systemic inflammation Rodney Rousseau, Canada
PE9/67	High prevalence of left ventricular systolic dysfunction assessed by speckle tracking in asymptomatic HIV patients Dimitris Basoulis, Greece
PE9/68	Polypharmacy and drug-drug interactions - prevalence in a Portuguese HIV Metabolic Clinic Joana Fragoso, Portugal
PE9/69	Bone density alterations in the HIV-infected patient - epidemiologic characterization of a Portuguese cohort Diogo Guerra, Portugal
PE9/70	Cigarette smoking disproportionately impairs nitric oxide signaling in pulmonary artery endothelial cells in HIV: role of viral and host factors Saurabh Aggarwal, United States
PE9/71	Frailty phenotype in older virologically suppressed PLWHIV is strongly correlated with specific comorbidities and tobacco use Christina Katerina Psomas, France
PE9/72	HIV-FUNCFRAIL study: differences between women and men aging with HIV Fátima Brañas, Spain
PE9/73	Prevalence, risk factors and outcomes of cardiovascular, metabolic and chronic kidney diseases in HIV-infected vs. uninfected adults in sub-Saharan Africa: a systematic review and meta-analysis Ajibola Awotiwon, South Africa
PE9/74	People living with HIV are more likely to be screened for cardiovascular disease risk factors than other members of the general population in Botswana - a community based study Onkabetse Julia Molefe-Baikai, Botswana
PE9/75	APOL1 high risk genotype has an adverse impact on kidney function in African HIV-infected patients with high viral load Nongodo Firmin Kabore, France
PE9/76	Comparison of 2 frailty scores in PLWHIV aged 50 and over: SOF index and FRIED phenotype Christina Katerina Psomas, France

PE9/77	Annexin V, Annexin A1 and cardiovascular risk in HIVpopulation Claudio Ucciferri, Italy
PE9/78	Could we consider the intima-media thickness (c-IMT) > 1mm as a risk factor for cardiovascular diseases in HIV+ subjects chronically treated with antiretrovirals? Alessio Pampaloni, Italy
PE9/79	Immune reconstitution inflammatory syndrome (IRIS) in HIV-infected hospitalized patients with advanced disease
	Alberto Díaz-de Santiago, Spain
PE9/80	Low Body Mass Index (BMI) in ART naïve HIV-positive subjects and risk of virological failure and drug discontinuation: data from the ICONA Foundation Cohort
	Roberto Rossotti, Italy
PE9/81	Sistatin C, KIM1 and NGAL as biological markers for detecting early kidney injury in HIV positive patients
	Aslıhan Ulu, Turkey
PE9/82	Long-term AIDS survivors: comorbidities and polypharmacy a new challenge
	María José Galindo Puerto, Spain
PE9/83	Risk Factors associated to immune reconstitution inflammatory syndrome (IRIS) in HIV-infected hospitalized patients with advanced disease
	Alberto Díaz-de Santiago, Spain
PE9/84	Sleep disorders and depression through efavirenz to dolutegravir transition in Brazil: what really changed after all
	Melissa Medeiros, Brazil
PE9/85	Patterns of inflammation and comorbidity in Human Immunodeficiency Virus (HIV) infection: a clustering analysis from the CARDAMONE study
	Sonia Zebachi, France
PE9/86	Cognitive impairment in patients with HIV in a Mexican hospital
	Lucia Carrazco Ibarra, Mexico
PE9/87	Clinical management of ageing people living with HIV in Europe: The view of the care providers
	Marta Boffito, United Kingdom
PE9/88	Real-word characterization of the Portuguese population living with HIV who initiated Raltegravir based-regimen in the last three years - REALITY Study
	Joana Almeida, Portugal
PE9/89	Long-term lipid-lowering-therapy in HIV is clinically effective Henning Drechsler, United States

ePosters 12:45 - 20:00

Exhibition hall

Gender issues

PE10/1 Patient, clinical and virus genetic characteristics of migrants from Eastern, Central and Western Africa enrolled in the SHCS

Nadine Bachmann, Switzerland

PE10/2	Menopause impacts drug use and mental health in women with HIV in Switzerland Anna Hachfeld, Switzerland
PE10/3	Gender-specific analysis of a German cohort of HIV-infected patients on Raltegravir-based therapy shows distinctive baseline co-morbidity profiles of women versus men but no impact on treatment outcomes Karen Martin, Germany
PE10/4	Menopausal symptoms, sleep disorders and anxiety/depression among premenopausal and postmenopausal HIV-infected women: a multicenter cohort study in Spain Ines Suarez, Spain
PE10/5	An evaluation of the care given to older women attending an HIV clinic in London Claire Williams, United Kingdom
PE10/6	Anti-Mullerian hormone a plausible indicator of cardiometabolic risk in HIV-infected women Umbelina Caixas, Portugal
PE10/7	Differences in sexual health among HIV infected and uninfected women of child-bearing age Raffaella Marocco, Italy

ePosters 12:45 - 20:00 Exhibition hall

HIV and marginalised groups

my and marginanised groups	
PE11/1	Sexual behaviors and seroprevalence of HIV, HBV, and HCV among hill tribe youths of Northern Thailand Tawatchai Apidechkul, Thailand
PE11/3	The blind spot: high HIV burden among slum-dwelling school-age girls in Kampala, Uganda Jude Thaddeus Ssensamba, Uganda
PE11/4	Research of behavioral models of transgender people leading to high rates of HIV prevalence in Ukraine Igor Medvid, Ukraine
PE11/5	Outreach services for HIV testing and prevention among female transgender commercial sex workers in Milan: different approaches for different populations? Giuseppe Lapadula, Italy
PE11/6	The impact of unstable housing on HIV treatment outcomes in people living with HIV/AIDS in an urban setting of Southern Europe Hernando Knobel, Spain
PE11/7	Reflection of sex work criminalization in court judgements targeting to protect health, sanitary and epidemiological well-being Marina Avramenko, Russian Federation
PE11/8	Caring for the Transgender HIV-positive patient Chiara Picarelli, Italy
PE11/9	Association of current Estradiol use with carotid intimal media thickness among transgender women: a cross-sectional study Rodrigo Moreira, Brazil

PE11/10 HIV and migrants: a demographic and clinical characterization of migrants under follow up at an Infectious Diseases Department in Lisbon, Portugal

Marta Leal dos Santos, Portugal

ePosters 12:45 - 20:00

Exhibition hall

HIV cure

PE12/1 Comparison of three commercial kits for quantitative analysis of HIV-1 RNA produced in Russia

Ilya Lapovok, Russian Federation

PE12/2 Optimization of genotyping by phenotypic analysis of clinical HIV-1 subtype CRF01_AE

isolates from South-East Asia

Nina Marty, Switzerland

ePosters 12:45 - 20:00

Exhibition hall

HIV drug resistance

PE13/1	Darunavir resistance among patients exposed to protease inhibitors failing ARV therapy Luis Fernando Brigido, Brazil
PE13/2	Prevalence and factors associated to the detection (population and next generation sequencing) of archived 3TC resistance mutations in aviremic HIV-infected adults (GEN-PRO)
	Lourdes Domínguez-Domínguez, Spain
PE13/4	Monitoring the prevalence of transmitted HIV drug resistance in Hungary Eva Ay, Hungary

PE13/5 Predominant reverse transcriptase resistance mutations as barriers to achieving elimination of mother-to-child transmission of HIV in South Africa

Oladele Vincent Adeniyi, South Africa

PE13/6 Virologic failure and human immunodeficiency virus drug resistance in adolescents on antiretroviral therapy in Yaounde and Douala

Magaly Jeanne Estelle Moukoko Mbonjo, Cameroon

PE13/7 Selection of integrase inhibitor (INI) resistance mutations in an INI experienced patient treated by Bictegravir

Thanes Vanig, United States

PE13/8 Impact of HIV-1 subtypes and integrase natural polymorphisms on virological response to

first-line integrase inhibitors based regimens

Daniele Armenia, Italy

PE13/9 HIV-1 integrase inhibitor resistance associated mutations defined by majority and minority

populations among individuals failing therapy

Smitha Gudipati, United States

PE13/10	HIV-1 diversity and antiretroviral resistance among bulgarian citizens infected abroad and foreigners registered with HIV/AIDS in bulgaria from 2012 to 2017 (preliminary analysis) Ivailo Alexiev, Bulgaria
PE13/11	Analytical treatment interruption and its association with rearrangement of peripheral archived resistance mutations
	Claudia Alteri, Italy
PE13/12	A low level of darunavir resistance-associated mutation emergence in patients with virological failure during long term use of darunavir in people living with HIV, the French ANRS CO3 Aquitaine cohort
	Fabrice Bonnet, France
PE13/13	Patients infected with multi-class resistant HIV-1 and with viral suppression treated with no more than one active drug: comparison of historical resistance reports and drug resistance in proviral DNA
	Christian Hoffmann, Germany
PE13/14	Non-nucleoside reverse transcriptase inhibitor (NNRTI) resistance in people living with HIV-1 (PLWH) subtype non-B from the Swiss HIV Cohort Study (SHCS) Martina L. Reichmuth, Switzerland
PE13/15	HIV-1 from antiretroviral-naïve and experienced patients lack capsid substitutions associated with GS-6207 in vitro resistance Anne-Geneviève Marcelin, France
PE13/16	Long-term efficacy, safety and durability of ibalizumab in expanded access study Graeme Moyle, United Kingdom
PE13/17	Clinical impact of minority mutations in patients failing an integrase inhibitor-based regimen: what do clinicians do? Smitha Gudipati, United States
PE13/18	Identification of HIV-1 transmission clusters in Croatia, 2014 - 2017: evidence for the forward spread of HIV-1 resistant variants Josip Begovac, Croatia
PE13/19	High levels of resistance among HIV-1 treatment naive patients in Greece, a nationwide study: evidence for country and regional level transmission networks Dimitris Chatzidimitriou, Greece
PE13/20	A phase 3b, open-label, pilot study to evaluate switching to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) in virologically-suppressed HIV-1 infected adult subjects harboring NRTI resistance mutations M184V/I +/-TAMs (GS-US-292-1824): week 24 results
	Ignacio Pérez-Valero, Spain
PE13/21	Sustained viral suppression among participants with pre-existing M184V/I who switched to bictegravir/emtricitabine/tenofovir alafenamide
	Kristen Andreatta, United States
PE13/22	Absence of naturally existing resistance against the HIV-1 capsid inhibitor GS-6207 in HIV-1 primary isolates
	Christian Callebaut, United States
PE13/23	Impacts assessment of home based care program over adherence to ART among adolescence living with HIV and AIDS in Blantyre Malawi Lesily Samson Kapile, Malawi

PE13/24	Correlation of results analysis drug resistance of HIV-1 among patients with virological failure by next-generation sequencing
	Alina Kirichenko, Russian Federation
PE13/25	Analysis of the latent reservoir of a patient infected with HIV under PrEP by single full- length HIV-1 amplification
	Maximilian Damagnez, Germany
PE13/26	Drug resistance profile according to HIV-1 viral load after long-term exposure to antiretroviral treatment in the absence of routine virological monitoring: results from a programmatic cohort in sub-Saharan Africa
	Giovanni Villa, United Kingdom
PE13/27	In vitro analysis of replicative capacity and phenotypic susceptibility of integrase mutant HIV-2 viruses
	Quentin Le Hingrat, France
PE13/28	Treatment simplification with two-drug regimens: impact of transmitted drug resistance mutations in residents of South-East Austria Evelyn Stelzl, Austria
PE13/29	Baseline resistance to Doravirine depends on the algorithm used for interpretation Carlos Guerrero Beltrán, Spain
PE13/30	Baseline resistance to EACS first line recommended antiretroviral regimens in newly diagnosed patients in Spain Federico García, Spain
PE13/31	A retrospective evaluation of a national home infusion provider's approach to medication adherence of parenteral ibalizumab-uiyk in the alternate-site and homecare setting Kathryn Andrusko-Furphy, United States
PE13/32	Prevalence of HIV-1 drug resistance among patients with antiretroviral therapy failure in Moscow region, Russia Natalya Lebedeva, Russian Federation
PE13/33	HIV-1 drug resistance surveillance among parturient women on anti-retroviral therapy in the Eastern Cape, South Africa: implications for elimination of mother-to-child transmission Oladele Vincent Adeniyi, South Africa
PE13/34	Antiretroviral Resistance patterns in HIV-1 infected patients failing to second-line in Bamako, Mali
	Almoustapha Issiaka Maiga, Mali

ePosters 12:45 - 20:00 Exhibition hall

HIV-associated and non HIV-associated tumours

Sara Nsibirwa, Uganda

PE14/1 Prevalence of anal dysplasia among persons living with human immunodeficiency virus (HIV)
Adelaine Lopez, Philippines

PE14/2 HIV infection is associated with reduced survival among hepatocellular carcinoma cases from an urban referral hospital: Kampala, Uganda

PE14/3	High prevalence of anal and cervical dysplasia in a cohort of HIV-infected women, but low prevalence of concomitant lesions Ana Gomez, Ecuador
PE14/4	Malignant and benign skin lesions in HIV-1 infected people Alessandra Latini, Italy
PE14/5	Results of HPV-testing for anal screening in HIV-infected women Anna Popova, Russian Federation
PE14/6	COHORT SDT (Granada): decrease of the incidence of HSIL+ in the anal mucosa of HIV+ patients MSM after the performance of a screening, diagnostic and therapeutic program (2010-2018) Carmen Hidalgo-Tenorio, Spain
PE14/7	Prospective longitudinal study on immunogenicity and safety of vaccination against human papillomavirus (HPV) with the 9valent vaccine in HIV-positive women, the Papillon study: preliminary results on tolerance and safety Déborah Konopnicki, Belgium
PE14/8	Cancer trends and outcomes in a cohort of people living with HIV Andrea De Vito, Italy
PE14/9	Rate of HCC occurrence and associated risk factors in a multicentric cohort of HIV/HCV co- infected patients treated with DAAs Alice Toschi, Italy

ePosters 12:45 - 20:00 Exhibition hall

Human genomics	
PE15/1	Genetic characterization of the near full-length genome of an HIV-1 A1/C/D/K/B unique recombinant form from the Eastern Cape, South Africa: a case report Oladele Vincent Adeniyi, South Africa
PE15/2	Impact of KIR and their ligands (HLA allele) on susceptibility to selected viral opportunistic conditions and HIV plasma viral load in HIV+ patients Magdalena Leszczyszyn-Pynka, Poland
PE15/3	The identification and causal analysis of aberrant CD4 counts in an HIV cohort in Southern Alberta, Canada Raynell Lang, Canada
PE15/4	Placental gene expression profiles and pathways in HIV-1 positive Cameroonian women under ART Forgu Esemu Livo, Cameroon
PE15/5	Functional clustering and association of HLA class I alleles to viral load in HIV-positive and ART-naïve participants from the INSIGHT START study Adrian Gabriel Zucco, Denmark
PE15/6	miRNA expression profiling in subcutaneous adipose tissue of monozygotic twins discordant for HIV infection: validation of differentially expressed miRNA and bioinformatic analysis Nicola Squillace, Italy

PE15/7 Factors influencing late presentation into care of HIV disease

Bogusz Aksak-Wąs, Poland

ePosters 12:45 - 20:00 Exhibition hall

Immunology

PE16/1	Immunological and metabolic effects of dasatinib treatment in IL7-stimulated CD4+ T-cells subpopulations
	Humberto Erick De La Torre Tarazona, Spain
PE16/2	New T- and B-lymphocytes production and T-cell receptor diversity in young adults perinatally infected by HIV Martina Properzi, Italy
PE16/3	In Vivo modelling of mechanisms of HIV-1-related monocyte dysfunction Theodoros Kelesidis, United States
PE16/4	Lectin-like oxidized low-density lipoprotein (LOX-1) is elevated in proinflammatory monocytes in chronic treated HIV Theodoros Kelesidis, United States
PE16/5	In vivo dissection of the impact of HIV-1 versus antivirals on immune activation in chronic treated HIV
	Theodoros Kelesidis, United States
PE16/6	Differential impact of HIV-1 versus antivirals on systemic inflammation in chronic treated HIV
	Theodoros Kelesidis, United States
PE16/7	Correlation between blood telomere length and CD4+ CD8+ T-cell subsets in HIV-1-positive individuals with long-term virological suppression on antiretroviral therapy Javier Rodríguez-Centeno, Spain
PE16/9	Phenotypical recovery of the T-cell pool following switch to dual and triple INSTI-based cART
	Camilla Tincati, Italy
PE16/11	Expression of PD-1 in a population of double-negative T cells (CD3+CD4-CD8-) in HIV-infected patients - the preliminary study results Weronika Rymer, Poland
PE16/12	Targeting inflammation in chronic treated HIV with oral ApoA-I mimetics Theodoros Kelesidis, United States
PE16/13	Poor recovery of T-cell receptor repertoire despite long-term antiretroviral therapy James Brown, United Kingdom

ePosters 12:45 - 20:00

Exhibition hall

Morbidity/mortality in the era of cART

PE20/1	The association of rare HLA alleles with clinical disease progression in HIV-positive cohorts with varied treatment strategies Christina Ekenberg, Denmark
PE20/2	Neutrophil-to-lymphocyte ratio compared to CD4+:CD8+ T-cell ratio as a predictor of non-AIDS events in treated people living with HIV Nick Power, Ireland
PE20/3	Factors associated with virologic failure in women with HIV: Condesa specialized clinics, Mexico City
	Teresita De Jesús Cabrera Lòpez, Mexico
PE20/4	Causes of death among a cohort of HIV-infected adults in rural Tanzania Fiona Vanobberghen, Switzerland
PE20/5	Predictors of early mortality among adult HIV-infected patients on antiretroviral therapy in a Kenyan pastoralist community: a retrospective cohort study
	Paul Yonga, Kenya
PE20/6	Trends in underlying causes of death in HIV - infected patients from 2016 to 2018 in Ukraine: a cohort study
	Tetiana Kyrychenko, Ukraine
PE20/7	Dynamic of CD4+/CD8+ ratio in late presenters: impact on clinical outcomes Marta Rava, Spain
PE20/8	Retrospective investigation into the causes of death in HIV-infected patients from Bonn in the era of combined Anti-Retroviral Therapy Lukas Knieps, Germany
PE20/9	Reduced utility of early procalcitonin in HIV febrile patients admitted to the emergency department Chiara Picarelli, Italy
PE20/10	Patients with HIV and HCV in intensive care treatment: admission criteria and trends in the intensive care unit (ICU) at the University Hospital of Bonn 2014-2019
	Stefan Schlabe, Germany
PE20/11	Burden of disease in PLWH harboring a 4-class drug resistant virus: data from PRESTIGIO Registry Maria Rita Parisi, Italy
PE20/12	Changing pattern of hospital admissions due to medical conditions in HIV-infected subjects in a European public health care system with free access to antiretroviral treatment Joan Raga Almudéver, Spain
PE20/13	Association of non-adherence to antiretroviral therapy with cardiovascular outcomes in virologically suppressed persons living with HIV: the Swiss HIV Cohort Study Tracy R Glass, Switzerland
PE20/14	Differences in social and mental well-being of long-term survivors among people who inject drugs and other participants in the Swiss HIV Cohort Study: 1980 - 201 Katharina Kusejko, Switzerland
PE20/15	Low pre-ART CD4 count is associated with increased risk of clinical progression or death even after reaching 500 CD4 cells/µL on ART Nikos Pantazis. Greece

PE20/16	controls residing in Sub-Saharan Africa: a narrative review Edith Phalane. South Africa
PE20/17	Causes of death in AIDS/HIV-infected patients at the hospital of infectious diseases in St. Petersburg, Russia
	Olga Sokolova, Russian Federation
PE20/18	Dynamics and structure of mortality of HIV-positive people in Ukraine Nataliia Bugaienko, Ukraine

ePosters 12:45 - 20:00

Exhibition hall

NASH

PE22/1	Assessment of non alcoholic fatty liver disease in a cohort of HIV mono-infected patients Paola Columpsi, United Kingdom
PE22/2	Non-alcoholic fatty liver disease (NAFLD) and related metabolic disorders among HIV- infected patients in the country of Georgia Lali Sharvadze, Georgia
PE22/3	Non-alcoholic fatty liver disease is a significant predictor of cardiovascular risk in HIV-infected patients Adriana Cervo, Italy
PE22/4	Non alcoholic fatty liver disease diagnosed by non-invasive markers in HIV-infected patients Carmen Busca, Spain
PE22/5	Global prevalence of liver impairment in HIV population in direct antiviral agents (DAA) era: the role of fatty liver disease

ePosters 12:45 - 20:00

Exhibition hall

Novel consultations, remote care - telemedicine, mobile applications

Matilde Sánchez-Conde, Spain

PE23/1	Harnessing mobile technology for health worker capacity building to improve quality of care in resource-constrained settings Walter Joseph Arinaitwe, Uganda
PE23/2	Feasibility, uptake and acceptability of the EmERGE mHealth app in individuals living with stable HIV in five European countries Jenny Whetham, United Kingdom
PE23/3	Attracting people who use drugs to HIV prevention and care programs via darknet and messengers: evidence from St. Petersburg, Russia Aleksey Lakhov, Russian Federation
PE23/4	People living with HIV (PLHIV) and their doctors: adopters and sceptics, and those opened to e-health
	Christine Jacomet, France

PE23/5	Fitness tracking wearable devices and a dedicated smart phone app (MySAwH App) to predict quality of life in PLWH: a multi-centre prospective study Giovanni Guaraldi, Italy
PE23/6	The efficiency of introducing the EmERGE Pathway of care for stable Croatian PLHIV Eduard J. Beck, United Kingdom
PE23/7	'The 4th 90': a preliminary assessment of change in quality of life over 1 year of the EmERGE study: PROQOL-HIV and EQ-5D-5L, a descriptive analysis Christopher Jones, United Kingdom
PE23/8	Measuring empowerment in EmERGE mHealth platform users: a descriptive analysis of interim data
	Stephen Bremner, United Kingdom

ePosters 12:45 - 20:00 Exhibition hall

12.45 20.0	Exhibition name
Other coinfections/Sexually transmitted infections	
PE24/2	High rates of ocular and neurosyphilis in a large German, city-based university hospital: lessons learned on ocular syphilis Laura Franziska Wagner, Germany
PE24/3	Decreasing rate of HIV and HBV co-infection in nationwide Korean HIV/AIDS cohort and its meaning Yoonjung Kim, Korea, Republic of
PE24/5	Prevalence of syphilitic hepatitis among HIV-infected patients in Istanbul, Turkey, a region with increasing incidence of syphilis and HIV infection Ozlem Altuntas Aydin, Turkey
PE24/6	Seroconversion rate after yellow fever vaccine in HIV- positive patients Charlotte Martin, Belgium
PE24/7	Low seroprevalence of syphilis infection among key populations in Togo in 2017: a national cross-sectional survey Fifonsi Gbeasor, Togo
PE24/8	Socio demographics, sexual behavior and clinical manifestations of HIV+ and HIV- patients diagnosed with syphilis, Brussels 2017-2019 Agnès Libois, Belgium
PE24/9	Risk factors and prevalence of syphilis, gonorrhea and chlamydia infections in the Swiss HIV cohort study Catrina Mugglin, Switzerland
PE24/10	Predictors of serofast state after treatment for syphilis in HIV-infected patients Gregor Paul, Germany
PE24/11	A proactive approach to assess rising STIs among different at-risk groups of MSM in the early era of PrEP: a real-world clinical care setting Christina Katerina Psomas, France

PE24/12	Profiles of multidrug resistant gonorrhea in HIV-infected patients attending an urban hospital in Uganda Christine Katusiime, Uganda
PE24/13	Sexually transmitted diseases clinic in a Portuguese Infectious Diseases unit Joana Fragoso, Portugal
PE24/14	Quantification of DNA human papillomavirus 16 and 18 in anal cells improves the prediction of high grade anal intraepithelial neoplasia in HIV patients Marcos Diez, Spain
PE24/15	Primary prophylaxis against Pneumocystis jirovecii Pneumonia may be effective in preventing severe bacterial pneumonia in HIV-positive patients: findings from a large Italian center Alex Dusina, Italy
PE24/16	HHV-8 salivary shedding in individuals with different HIV status and sexual behaviour Elvira Domonova, Russian Federation
PE24/17	Insights into syphilis reinfection in HIV patients: predictors and role of serofast condition Chiara Picarelli, Italy
PE24/18	Infective endocarditis, a current health problem in Romanian injecting drug users Irina Cristiana lanache, Romania
PE24/19	Preventable risk factors and predictors of hepatic and non-hepatic co-morbidities among PLHIV Oluwakemi Odukoya, Nigeria
PE24/20	Incidence of asymptomatic HAV infection among MSM living with HIV in South-Western Poland Aleksandra Szymczak, Poland
PE24/21	Behavioural patterns to identify key populations for syphilis prevention Sara Andresen, Switzerland
PE24/22	Evaluation of a systematic sexually transmitted infections screening pilot programme in HIV positive men who have sex with men (MSM) Paula Prieto, Spain
PE24/23	Chemsex in Barcelona: a descriptive approach about men who have sex with men (MSM) who use recreational drugs in a sexual context Lorena De la Mora, Spain
PE24/24	Analysis of serum metabolite changes in early syphilis patients with or without serologic response after treatment Chia-Jui Yang, Taiwan, Republic of China
PE24/25	Stable transmission of amoebiasis among newly diagnosed HIV-positive patients in Taiwan, 2009-2018 Sung-Hsi Huang, Taiwan, Republic of China
PE24/26	Mycoplasma genitalium resistance against macrolide antibiotics in the Berlin MSM cohort tested with the Allplex MG & AziR Assay (SeeGene) Martin Obermeier, Germany

PE24/27	Predictors of ureaplasma urealyticum urinary colonization in HIV+ pregnant women: a pilot study lacopo Franconi, Italy
PE24/28	No indication of decreased syphilis susceptibility with repeated syphilis episodes in HIV-infected men who have sex with men: a multicentre prospective cohort study on risk factors and the potential role of syphilis immunity
DE2.4/20	Jan Roth, Switzerland
PE24/29	The prevalence of high-risk anal HPV in HIV-positive MSM in Lebanon Nesrine Rizk, Lebanon

ePosters 12:45 - 20:00

Exhibition hall

Paediatric, adolescent

	·
PE25/1	Effect of cluster of differentiation (CD4) on viral respiratory infection in children, between 0-5 years of age. A study conducted in Kwazulu-Natal, South Africa Temitayo Famoroti, South Africa
PE25/2	Adolescent HIV and asymptomatic malaria parasitemia (AMP) co-infection David Segun Adeniyi, Nigeria
PE25/3	Clinical features of viral diarrhea in the children of HIV Marufjon Salokhiddinov, Uzbekistan
PE25/4	High rate of rubella seronegativity in perinatally-infected HIV women of childbearing age: a case-control study Nicolas Dauby, Belgium
PE25/5	Health outcomes in adolescents and young adults living with HIV before and after transition to adult care in Barcelona Josep Ferrer Arbaizar, Spain
PE25/6	Correction of lipid abnormality by integrase inhibitor among children taking ART Anna Samarina, Russian Federation
PE25/7	Increasing contribution of sexually-transmitted HIV diagnoses in adolescents in Spain Enrique Bernal, Spain
PE25/8	Factors associated to late presentation of HIV newly diagnosed adolescents in Spain Enrique Bernal, Spain
PE25/9	Comparison of antiretroviral treatment initiation in HIV newly diagnosed adolescents in Spain Melchor Riera Jaume, Spain
PE25/10	Oral self-testing for adolescents and young adults absent or declining to test during home-based HIV testing - a mixed-method study embedded in a cluster-randomized trial in Lesotho (ADORE study) Alain Amstutz, Switzerland
PE25/11	Preterm births in women living with HIV in Switzerland: a 13-year evaluation Christian R Kahlert, Switzerland

PE25/12	Poor clinical outcomes in HIV-infected children who start antiretroviral therapy at an older age Kevin P. McKenzie, United States
PE25/13	Prevalence and predictors of unintended pregnancies among HIV positive young adults (14-24 years) attending an urban HIV clinic in Uganda Mackline Hope, Uganda
PE25/14	Microbiota composition in a cohort of underweight HIV-positive children aged 24-72 months in Cape Town, South Africa Margaret Van Niekerk, South Africa
PE25/15	Influence of maternal parameters on birth outcome in HIV-exposed newborns - 11 year observation Karolina Nowicka, Poland

ePosters 12:45 - 20:00

Exhibition hall

Pathogenesis and immunopathogenesis

PE26/2	Colonic microbiota exhibits disparate associations with HIV-infection and sexual practices Eveline Verheij, Netherlands
PE26/3	Zonulin indicates loss of intestinal integrity and microbial translocation in HIV+ patients Max Augustin, Germany
PE26/4	Distinct pro-inflammatory and cardio-protective effects of antiretroviral drugs in vascular endothelial cells Akif A. Khawaja, United Kingdom
PE26/5	Bacterial translocation kinetics in HIV-1 infection: from acute to chronic stages Paula Aranguren-Rivas, Spain
PE26/6	Mitochondrial antioxidants attenuate In vivo liver fibrosis in chronic treated HIV Theodoros Kelesidis, United States
PE26/7	Mitochondrial antioxidants attenuate In vivo mitochondrial dysfunction and exhaustion in T cells in chronic treated HIV Theodoros Kelesidis, United States
PE26/8	Inhibition of caspase 1 reduces viral load, CD4 T cell depletion and immune activation in HIV-1 infected humanized mice Philipp Adams, Luxembourg
PE26/9	Effect of early initiation of ART on alterations in natural killer cells in HIV infected pediatric patients Romsha Kumar, India
PE26/10	HIV-DNA levels, HLA-B*27 and HLA-DRB1*13 among LTNPs, ECs and HIV controllers Arianna Gabrieli, Italy
PE26/11	Macromolecule uptake across intestinal epithelia in HIV infection Carolin Grünhagen, Germany

PE26/12 Immune cell activation as a risk factor for hypertension in people living with HIV in Sub-Saharan Africa using the recent American Heart Association and American College of Cardiology Guidelines

Sepiso Masenga, Zambia

ePosters 12:45 - 20:00 Exhibition hall

Pharmacology, pharmacogenomics and drug interactions

PE27/1 Efficacy and safety of artemether-lumefantrine as treatment for Plasmodium falciparum uncomplicated malaria in adult patients on efavirenz based antiretroviral therapy in Zambia: an open label non-randomized interventional trial

Mike Chaponda, Zambia

PE27/2 Ritonavir-boosted darunavir plus two nucleoside reverse transcriptase inhibitors versus other regimens for initial antiretroviral therapy for people with HIV infection: a systematic review

Tatevik Balayan, Armenia

PE27/3 Towards individualization of antiretroviral therapy - more cost-effective than dose intensification in patients

Bhavik Dalal, India

PE27/4 The valproic acid - dolutegravir drug-drug interaction is based on displacement of protein binding and unlikely to be clinically relevant

Henrieke Prins, Netherlands

PE27/5 BESIDE - clinical relevance and implications for management of antiretroviral therapy due to

recreational drug use in PLWH in Germany

Karen Martin, Germany

PE27/6 Drug-drug interactions between antiretrovirals and carbamazepine or oxcarbazepine: a real-

life investigation

Cristina Gervasoni, Italy

PE27/7 Drug-drug interactions between dolutegravir (DTG) and immunosuppressant drugs (IS) in

HIV-infected patients with solid organ transplantation (SOT): a single-arm clinical trial (DTGSOT)

Christian Manzardo, Spain

PE27/8 Abacavir hipersensivity reaction (HSR), associated to baseline false negative HLAB5701

screening, in antiretroviral treatment naive HIV-1 patient

Salvatore Martini, Italy

PE27/9 Central nervous system penetration of antiretroviral drugs in HIV-positive patients with

neurocognitive impairment, assessed from paired plasma-CSF concentrations

Perrine Courlet, Switzerland

ePosters 12:45 - 20:00

Exhibition hall

PrEP

PE28/1	Establishment of the service system of HIV pre-exposure prophylaxis/post exposure prophylaxis (PrEP/PEP) in a certain area of Southern Taiwan Kuei Ying Wang, Taiwan, Republic of China
PE28/2	Systematic review of post-migration HIV acquisition within Europe: the case for PrEP interventions for migrants Simran Mann, United Kingdom
PE28/3	Self-reported STI history and associated factors among German PrEP users Uwe Koppe, Germany
PE28/4	PrEP implementation among MSM in Ukraine: results of pilot project in Kyiv Roman Marchenko, Ukraine
PE28/5	Emergency post-exposure prophylaxis (PEP) seeking behaviors among men who have sex with men (MSM) with recent HIV risk exposure in Thailand Tarandeep Anand, Thailand
PE28/6	The back side: Lymphogranuloma venereum in PrEP-users and PLWH Sven Schellberg, Germany
PE28/7	Awareness and interest in pre-exposure prophylaxis (PrEP) among MSM population in Serbia Vanja Subotic, Serbia
PE28/8	PrEP reimbursement and access in Europe: 2019 update Krzysztof Tronczyński, Poland
PE28/9	Users' perspective of an ideal service model for delivering pre-exposure prophylaxis (PrEP) to men who have sex with men Shui Shan Lee, Hong Kong
PE28/10	Assessment of the trough concentrations of tenofovir in HIV-negative subjects on pre- exposure prophylaxis: a single center, real-life experience Dario Cattaneo, Italy
PE28/11	No new HIV infections, but high incidence of syphilis among Pre-exposure Prophylaxis (PrEP) users in Georgia Ekaterine Karkashadze, Georgia
PE28/12	Feasibility and acceptability of an oral pre-exposure prophylaxis (PrEP) program against HIV targeting female sex workers in Belgium Florence Deneumoustier, Belgium
PE28/13	First results after 52 weeks of informal PrEP use in a cohort of MSM in Southern Spain Alejandro Berto Moran, Spain
PE28/14	Clinical outcomes of pre-exposure prophylaxis from clinical center in Warsaw, Poland Iwona Cielniak, Poland
PE28/15	Where are we with PrEP use in Central and Eastern Europe? - data from the ECEE Network Group Josip Begovac, Croatia
PE28/16	Sexual risk and HIV preventative behaviours among men who have sex in men in London in the era of HIV pre-exposure prophylaxis, 2019 Fiona Burns, United Kingdom

PE28/17	Chemsex and mood disorders under HIV pre-exposure prophylaxis Helene Peyriere, France
PE28/18	Pre-exposure prophylaxis one year after implementation in Portugal - the reality of a central hospital Diogo Guerra, Portugal
PE28/19	DISCOVER in Europe: a sub-analysis of the phase 3 randomized, controlled trial of daily emtricitabine/tenofovir alafenamide (F/TAF) or emtricitabine/tenofovir disoproxil fumarate (F/TDF) for HIV pre-exposure prophylaxis (PrEP) Frank Post, United States
PE28/20	The Good and Bad of PrEP: a 14 month follow up on awareness, adherence, efficacy and sexually transmitted diseases at Hospital de Curry Cabral Marta Leal dos Santos, Portugal
PE28/21	PrEP for life: new challenges and barriers in PrEP uptake among men who have sex with men (MSM) and transgender people (TG) in Kyiv, Ukraine Dzmitry Filippau, Ukraine
PE28/22	Analysis of the need for pre-exposure prophylaxis of HIV among people that have high risk to be infected Vitaliy Andres, Ukraine
PE28/23	Lesson learnt from a combined HIV prevention using HIV self-testing and oral pre-exposure prophylaxis (PrEP) demonstration project in the United Republic of Tanzania Neema Makyao, Tanzania, United Republic of

ePosters 12:45 - 20:00 Exhibition hall

Prevalence, incidence and dynamics of HIV epidemics

Patrick Eustaquio, Philippines

	re, meraemee and aynamics or the epidemics
PE29/1	Monitoring rates and accessibility of HIV and STI´s testing, HAV and HBV vaccination among men who have sex with men in Slovenia Miran Solinc, Slovenia
PE29/2	Data triangulation to re-shape interventions to improve the HIV response: compering data from estimates, case reporting, and sentinel surveillance in Ukraine Tetiana Salyuk, Ukraine
PE29/3	The impact of frequent cannabis use on injection drug use patterns among people who use drugs in a Canadian setting Hudson Reddon, Canada
PE29/4	Predicting early loss to follow-up on ART: a retrospective review of clients' retention on ART in North-western Nigeria Johnson Okolie, Nigeria
PE29/5	The increasing number of late HIV diagnosis among men having sex with men and transgender women in a key population-led HIV testing and treatment facility and its societal implication in the Philippines

PE29/6	HIV transmission network in a cohort of subjects with primary infection in a single clinical center in Rome Lavinia Fabeni, Italy
PE29/7	Evaluation of a multiassay approach for determination recent HIV infection in the Russian Federation Anastasia Murzakova. Russian Federation
PE29/8	Ongoing spread of HIV subtype A in Tel Aviv, Israel Dan Turner, Israel
PE29/9	Simple clinical and laboratory based score may identify HIV infection recency and subsidize HIV surveillance in low and middle-income countries (LMIC), Santo André/Brazil experience Elaine Monteiro Matsuda, Brazil
PE29/10	Clinical, epidemiological & virological features of primary HIV-1 infection in an HIV reference center in Brussels: a ten years' review Arthur Poncelet, Belgium
PE29/11	Current trends in HIV genetic diversity in Russia: increase of the unique recombinants prevalence Anastasiia Antonova, Russian Federation
PE29/12	Analysis of risk factors in HIV/AIDS patients Esra Zerdali, Turkey
PE29/13	Tracing the first HIV-1 epidemics in the Milan area Alessia Lai, Italy
PE29/14	Analysis of the local HIV-1 epidemic in Vologda region, Russia: predominance of CRF03_AB and rapid expansion of URFs
PE29/15	Ekaterina Ozhmegova, Russian Federation Identification of first near full length recombinant genome of HIV-1 in Korea Mee-Kyung Kee, Korea, Republic of
PE29/16	Characteristics of HIV infection among children in Georgia, 1989-2018 Natela Chokoshvili, Georgia
PE29/17	HIV infection in older patients Barbara Belfiori, Italy
PE29/18	Seroincidence of the human herpesvirus 8 (HHV 8) infection among HIV-positive patients in Taiwan, 2016-2019 Yi-Ching Su, Taiwan, Republic of China
PE29/19	Risk factors for late presentation for HIV care in 2019 in Ukraine Maryna Sukach, Ukraine
PE29/20	Incidence of hepatitis C virus infection among people living with HIV(PLHIV): an Egyptian Cohort Study Rahma Mohamed, Egypt
PE29/21	High HIV prevalence following screening of subjects with HIV indicator conditions in a hospital setting Camilla Tincati, Italy

PE29/22	First decrease in new HIV diagnoses in 2018 among men who have sex with men (MSM), in the East PACA (Provence Alpes Côte-d´Azur) area in France
	Philippe Bouvet de la Maisonneuve, France
PE29/23	The collision of public health interventions on HIV-1 spread in Albania by molecular epidemiology
	Shkurti Enkelejda, Albania
PE29/24	Two decades of HIV infection late diagnosis: the experience of a Portuguese Hospital Sofia Jordão, Portugal
PE29/25	Characterization of HIV patients followed in a specialist consultation at a tertiary and universitary centre
	Fábio Videira Santos, Portugal
PE29/26	Trends in epidemiology and clinical picture of late presentation among patients of the Hospital for Infectious Diseases in Warsaw
	Joanna Pula, Poland
PE29/27	An evolutionary insight into a growing HIV subtype A epidemic in Serbia Marina Siljic, Serbia
PE29/28	Change of prevalence, diseases distribution and factors associated with the risk of AIDS presentation in Italy over last decade (2009-2018) Andrea Antinori, Italy
PE29/29	The effect of gender on late diagnosis of HIV infection in a high incidence European population Rita Filipe, Portugal
PE29/30	Two decades surveillance of HIV-1 transmitted drug resistance in Serbia Valentina Cirkovic, Serbia
PE29/31	3M-BRiHT - Manchester Cohort. Investigation of the feasibility and acceptability of rapid HIV testing in a European Emergency Department setting Molly M. O'Kane, Ireland
PE29/32	HIV-1 A6 subtype: its challenging identification and Southern Russian molecular epidemiology
	Saleta Sierra, Germany
PE29/33	Neurodevelopmental assessments to screen for HIV encephalopathy in newly diagnosed infants not on ART in Mozambique
	Jyodi Mohole, United States

ePosters 12:45 - 20:00

Exhibition hall

Prevention of horizontal transmission, cART as prevention

PE30/1 Tolerability and treatment completion of tenofovir alafenamide/emtricitabine/rilpivirine (TAF/FTC/RPV) as HIV postexposure prophylaxis

Marie Chauveau, France

ePosters 12:45 - 20:00 Exhibition hall

Social and behavioural science

PE30/2	Priorities for behavioral interventions in a group of long term PLWHA - the experience of the Baylor Clinical Centre of Excellence in Constanta, Romania Ana-Maria Schweitzer, Romania
PE30/3	Will HIV-infected patients taking oral ARV switch to long-acting injectable ART when It become available? Marie-Aude Khuong-Josses, France
PE30/4	Time perspectives as predictors of depression and suicidal ideation amongst adolescents and young adults with HIV: the moderating role of resilience Oluwapelumi Ashamu, Nigeria
PE30/5	Social support and quality of life of people living with AIDS receiving ART at BPKIHS Ram Sharan Mehta, Nepal
PE30/7	Knowledge, attitudes, beliefs and HIV-related behaviour in metropolitan France: investigation in a festive place Fernanda Medina, France
PE30/9	Injectable long acting antiretrovirals for HIV treatment or prevention: the ANRS CLAPT study Laurence Slama, France
DE20/10	
PE30/10	Quality of life in people living with HIV: a regional survey in Flanders Gert Scheerder, Belgium
PE30/11	Innovative strategies to sustain community participation in HIV vaccine trials, experience of Makerere University Walter Reed Project (MUWRP) in Kampala, Uganda Jauhara Nanyondo, Uganda
PE30/12	Stigma among healthcare providers towards people living with HIV/AIDS in India Akanksha Rathi, India
PE30/13	"I love my life, I don't want to miss a thing": motivators and Barriers to ART adherence among women living with HIV/AIDS in Iran Nooshin Amirisani, Iran, Islamic Republic of
PE30/14	Medical students as potential sources of information about HIV/AIDS Mykola Haras, Ukraine
PE30/15	Gender violence, intimate partner violence and domestic violence among HIV-positive patients in Alicante (Spain). Preliminary results of the VIHOLETA study Jara Llenas-García, Spain
PE30/16	Influence of stigma and discrimination on psychosocial health in children affected by AIDS in Nepal: a cross-sectional study Kalpana Gaulee Pokhrel, Nepal
PE30/17	The quality of life among people living with HIV in Taiwan in the era of STR Chung-Ching Shih, Taiwan, Republic of China
PE30/18	Experiences of and factors influencing physical activity in people living with HIV: a qualitative systematic review Megan Davies, United Kingdom

PE30/20	Perception of condom use in the era of pre-exposure prophylaxis (PrEP): a qualitative analysis
	Shui Shan Lee, Hong Kong
PE30/21	Recommendations for enabling timely pregnancy disclosure to clinical staff of women living with HIV
	Stefania Mihale, Romania
PE30/22	Health-related quality of life in a single center cohort of people living with chronic diseases: comparison between HIV and other clinical conditions Antonella Cingolani, Italy
PE30/23	Experiences of Dutch obstetric healthcare providers with HIV-positive pregnant women: a qualitative study Carlijn Damsté, Netherlands
PE30/24	Evaluation of knowledge, attitudes and practices among HIV positive pregnant women and their partners in four healthcare facilities in Malawi Isotta Triulzi, Italy
PE30/25	Towards the 4th 90, measuring multi-dimensional quality of life in people living with HIV in Aquitaine, France: psychometric properties of the French version of the WHOQOL-HIV BREF Diana Barger, France
PE30/26	Body size modifies the relationship between internalized HIV stigma and pain in people with HIV in the Southeastern USA Kaylee Crockett, United States

ePosters 12:45 - 20:00

Exhibition hall

Standard of care	
PE31/1	Exploring the attitudes of HIV-positive patients on single-tablet antiretroviral regimens towards generic de-simplification Ciara Levey, Ireland
PE31/2	Comparison of Immunological and virological response to cART between HIV-1/O and HIV-1/M patients followed-up in France: the ANRS ORIVAO and COPANA studies Guillemette Unal, France
PE31/3	From HIV diagnosis to antiretroviral therapy initiation in Croatia from 2013 to 2018 Nikolina Bogdanić, Croatia
PE31/5	Tetanus seroprotection in HIV-positive subjects living in Belgium: risk factors for seronegativity, evaluation of medical history and a rapid dipstick test Nicolas Dauby, Belgium
PE31/6	The prevalence of virologic failure and resistance associated mutations in single and multitablet HIV treatment regimens Chien-Yu Cheng, Taiwan, Republic of China
PE31/7	Development and validation of a risk score for predicting non-adherence to antiretroviral therapy Hernando Knobel, Spain

PE31/8	Measles seroprevalence among HIV infected patients in central part of Poland - vaccination proposal Ewa Siwak, Poland
PE31/9	Nurse-led annual health review - one year follow up Marie-Pierre Klein, United Kingdom
PE31/11	Viral hepatitis in HIV-positive patients - testing, prophylaxis and treatment in Central and Eastern Europe Kerstin Kase, Estonia
PE31/12	Evaluating a national pilot process for reviewing late HIV diagnoses in England and Wales Ming Jie Lee, United Kingdom
PE31/13	GESIDA quality of care indicators for PLWH: report from two Spanish hospitals 2009-2017 Francisco Fanjul, Spain
PE31/14	Late presentation and barriers to the early HIV diagnosis in Central part of Ukraine Tetiana Koval, Ukraine
PE31/15	Operational research of barriers and facilitators to harm reduction services for intravenous drug users (including female IDUs) Tamar Zurashvili, Georgia
PE31/16	A seven-month prospective review of HIV admissions to a regional infectious disease unit in Manchester, UK Hamzah Zahid Farooq, United Kingdom
PE31/17	Annual health review for people living with HIV - an evaluation Sarah Edwards, United Kingdom
PE31/18	Analysis of adherence to HIV-positive quality of care indicators and their impact of service quality perceptions in patient: a Spanish cross-sectional study Alejandra Gimeno García, Spain

ePosters 12:45 - 20:00 Exhibition hall

Tuberculosis and opportunistic infections

PE35/1	Nontuberculous mycobacteria infections in Russian HIV patients: clinical features and outcomes Mikhail Savchenko, Russian Federation
PE35/2	Human immunodeficiency virus and the outcome of treatment for pulmonary tuberculosis: a retrospective study in Tehran, Iran Mohammad Bagheri, Iran, Islamic Republic of
PE35/3	Rifampicin pharmacokinetics and pharmacogenetics in Ugandan patients with multi-drug resistant tuberculosis Jackson K. Mukonzo, Uganda
PE35/4	Mycobacteria-induced immune responses by mucosal-associated invariant T (MAIT) cells are impaired in patients with tuberculosis (TB) and HIV-associated TB Muki Shey, South Africa

PE35/5	Acute onset of cerebral toxoplasmosis in patients with HIV infection Tatiana Ermak, Russian Federation
PE35/6	Association between immunological status and TB disease development in HIV-infected individuals with LTBI Ngai Sze Wong, Hong Kong
PE35/7	Amoeba- a swiss army knife for diagnosis and mechanistic understanding of Legionella infection Breanne M Head, Canada
PE35/8	Causes and outcomes of hospitalizations among HIV positive persons in Georgia´s referral institution, 2012-2017 Nino Rukhadze, Georgia
PE35/9	Population pharmacokinetic analysis of dolutegravir in HIV/TB co-infected people with and without rifampicin Rajendra Singh, United States
PE35/10	Lung function and health-related quality of life among patients following pulmonary tuberculosis treatment in urban Uganda: a cross-sectional study Josephine Zawedde, Uganda
PE35/11	Clinical and laboratory characterization of progressive multifocal leukoencephalopathy in HIV-infected patients in the intensive care unit Anastasia Pokrovskaya, Russian Federation
PE35/13	Cryptococcal and tuberculosis coinfection: case series identified through the implementation of an advanced HIV disease package of care linked to a TB active case finding strategy in rural Mozambique Alejandro Blanco-Arévalo, Spain
PE35/14	Trends in latent tuberculosis screening in a cohort of HIV-infected patients from a low tuberculosis incidence country Pedro Palma, Portugal
PE35/15	Drug-induced hepatic injury developed in tuberculosis / HIV co-infection treatment Sarah Silva, Brazil

ePosters 12:45 - 20:00

Exhibition hall

Vaccines and immune based therapies

PE36/2 Development of engineered nanocarrier for controlled delivery of a protease inhibitor Saurabh Bhargava, India

ePosters 12:45 - 20:00

Exhibition hall

Viral hepatitis

PE37/1	Acute hepatitis C infection in HIV-infected patients who achieved viral suppression: incidence and risk factors Hsin-Yen Ku, Taiwan, Republic of China
PE37/2	HBV infections among HIV infected HAART receiving mothers and their exposed infants in a tertiary hospital in Kenya James Kangethe, Kenya
PE37/3	Direct-acting antivirals (DAAs) improve liver stiffness measurements but do not improve the Veterans Aging Cohort Study (VACS) Index in HIV /HCV co-infected Egyptian patients: is improved discrimination needed? Ahmed Cordie, Egypt
PE37/4	HCV/HIV coinfection in the DAA era: which patients have not been treated for HCV? Fabian Dario Rodriguez-Monaco, Germany
PE37/5	Hepatitis E seroprevalence in HIV-positive patients Mustafa Altindis, Turkey
PE37/6	Success of unrestricted DAA therapy is limited by HCV reinfections and loss to follow-up in HIV-positive patients David Chromy, Austria
PE37/7	Efficacy and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide as maintenance treatment of patients with HIV and Hepatitis B Virus (HBV) coinfection Yu-Shan Huang, Taiwan, Republic of China
PE37/8	Effectiveness of hepatitis a vaccination among people living with HIV in Taiwan: is one dose enough? Chia-Jui Yang, Taiwan, Republic of China
PE37/9	HIV patients remain at high risk for advanced liver fibrosis after curing HCV infection Natalia Bolokadze, Georgia
PE37/10	HIV/HCV coinfection in Spain: trouble will soon be over Juan Berenguer, Spain
PE37/11	Care cascade of incident HCV infection among HIV-positive patients in Taiwan Miao-Hui Huang, Taiwan, Republic of China
PE37/12	Current characteristics of HIV/HBV coinfected patients in a single HIV reference centre of Madrid Luz Martín-Carbonero, Spain
PE37/13	High HCV reinfection rate in MSM living with HIV in Barcelona: the need to focus on high risk population to achieve HCV elimination Maria Martínez-Rebollar, Spain
PE37/14	Liver disease in HIV-infected subjects in the post-HCV DAA treatment era Carmen Busca, Spain
PE37/15	Seroprevalence of hepatitis E in a Portuguese cohort of human immunodeficiency virus infected patients André Silva-Pinto, Portugal

PE3//16	Loss of seroprotection against hepatitis B virus (HBV) was associated with lower CD4 counts among HIV-positive patients who were born in the era of nationwide neonatal HBV vaccination
	Yi-Chia Huang, Taiwan, Republic of China
PE37/17	Improvement of immunity and hepatic fibrosis after HCV treatment with DAA in people living with HIV and HCV Montserrat Laguno, Spain
PE37/18	DAA treating Hepatitis C in HIV/HCV coinfected patients in two prisons of Rome: results and problems
	Sara Lardo, Italy
PE37/19	Progress towards eliminating mother-to-child transmission of HIV in the Macha area in Zambia from 2010-2018
	Mutinta Hamahuwa, Zambia
PE37/20	Evaluation of the hepatitis C care cascade in the country of Georgia: monitoring 4 years of progress towards elimination Tengiz Tsertsvadze, Georgia
PE37/21	Epidemiology of HIV, HBV and HCV co-infection in Israel Karen Olshtain-Pops, Israel
PE37/22	Hepatitis C treatment outcomes of HIV infected people who inject drugs in a real-world cohort Dimitris Basoulis, Greece
PE37/23	Treatment of acute HCV infection with direct acting antivirals (DAA) in HIV patients Cristina Gómez-Ayerbe, Spain
PE37/24	Hepatic fibrosis progression among HIV patients in Israel Karen Olshtain-Pops, Israel
PE37/25	Acute hepatitis B in persons living with HIV in a low hepatitis B prevalence area during the last two decades Luz Martín-Carbonero, Spain
PE37/26	Virological response to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide in HIV-positive patients with lamivudine-resistant hepatitis B virus coinfection Yu-Shan Huang, Taiwan, Republic of China
PE37/27	Impact of direct-acting antiviral (DAA) agents on T cell counts and liver stiffness in HIV/HCV-coinfected patients: a multicenter prospective observational cohort study David Dalmau, Spain
PE37/28	Trends of HCV infection among HCV-seronegative, HIV-positive patients in Taiwan between 2011-2018
	Li-Hsin Su, Taiwan, Republic of China
PE37/29	The micro-elimination approach to eliminating Hepatitis C: a Fast Track City project Franco Maggiolo, Italy
PE37/30	Road to HCV elimination in HV/HCV coinfected patients by screening and universal access to DAA: baseline data from the first screening of NoCo (No-Coinfection) study Antonella d'Arminio Monforte, Italy

PE37/31	HCV cascade of care for HIV/HCV coinfected individuals in Greece and HCV treatment considerations in clinical practice Mina Psichogiou, Greece
PE37/32	Hepatitis B core-related antigen and anti-hepatitis B core antibody are not associated with liver fibrosis evolution in HIV-HBV co-infected patients during treatment with tenofovir Romuald Cruchet, France
PE37/33	Antiretroviral therapy: a possible role in lipid changes after HCV eradication by DAAs Alessandra Vergori, Italy
PE37/34	Treatment of cirrhotic monoinfected and HCV/HIV coinfected patients with direct acting antivirals (DAAs) Fábio Videira Santos, Portugal
PE37/35	Predictors of vaccine efficacy after hepatitis B vaccination in people with HIV infection Gerardo Ibarra, Germany
PE37/36	Long term response to mandatory anti-HBV vaccination: risks for disease acquisition and opportunities for re-vaccination within the ICONA cohort Roberto Rossotti, Italy
PE37/37	The assessment of HBsAg serum concentration during chronic hepatitis B phases' identification among HIV/HBV coinfected patients before antiviral therapy prescription Tetiana Melnyk, Ukraine
PE37/38	Predictors of liver fibrosis improvement after HCV eradication in HIV+ patients: data from an Italian cohort Alessandra Vergori, Italy
PE37/39	Long-term follow-up of people who use drugs (PWUD) following HCV infection therapy: drug use patterns among HIV co-infected versus mono-infected patients Astou Thiam, Canada
PE37/40	Treatment outcome of HCV single vs multi tablet regimen in mono and HIV co-infected people who use drugs (PWUD): a long-term follow-up analysis Astou Thiam, Canada

ePosters 12:45 - 20:00 Exhibition hall

Virology

PE38/1	Identification of an HIV-1 BC intersubtype recombinant form, which is circulating in Spain Javier Enrique Cañada García, Spain
PE38/2	Viral reservoir dynamics in very early primary HIV infection (PHI) patients receiving an intensified antiretroviral regimen (ART): a pilot clinical trial Juan Ambrosioni, Spain
PE38/3	Lamivudine-based two-drug regimens are not associated with an increased risk of detectable rectal HIV-RNA
	Alberto Borghetti, Italy

PE38/4	Comparison of HIV-1 viral load and drug resistance mutations between cerebrospinal fluid and plasma in patients with HIV and Cryptococcal meningitis co-infection in Botswana Nametso Kelentse, Botswana
PE38/5	HTLV-II antisense protein Aph-2 negatively regulates HIV-1 transcription Rajkumar Londhe, India
PE38/6	HIV compartmentalization between plasma and CSF and association with neurocognitive disorders Alessandro Lazzaro, Italy
PE38/7	Determinants of neurocognitive impairments in a Romanian cohort of young adults with chronic HIV infection Simona Ruta, Romania
PE38/8	Reconstruction of phylogeography for Indian HIV-1 sub-subtype A1 Ajit Patil, India
PE38/9	Broad and potent neutralizing antibody responses in HIV-1 infected Angolan patients: implications for vaccine design and efficacy Francisco Martin, Portugal
PE38/10	The XbnAb cohort: a HIV-1 cohort of 304 bnAb inducers and matched controls tailored to study determinants of bnAb induction Irene Abela, Switzerland
PE38/11	Performance of 'Xpert® HIV-1 Qual assay' for diagnosis of HIV-1 infection using Dried Blood Spot specimens Swarali Kurle, India
PE38/12	HIV-1 infections belonging to transmission clusters originating in different countries are frequently detected in Spain among newly diagnosed individuals Javier Cañada, Spain

ePosters 12:45 - 20:00 Exhibition hall

Vulnerabl	e groups
PE39/1	Boys having sex with boys: CD4 count as parameter to estimate the time of infection among HIV seropositive men having sex with men and its societal implications in the Philippines Patrick Eustaquio, Philippines
PE39/2	Evaluating factors increasing the vulnerability of adolescent girls and young women to HIV/AIDS infection in selected communities, Akwa Ibom State Jessie Inyang, Nigeria
PE39/3	Men's perspectives on HIV self-testing in sub-Saharan Africa: a systematic review and meta- synthesis Mbuzeleni Hlongwa, South Africa
PE39/4	Molecular-biological methods of diagnostics in the investigation of the case of transmission of HIV-infection Diana Valutite, Russian Federation

PE39/5	Implementation of demedicalized and decentralized HIV testing project in Brussels: action test, project for vulnerable populations at high HIV risk in Brussels, including Subsaharan African Migrants (SAM) Tresors Kouadio, Belgium
PE39/6	HIV prevalence, risk-taking behavior and self-testing potential among men who have sex with men and transgender people Evgeniy Pisemskiy, Russian Federation
PE39/7	Political commitment matters in the elimination of the threat of HIV and HCV and TB among people who use drugs Gefra Fulane, Portugal
PE39/8	Challeges in health and social care for migrant HIV patients in the Czech Republic Elena Tulupova, Czech Republic
PE39/9	Integration of hepatitis C cure in housing facility Soleil Evant: health cost implications Erika Castro, Switzerland
PE39/10	The role of sexual partners of people who inject drugs in better uptake of retention in HIV services Marine Gogia, Georgia
PE39/11	Male sex workers and ICT: anthropological approach of male sex workers and the different practices online: bareback, PrEP and chemsex Maxime Maes, Belgium
PE39/12	Portuguese League Against AIDS - mobile screening unit Maria Eugénia Saraiva, Portugal
PE39/13	Detectable viraemia in the era of successful antiretroviral therapy; engagement with multi- disciplinary services Shimu Khamlichi, United Kingdom
PE39/14	Optimal HIV self-testing, potential strategies to increase HIV diagnosis in Tanzania Neema Makyao, Tanzania, United Republic of

ePosters 12:45 - 20:00 Exhibition hall

Treatment in resource-constrained settings

PE34/2	Optimizing clients linkage into ART using family-centered differentiated approach (FCDA) in Kebbi state, northwestern Nigeria: successes and challenges Johnson Okolie, Nigeria
PE34/3	A multi-stakeholder evaluation of the early implementation experiences of differentiated anti-retroviral therapy (ART) delivery roll-out across Uganda: a qualitative analysis Henry Zakumumpa, Uganda
PE34/5	Evaluation of the financial cost of treating people living with human immunodeficiency virus in the United Kingdom versus matched HIV-negative controls in 2004, 2010 and 2017 Scott Francis, United Kingdom

PE34/6	Continuous quality improvement across the viral load testing spectrum at the Infectious Diseases Institute, Uganda Harriet Tibakabikoba, Uganda
PE34/7	Pediatric HIV viral load suppression: qualitative insights of barriers and facilitators among caregivers of children on ART in high volume sites in Kisumu County, Kenya Nicollate Okoko, Kenya
PE34/8	Boosting economic affordability of HIV medicines while considering safety and effectiveness within transition from donor funding. Enabling access to TAF regime with better safety profile in Ukraine through advocacy campaign of community organization Zoia Zamikhovska, Ukraine

ePosters 12:45 - 20:00 Exhibition hall

Mother-to-child transmission		
PE21/1	HIV infection in pregnant women and children in Switzerland: how effective are measures for preventing mother-to-child transmission? Martin Gebhardt, Switzerland	
PE21/2	No evidence for induced glucuronidation of dolutegravir in HIV-infected pregnant women Vera Bukkems, Netherlands	
PE21/3	Comparative analysis of clinic and laboratory parameters and frequency of mother-to-child transmission of HIV among HIV-positive pregnant women with marked immunodeficiency and normal immunological status Olga Mozaleva, Russian Federation	
PE21/4	Analysis of perinatal HIV transmission cases in St. Petersburg Anna Samarina, Russian Federation	
PE21/5	Geopolitical assessment and relevance for acceptance of vaginal delivery in good controlled HIV-infected pregnant women in Japan Kimikazu Hayashi, Japan	
PE21/6	Pregnancy outcomes in HIV-positive women: a retrospective national cohort study from the "Grigorios AIDS Clinic" in Cyprus Georgios Siakallis, Cyprus	
PE21/7	New-born infants from HIV positive women: five years experience of Infectious Diseases Hospital lasi Alexandra Largu, Romania	
PE21/8	Risk factors for peripartum virological failure in South African pregnant women on anti- retroviral therapy: East London Prospective Cohort Study Oladele Vincent Adeniyi, South Africa	

Industry sponsored session 13:15 - 14:45

Sydney

Industry sponsored session

(For more details, please visit the conference website)

Pre-conference workshop/course 14:00 - 17:00

Samarkand

EATG workshop: STEPS - A community initiative to design the pathway to a long-term remission of HIV infection

Convener: EATG

Welcome and introductions	14:00 - 14:15
Giulio Maria Corbelli, Italy	
The role of bNAbs in research for long-term drug-free remission of HIV infection	14:15 - 15:00
Annemarie Wensing, Netherlands	
RIO: UK study using dual long-acting bNAbs	15:00 - 15:45
Simon Collins, United Kingdom	
The London patient and the Dusseldorf patient: procedures, hopes and challenges	15:45 - 16:15
Giulia Marchetti, Italy	
Open discussion about the ethical challenges in HIV "cure" research and treatment interruptions	16:15 - 16:45
Wrap up and conclusions	16:45 - 17:00
Giulio Maria Corbelli, Italy	

Industry sponsored session 15:00 - 16:30

San Francisco

Industry sponsored session

(For more details, please visit the conference website)

Ceremony 17:15 - 18:45

Event Hall

Conference opening

Session interpreted in Russian

Access to the webcasted session:

- $Opening Welcome <math display="block">Address$
- 90-90-90 goals in Europe: In action
- HIV care beyond 2019: How to address old and new challenges?

Community perspective: Inequalities in care

European AIDS Clinical Society Award for Excellence in HIV Medicine

Chairs:

Manuel Battegay, Switzerland Jürgen Rockstroh, Germany

Opening welcome Manuel Battegay, Switzerland Jürgen Rockstroh, Germany	17:15 - 17:30
Address Lukas Engelberger, Switzerland	17:30 - 17:35
90-90-90 goals in Europe: In action Anastasia Pharris, Sweden	17:35 - 17:55
HIV care beyond 2019: How to address old and new challenges? Jens D. Lundgren, Denmark	17:55 - 18:15
Community perspective: Inequalities in care Alex Schneider, Switzerland	18:15 - 18:30
European AIDS Clinical Society Award for Excellence in HIV Medicine Nathan Clumeck, Belgium	18:30 - 18:40

Ceremony 18:45 - 20:00

Exhibition hall

Welcome reception

Thursday, 07 November 2019

Industry sponsored session 07:30 - 08:30

San Francisco

Industry sponsored session

(For more details, please visit the conference website)

Workshop/Symposium 07:30 - 08:30

Sydney

BRAHMS and the STIPnet (European HIV&STI Prevention Network) study meeting

Chairs:

Hendrik Streeck, Germany

BRAHMS and STIPnet - an update Hendrik Streeck, Germany	07:30 - 07:45
Data analysis within the STIPnet study: possible projects Klaus Jansen, Germany	07:45 - 08:00
PrEP and STIs among MSM in France Jean-Michel Molina, France	08:00 - 08:15
Are we expecting an increase of STI because of PrEP uptake? Pep Coll, Spain	08:15 - 08:30

Meet-the-expert/Clinical cases 07:30 - 08:30

Samarkand + Osaka

Public Health Topics: Supporting PrEP implementation in European settings

Chairs:

Teymur Noori, Sweden Milosz Parczewski, Poland

Meet-the-expert/Clinical cases 07:30 - 08:30

Shanghai 3

TB co-organised with the European Society of Clinical Microbiology and Infectious Diseases (ESCMID)

Chairs

Emmanuelle Cambau, France José M. Miro, Spain

Meet-the-expert/Clinical cases 07:30 - 08:30

Boston 1-3

How to get your biomedical paper published

Organised by Karger

Chairs:

Paul Lavender, Switzerland

Meet-the-expert/Clinical cases 07:30 - 08:30

Darwin

Prevention, screening, and treatment: Are we ignoring anal cancer in PLWH?

Chairs:

Stefan Esser, Germany Boris Revollo, Spain

Meet-the-expert/Clinical cases 07:30 - 08:30

Kairo 2

Drug resistance in HIV and how to treat?

Chairs:

CC3/1

Linos Vandekerckhove, Belgium Annemarie Wensing, Netherlands

Authoritatio Wensing, Netherlands

Bictegravir virology failure with emergence of a previously unreported mutation in the integrase gene

Francois Raffi, France

Plenary lecture 08:30 - 09:00

Event Hall

07:30 - 07:50

PL1, The latent HIV-1 reservoir

Session interpreted in Russian

Access to the webcasted session:

Chairs:

Marylyn Addo, Germany

The latent HIV-1 reservoir

08:30 - 08:55

Matthieu Perreau, Switzerland

European Hector Research Award in HIV 2019 ceremony - Best basic science, translational paper

08:55 - 09:00

Georg Behrens, Germany

Plenary lecture 09:00 - 09:30

Event Hall

PL2, New drugs - Who would need them?

Session interpreted in Russian

Access to the webcasted session:

New drugs - Who would need them?

Chairs:

Esteban Martínez, Spain

New drugs - Who would need them?

Chloe Orkin, United Kingdom

ePosters 09:00 - 18:00

Exhibition hall

Antiretroviral therapy preclinical

PE4/3 In vivo dissection of the effects of HIV and antivirals on mitochondrial function in chronic

treated HIV

Theodoros Kelesidis, United States

PE4/4 The main barriers to "Test and Start" in Central Asia from the service providers' and

patients' point of view

Yelena Kudussova, Kazakhstan

PE4/5 Preclinical aspects of an anti-HIV molecule targeting vimentin

Celia Berta Fernandez-Ortega, Cuba

PE4/6 PK/PD modelling of bnAbs for HIV treatments identifying knowledge gaps

Mark Baker, Switzerland

PE4/7 A new inhibitor of HIV-1 infection exploiting host intracellular signaling to alter viral RNA

processing

Raymond Waiman Wong, Canada

ePosters 09:00 - 18:00

Exhibition hall

HIV drug resistance

PE13/1 Darunavir resistance among patients exposed to protease inhibitors failing ARV therapy

Luis Fernando Brigido, Brazil

PE13/2 Prevalence and factors associated to the detection (population and next generation

sequencing) of archived 3TC resistance mutations in aviremic HIV-infected adults (GEN-

PRO)

Lourdes Domínguez-Domínguez, Spain

PE13/4 Monitoring the prevalence of transmitted HIV drug resistance in Hungary

Eva Ay, Hungary

PE13/5	Predominant reverse transcriptase resistance mutations as barriers to achieving elimination of mother-to-child transmission of HIV in South Africa Oladele Vincent Adeniyi, South Africa
PE13/6	Virologic failure and human immunodeficiency virus drug resistance in adolescents on antiretroviral therapy in Yaounde and Douala
	Magaly Jeanne Estelle Moukoko Mbonjo, Cameroon
PE13/7	Selection of integrase inhibitor (INI) resistance mutations in an INI experienced patient treated by Bictegravir Thanes Vanig, United States
PE13/8	Impact of HIV-1 subtypes and integrase natural polymorphisms on virological response to first-line integrase inhibitors based regimens Daniele Armenia, Italy
PE13/9	HIV-1 integrase inhibitor resistance associated mutations defined by majority and minority populations among individuals failing therapy Smitha Gudipati, United States
PE13/10	HIV-1 diversity and antiretroviral resistance among bulgarian citizens infected abroad and foreigners registered with HIV/AIDS in bulgaria from 2012 to 2017 (preliminary analysis) Ivailo Alexiev, Bulgaria
PE13/11	Analytical treatment interruption and its association with rearrangement of peripheral archived resistance mutations
	Claudia Alteri, Italy
PE13/12	A low level of darunavir resistance-associated mutation emergence in patients with virological failure during long term use of darunavir in people living with HIV, the French ANRS CO3 Aquitaine cohort
	Fabrice Bonnet, France
PE13/13	Patients infected with multi-class resistant HIV-1 and with viral suppression treated with no more than one active drug: comparison of historical resistance reports and drug resistance in proviral DNA
	Christian Hoffmann, Germany
PE13/14	Non-nucleoside reverse transcriptase inhibitor (NNRTI) resistance in people living with HIV-1 (PLWH) subtype non-B from the Swiss HIV Cohort Study (SHCS) Martina L. Reichmuth, Switzerland
PE13/15	HIV-1 from antiretroviral-naïve and experienced patients lack capsid substitutions associated with GS-6207 in vitro resistance Anne-Geneviève Marcelin, France
PE13/16	Long-term efficacy, safety and durability of ibalizumab in expanded access study Graeme Moyle, United Kingdom
PE13/17	Clinical impact of minority mutations in patients failing an integrase inhibitor-based regimen: what do clinicians do? Smitha Gudipati, United States
PE13/18	Identification of HIV-1 transmission clusters in Croatia, 2014 - 2017: evidence for the forward spread of HIV-1 resistant variants Josip Begovac, Croatia

PE13/19	High levels of resistance among HIV-1 treatment naive patients in Greece, a nationwide study: evidence for country and regional level transmission networks Dimitris Chatzidimitriou, Greece
PE13/20	A phase 3b, open-label, pilot study to evaluate switching to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) in virologically-suppressed HIV-1 infected adult subjects harboring NRTI resistance mutations M184V/I +/-TAMs (GS-US-292-1824): week 24 results
	Ignacio Pérez-Valero, Spain
PE13/21	Sustained viral suppression among participants with pre-existing M184V/I who switched to bictegravir/emtricitabine/tenofovir alafenamide Kristen Andreatta, United States
PE13/22	Absence of naturally existing resistance against the HIV-1 capsid inhibitor GS-6207 in HIV-1 primary isolates
	Christian Callebaut, United States
PE13/23	Impacts assessment of home based care program over adherence to ART among adolescence living with HIV and AIDS in Blantyre Malawi
	Lesily Samson Kapile, Malawi
PE13/24	Correlation of results analysis drug resistance of HIV-1 among patients with virological failure by next-generation sequencing and traditional population sequencing
	Alina Kirichenko, Russian Federation
PE13/25	Analysis of the latent reservoir of a patient infected with HIV under PrEP by single full- length HIV-1 amplification
	Maximilian Damagnez, Germany
PE13/26	Drug resistance profile according to HIV-1 viral load after long-term exposure to antiretroviral treatment in the absence of routine virological monitoring: results from a programmatic cohort in sub-Saharan Africa
	Giovanni Villa, United Kingdom
PE13/27	In vitro analysis of replicative capacity and phenotypic susceptibility of integrase mutant HIV-2 viruses
	Quentin Le Hingrat, France
PE13/28	Treatment simplification with two-drug regimens: impact of transmitted drug resistance mutations in residents of South-East Austria
	Evelyn Stelzl, Austria
PE13/29	Baseline resistance to Doravirine depends on the algorithm used for interpretation Carlos Guerrero Beltrán, Spain
PE13/30	Baseline resistance to EACS first line recommended antiretroviral regimens in newly diagnosed patients in Spain Federico García, Spain
PE13/31	A retrospective evaluation of a national home infusion provider's approach to medication adherence of parenteral ibalizumab-uiyk in the alternate-site and homecare setting
	Kathryn Andrusko-Furphy, United States
PE13/32	Prevalence of HIV-1 drug resistance among patients with antiretroviral therapy failure in Moscow region, Russia
	Natalya Lebedeva, Russian Federation

PE13/33 HIV-1 drug resistance surveillance among parturient women on anti-retroviral therapy in the Eastern Cape, South Africa: implications for elimination of mother-to-child transmission Oladele Vincent Adeniyi, South Africa PE13/34 Antiretroviral Resistance patterns in HIV-1 infected patients failing to second-line in Bamako, Mali Almoustapha Issiaka Maiga, Mali ePosters 09:00 - 18:00 Exhibition hall **Human genomics** Genetic characterization of the near full-length genome of an HIV-1 A1/C/D/K/B unique PE15/1 recombinant form from the Eastern Cape, South Africa: a case report Oladele Vincent Adeniyi, South Africa Impact of KIR and their ligands (HLA allele) on susceptibility to selected viral opportunistic PE15/2 conditions and HIV plasma viral load in HIV+ patients Magdalena Leszczyszyn-Pynka, Poland PE15/3 The identification and causal analysis of aberrant CD4 counts in an HIV cohort in Southern Alberta, Canada Raynell Lang, Canada PE15/4 Placental gene expression profiles and pathways in HIV-1 positive Cameroonian women under ART Forgu Esemu Livo, Cameroon PE15/5 Functional clustering and association of HLA class I alleles to viral load in HIV-positive and ART-naïve participants from the INSIGHT START study Adrian Gabriel Zucco, Denmark PE15/6 miRNA expression profiling in subcutaneous adipose tissue of monozygotic twins discordant for HIV infection: validation of differentially expressed miRNA and bioinformatic analysis Nicola Squillace, Italy PE15/7 Factors influencing late presentation into care of HIV disease Bogusz Aksak-Wąs, Poland ePosters 09:00 - 18:00 Exhibition hall **Immunology** PE16/1 Immunological and metabolic effects of dasatinib treatment in IL7-stimulated CD4+ T-cells subpopulations Humberto Erick De La Torre Tarazona, Spain PE16/2 New T- and B-lymphocytes production and T-cell receptor diversity in young adults perinatally infected by HIV Martina Properzi, Italy

PE16/3	In Vivo modelling of mechanisms of HIV-1-related monocyte dysfunction Theodoros Kelesidis, United States
PE16/4	Lectin-like oxidized low-density lipoprotein (LOX-1) is elevated in proinflammatory monocytes in chronic treated HIV Theodoros Kelesidis, United States
PE16/5	In vivo dissection of the impact of HIV-1 versus antivirals on immune activation in chronic treated HIV Theodoros Kelesidis, United States
PE16/6	Differential impact of HIV-1 versus antivirals on systemic inflammation in chronic treated HIV Theodoros Kelesidis, United States
PE16/7	Correlation between blood telomere length and CD4+ CD8+ T-cell subsets in HIV-1-positive individuals with long-term virological suppression on antiretroviral therapy Javier Rodríguez-Centeno, Spain
PE16/9	Phenotypical recovery of the T-cell pool following switch to dual and triple INSTI-based cART Camilla Tincati, Italy
PE16/11	Expression of PD-1 in a population of double-negative T cells (CD3+CD4-CD8-) in HIV-infected patients - the preliminary study results Weronika Rymer, Poland
PE16/12	Targeting inflammation in chronic treated HIV with oral ApoA-I mimetics Theodoros Kelesidis, United States
PE16/13	Poor recovery of T-cell receptor repertoire despite long-term antiretroviral therapy James Brown, United Kingdom

ePosters 09:00 - 18:00

Exhibition hall

Pathogenesis and immunopathogenesis

PE26/2	Colonic microbiota exhibits disparate associations with HIV-infection and sexual practices Eveline Verheij, Netherlands
PE26/3	Zonulin indicates loss of intestinal integrity and microbial translocation in HIV+ patients Max Augustin, Germany
PE26/4	Distinct pro-inflammatory and cardio-protective effects of antiretroviral drugs in vascular endothelial cells Akif A. Khawaja, United Kingdom
PE26/5	Bacterial translocation kinetics in HIV-1 infection: from acute to chronic stages Paula Aranguren-Rivas, Spain
PE26/6	Mitochondrial antioxidants attenuate In vivo liver fibrosis in chronic treated HIV Theodoros Kelesidis, United States

PE26/7	Mitochondrial antioxidants attenuate In vivo mitochondrial dysfunction and exhaustion in T cells in chronic treated HIV Theodoros Kelesidis, United States
PE26/8	Inhibition of caspase 1 reduces viral load, CD4 T cell depletion and immune activation in HIV-1 infected humanized mice Philipp Adams, Luxembourg
PE26/9	Effect of early initiation of ART on alterations in natural killer cells in HIV infected pediatric patients Romsha Kumar, India
PE26/10	HIV-DNA levels, HLA-B*27 and HLA-DRB1*13 among LTNPs, ECs and HIV controllers Arianna Gabrieli, Italy
PE26/11	Macromolecule uptake across intestinal epithelia in HIV infection Carolin Grünhagen, Germany
PE26/12	Immune cell activation as a risk factor for hypertension in people living with HIV in Sub- Saharan Africa using the recent American Heart Association and American College of Cardiology Guidelines
	Sepiso Masenga, Zambia

ePosters 09:00 - 18:00 Exhibition hall

Vaccines and immune based therapies

PE36/2 Development of engineered nanocarrier for controlled delivery of a protease inhibitor Saurabh Bhargava, India

ePosters 09:00 - 18:00 Exhibition hall

Virology

PE38/1	Identification of an HIV-1 BC intersubtype recombinant form, which is circulating in Spain Javier Enrique Cañada García, Spain
PE38/2	Viral reservoir dynamics in very early primary HIV infection (PHI) patients receiving an intensified antiretroviral regimen (ART): a pilot clinical trial Juan Ambrosioni, Spain
PE38/3	Lamivudine-based two-drug regimens are not associated with an increased risk of detectable rectal HIV-RNA Alberto Borghetti, Italy
PE38/4	Comparison of HIV-1 viral load and drug resistance mutations between cerebrospinal fluid and plasma in patients with HIV and Cryptococcal meningitis co-infection in Botswana Nametso Kelentse, Botswana
PE38/5	HTLV-II antisense protein Aph-2 negatively regulates HIV-1 transcription Rajkumar Londhe, India

PE38/6	HIV compartmentalization between plasma and CSF and association with neurocognitive disorders Alessandro Lazzaro, Italy
PE38/7	Determinants of neurocognitive impairments in a Romanian cohort of young adults with chronic HIV infection
PE38/8	Simona Ruta, Romania Reconstruction of phylogeography for Indian HIV-1 sub-subtype A1 Ajit Patil, India
PE38/9	Broad and potent neutralizing antibody responses in HIV-1 infected Angolan patients: implications for vaccine design and efficacy Francisco Martin, Portugal
PE38/10	The XbnAb cohort: a HIV-1 cohort of 304 bnAb inducers and matched controls tailored to study determinants of bnAb induction Irene Abela, Switzerland
PE38/11	Performance of 'Xpert® HIV-1 Qual assay' for diagnosis of HIV-1 infection using Dried Blood Spot specimens Swarali Kurle, India
PE38/12	HIV-1 infections belonging to transmission clusters originating in different countries are frequently detected in Spain among newly diagnosed individuals Javier Cañada, Spain

ePosters 09:00 - 18:00 Exhibition hall

Antiretroviral observational studies

PE2/1	A study of the effect of antiretroviral therapy on sexual risk behavior in a high-risk cohort of Congolese women
	Samuel Bita, Congo, the Democratic Republic of the
PE2/2	Coagulation system and HIV infection: a review Nnamdi Nwachukwu, Nigeria
PE2/3	Effectiveness, persistence and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF), F/TAF+3rd agent or rilpivirine/F/TAF (R/F/TAF) in treatment-naïve HIV-1 infected patients - 24-month results from the German TAFNES cohort study Hans-Jürgen Stellbrink, Germany
PE2/4	"Attracting men" - extended clinic hours as differentiated model of care in an urban Malawian cohort Sam Phiri, Malawi
PE2/5	HIV care in India: a systematic review of barriers to anti-retroviral therapy adherence Charu Kohli, India
PE2/6	Comparing NRTI-sparing dual regimens using data from the Swiss HIV cohort study Jim Young, Switzerland

PE2/7	Physicians' opinions on generic antiretroviral drugs and single tablet regimen (STR) de- simplification for the treatment of HIV infection: a multicentre survey in Spain Inés Suárez-García, Spain
PE2/8	Simplifying salvage regimens with darunavir-based dual therapy in HIV-infected individuals harboring multidrug-resistance Pilar Vizcarra, Spain
PE2/9	Clinical outcomes among HIV-infected Africans with advanced disease in Spain Adrià Ramírez-Mena, Switzerland
PE2/10	The Treatment of Primary HIV (TopHIV) cohort: a prospective multicenter cohort in Germany Melanie Stecher, Germany
PE2/11	No decrease in CD4/CD8 ratio after 36 months therapy in patients who were switched to two dual regimens containing rilpivirine Cecilia Tortajada, Spain
PE2/12	Clinical experience of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) in real life practice: data from the Turkish HIV-TR cohort Volkan Korten, Turkey
PE2/13	Real world utilisation of raltegravir 1200mg once daily (The RETRO Study) Christine Mackay, United Kingdom
PE2/14	Effectiveness, persistence and safety in treatment-naïve and treatment-experienced HIV-1 infected patients receiving elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) - 12-month evaluation of the French TARANIS cohort lean-Luc Meynard, France
PE2/15	24-month evaluation of the German TAFNES cohort - Effectiveness, persistence and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF), F/TAF + 3rd agent or rilpivirine/F/TAF (R/F/TAF) in treatment-experienced HIV-1 infected patients Heribert Knechten, Germany
PE2/16	Effectiveness, safety and tolerability of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in HIV-1 infected adult patients in routine clinical practice - 6 months results of the BICSTAR cohort Stefan Esser, Germany
PE2/17	Short-term increase in Body Mass Index and systolic blood pressure elevation in treatment naïve persons starting INSTI-based antiretroviral therapy Ronald Galdamez, Spain
PE2/18	Baseline characteristics in JUNGLE, a German observational cohort study of Juluca as 2-drug Regimen in virologically suppressed patients, compared to the phase-3 SWORD 1 & 2 study populations
	F. Schabaz, Germany
PE2/19	Examining the efficacy in clinical practice of the dual antiretroviral therapy regimen of boosted protease inhibitors with maraviroc Abhishek Katiyar, United Kingdom
PE2/20	Good efficacy but side effects including hypercholesterolemia and body weight gain after
,	switching to dolutegravir plus booster protease inhibitor regimen among treatment experienced HIV-positive patients Yu-Lin Lee, Taiwan, Republic of China

PE2/21	Rates of DTG/ABC/3TC discontinuation in a real-life setting: no surprises found in reported adverse events Ana Gorgulho, Portugal
PE2/22	Low baseline HIV viral loads with a history of PrEP use - how should these patients be managed? Victoria Tittle, United Kingdom
PE2/23	Lamivudine-based maintenance 2-drugs regimens: an algorithm for the estimation of 2-years risk of virological failure in clinical practice Alberto Borghetti, Italy
PE2/24	Adding raltegravir to a bPI failing regimen was not associated with higher virologic suppression Monica Maria Gomes-da-Silva, Brazil
PE2/25	Neuropsychiatric tolerability of bictegravir combined with FTC/TAF in clinical practice Christian Hoffmann, Germany
PE2/26	Real-world clinical outcomes of patients switched from complex multi-tablet regimens to TAF-based single-tablet regimens plus a boosted protease inhibitor Charlotte-Paige Rolle, United States
PE2/27	Dual therapy with fixed dose combination of darunavir/ritonavir plus raltegravir in HIV-infected patients in Argentina
PE2/28	Diego Martin Cecchini, Argentina Detectability of HIV residual viremia despite therapy is highly associated with treatment with protease inhibitor Gilles Darcis, Belgium
PE2/29	Prediction of virological failure in patients with low level HIV-1 viremia using a joint latent class model Enrique Bernal, Spain
PE2/30	Comparing effectiveness and tolerability of emtricitabine/tenofovir alafenamide (F/TAF) with emtricitabine/tenofovir disoproxil fumarate (F/TDF) in HIV-1 infected adult patients in routine clinical practice: a cross cohort analysis Stefan Esser, Germany
PE2/31	Effectiveness of Dolutegravir-based antiretroviral therapy in a real-world setting in a Belgian cohort of 4101 HIV patients Rakan Nasreddine, Belgium
PE2/32	Characterizations of weight gain following antiretroviral regimen initiation in treatment- naive individuals living with HIV Ricky Hsu, United States
PE2/33	How to RESPOND to modern challenges for people living with HIV: a new cohort collaboration Bastian Neesgaard, Denmark
PE2/34	ART simplification: use of dual therapy for HIV in a public health reference center (CRT-DST/Aids) in São Paulo, Brazil Roberta Schiavon Nogueira, Brazil

PE2/35	Simplification to dual (2D) antiretroviral therapy (ART) with lamivudine and dolutegravir in HIV-infected patients with solid organ transplantation (SOT): a preliminary single-center experience
	Juan Ambrosioni, Spain
PE2/36	Comparable effectiveness of Raltegravir-based dual therapy versus other regimens in patients switched for maintenance
	Karen Martin, Germany
PE2/37	Comparison of a two-drug regimen (dolutegravir/rilpivirine) to standard three-drug regimens in virologically suppressed, treatment experienced individuals in the real world
	Gerald Pierone, United States
PE2/38	Effectiveness of the combination elvitegravir/cobicistat/tenofovir/emtricitabine (EVG/COB/TFV/FTC) plus darunavir in treatment-experienced patients: a multicentre cohort study
	Inés Suárez-García, Spain
PE2/39	High persistence of dolutegravir-containing 2-drug regimens in routine clinical care Sebastian Noe, Germany
PE2/40	Virologic, immunologic and clinical outcomes in antiretroviral treatment (ART) naïve individuals in the RESPOND cohort collaboration
	Amanda Mocroft, United Kingdom
PE2/41	A retrospective analysis of the EuResist data set assessing HIV dual therapy success in a real-life context
	Michael Böhm, Germany
PE2/42	The real-world impact of switching to tenofovir-alafenamide (TAF) on metabolic co- morbidities in PLWH aged over 60s
	Ming Jie Lee, United Kingdom
PE2/43	Effect of simplification to INSTI-based dual therapy on residual inflammation and viral reservoir Giulia Marchetti, Italy
PE2/44	Changes in LDL after switch from TDF to TAF in the U.S. Paddy Mallon, Ireland
PE2/45	A retrospective analysis of the EuResist data set assessing if NRTI resistance impairs INSTI based treatment with NRTI backbone Michael Böhm, Germany
PE2/46	Impact of archived M184V/I mutations on the effectiveness of switching to coformulated elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide among virologically suppressed HIV-positive patients
	Chien-Ching Hung, Taiwan, Republic of China
PE2/47	Central nervous system (CNS) side effects and viral blips post cART switch from atazanavir boosted with ritonavir (ATZ/r) to atazanavir boosted with cobicistat (ATZ/c) Stephanie Tyler, United Kingdom
PE2/48	Quantitation of cellular HIV-1 DNA levels by droplet digital PCR in virologically-suppressed patients switching to dolutegravir plus lamivudine: a prospective study Francesca Lombardi, Italy

PE2/49	Evaluation of weight gain in incarcerated individuals living with HIV/AIDS after switching to a raltegravir-based regimen Melissa Badowski, United States
PE2/50	Determinants of viral non-suppression among people living with HIV (PLHIV) in rural setting, Neno: a retrospective cohort study Potiphar Damiano, Malawi
PE2/51	Risk of developing HIV resistance in patients with low level viraemia in a large London cohort
	Naomi Fitzgerald, United Kingdom
PE2/52	Virological outcomes of first line regimens in women living with HIV from Icona cohort: comparison with clinical trial data Cristina Mussini, Italy
PE2/53	Well-being in people living with HIV/AIDS (PLWHA) according to cART exposure: data from IOCONA cohort Antonella Cingolani, Italy
PE2/54	Body composition changes in HIV: do INSTI matter?
	Giovanni Guaraldi, Italy
PE2/55	Dolutegravir-based regimens are associated with weight gain over two years following ART initiation in ART-naïve people living with HIV (PLWH) Heidi Crane, United States
PE2/56	Efficacy and safety of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in combination with boosted darunavir (DRV) in treatment experienced patients with HIV Lucas Hill, United States
PE2/57	Real world data of using Triumeq (dolutegravir/abacavir/lamivudine; DTG/ABC/3TC): final outcomes of the 3-year German TRIUMPH cohort show good virologic effectiveness and safety in clinical routine Nils Postel, Germany
PE2/58	The effectiveness of E/C/F/TAF in treatment-naive (TN) or treatment-experienced (TE) adult HIV-infected patients in a real-world setting, results from southern Turkey Dilara Inan, Turkey
PE2/59	Comparison of efficacy and safety of a switch to fixed-dose combination FTC/TDF-TAF/RPV versus fixed-dose combination 3TC/ABC/DTG in HIV-1-infected, treatment experienced and virologically suppressed patients: a cohort study Gaetana Sterrantino, Italy
PE2/60	COPEDOL: a 2-year French multicentric, observational, longitudinal retro-prospective study in pretreated HIV-1-infected patients starting dolutegravir based regimen due to treatment failure
	Roland Landman, France
PE2/61	Drug-drug interactions with recommended first-line antiretroviral therapy in real-world settings Wang-Huei Sheng, Taiwan, Republic of China
PE2/62	Determinants of switching to TAF-based cART or dual combinations (DC) from TDF-based regimens in a cohort of HIV-infected individuals with controlled viral load≤50 copies/mL Alessandra Vergori, Italy

PE2/63	An early proactive switch to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/T/TAF) is effective in maintaining virologic control and improving quality of life (QoL) in patients with a primary HIV-1 infection (PHI). An interim analysis of a phase IV clinical trial (ESTER study) Marta Camici, Italy
PE2/64	Prevalence of neuropsychiatric conditions in patients living with HIV-1 treated with antiretroviral therapies - a perspective from US Medicaid Wing Chow, United States
PE2/65	Switch to dolutergravir dual regimens and imflammation mediated by annexin Claudio Ucciferri, Italy
PE2/66	Efficacy of dual antiretroviral therapy (ART) as intermittent short cycle regimen in virologically suppressed HIV-infected patients: an observational cohort Romain Palich, France
PE2/67	Modelling time varying viral load and CD4 cell counts response to antiretroviral therapy in a cohort of HIV naive patients Margarida Tavares, Portugal
PE2/68	Impact of switching to E/C/F/TAF on lipid profile and renal function in HIV-infected patients Bilgul Mete, Turkey

ePosters 09:00 - 18:00 Exhibition hall

Antiretroviral randomized clinical trials

- PE3/1 Genital HIV-1 RNA and DNA shedding in virologically suppressed individuals switching from triple- to dual- or monotherapy: pooled results from two randomized controlled trials

 Laurent Hocqueloux, France
- PE3/2 Comparison of the Ease of Swallowability of B/F/TAF placebo compared to DTG/ABC/3TC placebo

John Ernest McKinnon, United States

- PE3/3 Evaluation of total HIV-DNA changes in HIV-1 infected patients who continue a 2-drug regimen with dolutegravir plus one reverse transcriptase inhibitor or switch to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide enrolled in the Be-One Study Maria Mercedes Santoro, Italy
- PE3/4 Phase-3 trials of new antiretrovirals are not representative of the global HIV epidemic Toby Pepperrell, United Kingdom
- PE3/5 Impact of susceptibility scoring on virologic response in heavily treatment-experienced participants with HIV-1 receiving a fostemsavir-based antiretroviral regimen: results through week 96 from the randomized cohort of the Phase 3 BRIGHTE study

Peter Ackerman, United States

PE3/6 Reversibility of dolutegravir/lamivudine/abacavir neuropsychiatric toxicity after 24 weeks of switching to elvitegravir/cobicistat/emtricitabine/tenofovir-alafenamide (EVG/c/FTC/TAF). The DREAM Clinical Trial

Ignacio Pérez-Valero, Spain

PE3/7	A switch to dolutegravir in combination with boosted darunavir is safe and effective in suppressed patients with HIV - a predefined psychosocial subanalysis of the DUALIS study Christoph Spinner, Germany
PE3/8	Tenofovir alafenamide versus tenofovir disoproxil fumarate - is there a true difference in safety?
	Toby Pepperrell, United Kingdom
PE3/9	Biologic sex is not the only difference between men and women: data from the Doravirine phase 2/3 clinical trials
	Sharon Walmsley, Canada
PE3/10	No metabolic or renal benefits when switching to an NRTI-free dolutegravir-containing 2 drug regimen (2DR) - a subanalysis of the DUALIS study Christoph Boesecke, Germany
PE3/11	Sustained viral suppression with dolutegravir monotherapy during 9,899 patient weeks of follow-up in individuals starting combination antiretroviral therapy during primary HIV infection (EARLY SIMPLIFIED): a randomized, controlled, multi-site, non-inferiority trial
	Dominique Laurent Braun, Switzerland
PE3/12	Rapid initiation of darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) in patients with human immunodeficiency virus (HIV)-1 infection: age, race/ethnicity, and gender subgroup analyses from the DIAMOND study David Anderson, United States
PE3/13	A systematic review and meta-analysis evaluating the risk of central nervous system adverse events in randomised controlled trials of dolutegravir Khadija Muniath Chowdhury, United Kingdom
PE3/14	Long-term efficacy and safety of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in ART-naïve adults
	Chloe Orkin, United Kingdom
PE3/15	Switching from a 3-drug tenofovir alafenamide (TAF)-based regimen (TBR) to a 2-drug dolutegravir/lamivudine (2DR, DTG/3TC FDC) was not associated with a higher frequency of intermittent viremia in suppressed patients in the TANGO study Ruolan Wang, United States
PE3/16	Phase 3 randomized, controlled DISCOVER study of daily emtricitabine/tenofovir alafenamide (F/TAF) or emtricitabine/tenofovir disoproxil fumarate (F/TDF) for HIV pre-exposure prophylaxis (PrEP): week 96 results Peter J Ruane, United States
PE3/17	Single doses of long-acting capsid inhibitor GS-6207 administered by subcutaneous injection are safe and efficacious in people living with HIV
	Eric S Daar, United States
PE3/18	Long-term safety and efficacy of rilpivirine plus nucleoside/nucleotide reverse transcriptase inhibitors in HIV-1 infected patients: 7-year roll-over study from phase 2 and 3 clinical studies
	Jean-Michel Molina, France
PE3/20	Prevalence of archived HIV-1 DNA resistance-associated mutations (RAMs) and their lack of effect on virologic outcome at week 96 in antiretroviral treatment (ART)-experienced, virologically suppressed patients receiving the once-daily, single-tablet regimen (STR) darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) in the EMERALD phase III trial
	Erkki Lathouwers, Belgium

PE3/21 Islatravir efficacy and safety for selected demographic and baseline subgroups from a Phase 2 trial in treatment naïve adults with HIV-1 infection

Jean-Michel Molina, France

ePosters 09:00 - 18:00

Exhibition hall

Pharmacology, pharmacogenomics and drug interactions

PE27/1 Efficacy and safety of artemether-lumefantrine as treatment for Plasmodium falciparum uncomplicated malaria in adult patients on efavirenz based antiretroviral therapy in Zambia: an open label non-randomized interventional trial

Mike Chaponda, Zambia

PF27/2 Ritonavir-boosted darunavir plus two nucleoside reverse transcriptase inhibitors versus other regimens for initial antiretroviral therapy for people with HIV infection: a systematic review

Tatevik Balayan, Armenia

PE27/3 Towards individualization of antiretroviral therapy - more cost-effective than dose

intensification in patients

Bhavik Dalal, India

The valproic acid - dolutegravir drug-drug interaction is based on displacement of protein PE27/4

binding and unlikely to be clinically relevant

Henrieke Prins. Netherlands

BESIDE - clinical relevance and implications for management of antiretroviral therapy due to PE27/5

recreational drug use in PLWH in Germany

Karen Martin, Germany

PE27/6 Drug-drug interactions between antiretrovirals and carbamazepine or oxcarbazepine: a real-

life investigation

Cristina Gervasoni, Italy

Drug-drug interactions between dolutegravir (DTG) and immunosuppressant drugs (IS) in PF27/7

HIV-infected patients with solid organ transplantation (SOT): a single-arm clinical trial

(DTGSOT)

Christian Manzardo, Spain

Abacavir hipersensivity reaction (HSR), associated to baseline false negative HLAB5701 PE27/8

screening, in antiretroviral treatment naive HIV-1 patient

Salvatore Martini, Italy

PF27/9 Central nervous system penetration of antiretroviral drugs in HIV-positive patients with

neurocognitive impairment, assessed from paired plasma-CSF concentrations

Perrine Courlet, Switzerland

ePosters 09:00 - 18:00

Exhibition hall

Co-morbidities, ageing

PE9/1	Detectable subclinical myocardial abnormalities in people living with HIV: insights from cardiac magnetic resonance imaging (MRI) Gavin Paul Raphael Manmathan, United Kingdom
PE9/2	Hypertension and ECG alterations in HIV positive patients in DREAM centres in Mozambique
	Isotta Triulzi, Italy
PE9/3	Cardiovascular events are declining in men with HIV aged 50 years or older in Austria Maria Kitchen, Austria
PE9/4	Prevalence of HIV-associated neurocognitive disorder (HAND) in Turkey and assessment of Addenbrooke's Cognitive Examination Revised (ACE-R) test as a screening tool
	Volkan Korten, Turkey
PE9/5	Pilot study assessing the Rotterdam Healthy Aging Score in a cohort of HIV-positive adults Sharon Walmsley, Canada
PE9/6	Obesity and HIV - the overlaping epidemics
5,0	Justyna Kowalska, Poland
PE9/7	Exhaled nitric oxide levels are higher in people living with HIV compared to uninfected controls suggesting increased eosinophilic pulmonary inflammation Rebekka Faber Thudium, Denmark
PE9/8	Comparison of changes in bone microarchitecture with abacavir-lamivudine versus tenofovir disoproxil fumarate-emtricitabine in adults living with HIV Roger Bedimo, United States
PE9/9	Limitations of FRAX equation for predicting low bone mineral density or bone loss progression among people living with HIV: the role of secondary causes of osteoporosis Pilar Vizcarra, Spain
PE9/10	Elevated body mass index during pregnancy and gestational weight gain in HIV-infected women in Cape Town, South Africa: association with adverse birth outcomes Hlengi Madlala, South Africa
PE9/11	Facilitating primary care non-antiretroviral drug prescribing in people living with HIV: the Think ARV project Jaime Vera, United Kingdom
PE9/12	Characterization of moderate and severe anemia by peripheral blood smear in HIV infected patients in the Kilombero and Ulanga antiretroviral cohort Vanesa Anton-Vazquez, United Kingdom
PE9/13	HIV infection and smoking: PET imaging reveals early pulmonary perfusion abnormalities Puja Kohli, United States
PE9/14	Bariatric surgery in HIV obese patients: first results of the French ObéVIH ongoing study Valérie Pourcher, France
PE9/16	Plasma cotinine cut-off for distinguishing smokers from non-smokers among people living with HIV (PLWH) Omid Rezahosseini, Denmark
PE9/17	An analysis of HIV and co-morbidity profiles for adults accessing health care in Khayelitsha, South Africa Richard Osei-Yeboah, South Africa

PE9/18	Femoral arteries better indicator than carotid arteries of cardiovascular risk in HIV/AIDS patients Gordana Dragovic Lukic, Serbia
PE9/19	Cardiovascular risk assessment in PLWH over 50: agreement between cardiovascular risk predictors and Coronary Artery Calcium CT Scoring (CACS)
	Branca Pereira, United Kingdom
PE9/20	Safety and tolerance of denosumab in HIV patients Sara Vela, Spain
PE9/21	Lower incidence of liver steatosis in patients treated with lamivudine plus dolutegravir dual therapy
	Davide Moschese, Italy
PE9/22	Correlations between computerised and standard cognitive testing in persons with HIV and controls
	Davide De Francesco, United Kingdom
PE9/23	Whole body MRI detects high prevalence of incidental findings in older HIV-1-infected patients participating in a randomised, controlled trial of maraviroc and/or metformin for non-alcoholic fatty liver disease
	Sarah Pett, United Kingdom
PE9/24	An analysis of potential drug-drug interactions in an aging HIV cohort Pádraig Gardiner, Ireland
PE9/25	A standardized comparison of cardiovascular risk factor prevalence between people living with HIV and general population in Spain
	Vicente Estrada, Spain
PE9/26	Subclinical atherosclerosis burden by ultrasound in carotid and femoral territories in HIV subjects: relationships with HIV and non-HIV related factors Vicente Estrada, Spain
PE9/27	Subcutaneous adipose tissue modifications induced by a switch to dual raltegravir- maraviroc therapy in controlled HIV-infected patients: a sub-study of the ANRS- ROCnRAL157 clinical trial
	Jacqueline Capeau, France
PE9/28	Results of 10 year experience of a specialist clinic for people living with HIV over 50 at Chelsea and Westminster Hospital
	Branca Pereira, United Kingdom
PE9/29	Discordance in diagnosis of osteoporosis in HIV-infected patients: prevalence, characteristics, and impact on FRAX equation Pilar Vizcarra, Spain
PE9/30	CD4/CD8 ratio is a better indicator of acute phase inflammation than absolute CD4 count during virally-suppressed HIV infection
	Rodney Rousseau, Canada
PE9/31	Immune activation and chronic inflammation: is there an additional effect of HIV in a geriatric population? Clotilde Allavena, France

PE9/32	Trends in cardiovascular risk factors and estimated 10-year cardiovascular risk score in a spanish cohort of PLWH: 2010-2018 Francisco Fanjul, Spain
PE9/33	Prevalence of depression and associated psychosocial factors among HIV positive patients attending ART clinic at Gulu Regional Referral Hospital Ronald Kiyemba, Uganda
PE9/34	Potentially inappropriate medications in older adults with HIV in the region of Madrid, Spain Beatriz López-Centeno, Spain
PE9/35	Impact of the reproductive/hormonal status on weight, fat and insulin resistance in HIV-infected women switching from a PI regimen to dual raltegravir-etravirine therapy: results from the ANRS163-ETRAL trial at 48 and 96 weeks acqueline Capeau, France
PE9/37	Age- and sex-related differences in concomitant diseases and use of co-medication in patients with treated HIV-infection in Germany Karen Martin, Germany
PE9/38	Kidney transplantation in HIV-positive patients in Israel including the first case of HIV-positive living donor to HIV-positive recipient with a 7-year follow-up Eugene Katchman, Israel
PE9/39	Vitamin D deficiency and frailty phenotype in HIV-infected men Fiona Bhondoekhan, United States
PE9/40	The UCSD performance-based skills assessment is associated to cognitive performance in HIV positive population with very good immunological condition Valentina Delle Donne, Italy
PE9/41	Alcohol, smoking and the association with HIV virological non-suppression among people living with HIV on ART
	Timothy Peter Wynne Jones, United Kingdom
PE9/42	Decreasing incidence of diabetes mellitus in HIV-positive Taiwanese patients on combination antiretroviral therapy from 2004 to 2011 Pei-Ying Wu, Taiwan, Republic of China
PE9/43	Incidental findings in PLWH over 50 undergoing coronary artery calcium scoring (CACS) for cardiovascular risk assessment Maria Mazzitelli, United Kingdom
PE9/44	Aging biomarkers, inflammatory cytokines and development of cardiovascular ischemic events or diabetes in HIV-infected persons Jose I Bernardino, Spain
PE9/45	Falls but not frailty are common in people living with HIV using an mHealth platform: issues of ageing within the EmERGE cohort Tom Levett, United Kingdom
PE9/46	A standardized comparison of cardiovascular risk factor treatment in people living with HIV and general population Vicente Estrada, Spain
PE9/48	Perceptions of ageing and desire for ageing information amongst users of the EmERGE mHealth platform Tom Levett, United Kingdom

PE9/49	Switching to bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in adults aged >65 or older: week 48 results from a phase 3b, open-label trial Franco Maggiolo, Italy
PE9/50	Safety and efficacy of switching from tenofovir disoproxil fumarate to tenofovir alafenamide in people with HIV aged 50 years and older Hans-Jürgen Stellbrink, Germany
PE9/51	HIV testing in patients diagnosed with community acquired pneumonia or primary lung cancer from 2014 to 2018 in a tertiary reference hospital in Northern Spain Teresa Rubio Obanos, Spain
PE9/52	Menopause in aging women living with HIV: changes in bone mineral density and trabecular bone score Giovanni Guaraldi, Italy
PE9/53	Higher anti-CMV IgG concentrations are not associated with longitudinal brain injury in virally suppressed people with HIV Jonathan Underwood, United Kingdom
PE9/55	Higher Prevalence of CKD in HIV+ individuals compared to the general population Stefan Esser, Germany
PE9/56	Effect of CMV viraemia on endothelial dysfunction over 42 weeks in Malawian adults initiating ART with advanced immune suppression Christine Kelly, Ireland
PE9/57	High prevalence of neurocognitive impairment in adults with perinatally acquired HIV infection Irene Portilla-Tamarit, Spain
PE9/58	Modeling 2018 AHA cholesterol guidelines in HIV Giacomo Ciusa, Italy
PE9/59	A multi-disciplinary Neuro-HIV Platform in managing patients with neurocognitive impairment Phanie Bidlingmeyer, Switzerland
PE9/60	Archi-Prevaleat project. A national register of color-Doppler ultrasonography of the epi- aortic vessels in patients living with HIV Salvatore Martini, Italy
PE9/61	Preliminary results of a diagnostic-therapeutic work-up to early detect cardiovascular disease in HIV positive patients Giovanni Millotti, Italy
PE9/62	Bone mineral density changes in young African women on tenofovir disoproxil fumarate antiretroviral therapy and non-hormonal contraception Flavia Kiweewa Matovu, Uganda
PE9/63	Examination of HIV-infected patients regarding weight gain while using integrase inhibitors in Japan Ryoko Sekiya, Japan
PE9/65	Predictors of sarcopenia and its impact on components of the frailty phenotype in an Asian population living with HIV Grace Lui, Hong Kong

PE9/66	Failure to restore CD4 cell count with combination antiretroviral therapy is associated with increased systemic inflammation Rodney Rousseau, Canada
PE9/67	High prevalence of left ventricular systolic dysfunction assessed by speckle tracking in asymptomatic HIV patients Dimitris Basoulis, Greece
PE9/68	Polypharmacy and drug-drug interactions - prevalence in a Portuguese HIV Metabolic Clinic Joana Fragoso, Portugal
PE9/69	Bone density alterations in the HIV-infected patient - epidemiologic characterization of a Portuguese cohort Diogo Guerra, Portugal
PE9/70	Cigarette smoking disproportionately impairs nitric oxide signaling in pulmonary artery endothelial cells in HIV: role of viral and host factors Saurabh Aggarwal, United States
PE9/71	Frailty phenotype in older virologically suppressed PLWHIV is strongly correlated with specific comorbidities and tobacco use Christina Katerina Psomas, France
PE9/72	HIV-FUNCFRAIL study: differences between women and men aging with HIV Fátima Brañas, Spain
PE9/73	Prevalence, risk factors and outcomes of cardiovascular, metabolic and chronic kidney diseases in HIV-infected vs. uninfected adults in sub-Saharan Africa: a systematic review and meta-analysis Ajibola Awotiwon, South Africa
PE9/74	People living with HIV are more likely to be screened for cardiovascular disease risk factors than other members of the general population in Botswana - a community based study Onkabetse Julia Molefe-Baikai, Botswana
PE9/75	APOL1 high risk genotype has an adverse impact on kidney function in African HIV-infected patients with high viral load Nongodo Firmin Kabore, France
PE9/76	Comparison of 2 frailty scores in PLWHIV aged 50 and over: SOF index and FRIED phenotype Christina Katerina Psomas, France
PE9/77	Annexin V, Annexin A1 and cardiovascular risk in HIVpopulation Claudio Ucciferri, Italy
PE9/78	Could we consider the intima-media thickness (c-IMT) > 1mm as a risk factor for cardiovascular diseases in HIV+ subjects chronically treated with antiretrovirals? Alessio Pampaloni, Italy
PE9/79	Immune reconstitution inflammatory syndrome (IRIS) in HIV-infected hospitalized patients with advanced disease Alberto Díaz-de Santiago, Spain
PE9/80	Low Body Mass Index (BMI) in ART naïve HIV-positive subjects and risk of virological failure and drug discontinuation: data from the ICONA Foundation Cohort Roberto Rossotti, Italy

PE9/81	Sistatin C, KIM1 and NGAL as biological markers for detecting early kidney injury in HIV positive patients Aslıhan Ulu, Turkey
PE9/82	Long-term AIDS survivors: comorbidities and polypharmacy a new challenge María José Galindo Puerto, Spain
PE9/83	Risk Factors associated to immune reconstitution inflammatory syndrome (IRIS) in HIV- infected hospitalized patients with advanced disease Alberto Díaz-de Santiago, Spain
PE9/84	Sleep disorders and depression through efavirenz to dolutegravir transition in Brazil: what really changed after all Melissa Medeiros, Brazil
PE9/85	Patterns of inflammation and comorbidity in Human Immunodeficiency Virus (HIV) infection: a clustering analysis from the CARDAMONE study Sonia Zebachi, France
PE9/86	Cognitive impairment in patients with HIV in a Mexican hospital Lucia Carrazco Ibarra, Mexico
PE9/87	Clinical management of ageing people living with HIV in Europe: The view of the care providers Marta Boffito, United Kingdom
PE9/88	Real-word characterization of the Portuguese population living with HIV who initiated Raltegravir based-regimen in the last three years - REALITY Study Joana Almeida, Portugal
PE9/89	Long-term lipid-lowering-therapy in HIV is clinically effective Henning Drechsler, United States

ePosters 09:00 - 18:00

Exhibition hall

HIV-associated and non HIV-associated tumours

Anna Popova, Russian Federation

PE14/1	Prevalence of anal dysplasia among persons living with human immunodeficiency virus (HIV) Adelaine Lopez, Philippines
PE14/2	HIV infection is associated with reduced survival among hepatocellular carcinoma cases from an urban referral hospital: Kampala, Uganda
	Sara Nsibirwa, Uganda
PE14/3	High prevalence of anal and cervical dysplasia in a cohort of HIV-infected women, but low prevalence of concomitant lesions
	Ana Gomez, Ecuador
PE14/4	Malignant and benign skin lesions in HIV-1 infected people Alessandra Latini, Italy
PE14/5	Results of HPV-testing for anal screening in HIV-infected women

PE14/6 COHORT SDT (Granada): decrease of the incidence of HSIL+ in the anal mucosa of HIV+ patients MSM after the performance of a screening, diagnostic and therapeutic program (2010-2018) Carmen Hidalgo-Tenorio, Spain Prospective longitudinal study on immunogenicity and safety of vaccination against human PE14/7 papillomavirus (HPV) with the 9valent vaccine in HIV-positive women, the Papillon study: preliminary results on tolerance and safety Déborah Konopnicki, Belgium PE14/8 Cancer trends and outcomes in a cohort of people living with HIV Andrea De Vito, Italy PE14/9 Rate of HCC occurrence and associated risk factors in a multicentric cohort of HIV/HCV coinfected patients treated with DAAs

ePosters 09:00 - 18:00 Exhibition hall

Alice Toschi, Italy

Other co	infections/Sexually transmitted infections
PE24/2	High rates of ocular and neurosyphilis in a large German, city-based university hospital: lessons learned on ocular syphilis Laura Franziska Wagner, Germany
PE24/3	Decreasing rate of HIV and HBV co-infection in nationwide Korean HIV/AIDS cohort and its meaning Yoonjung Kim, Korea, Republic of
PE24/5	Prevalence of syphilitic hepatitis among HIV-infected patients in Istanbul, Turkey, a region with increasing incidence of syphilis and HIV infection Ozlem Altuntas Aydin, Turkey
PE24/6	Seroconversion rate after yellow fever vaccine in HIV- positive patients Charlotte Martin, Belgium
PE24/7	Low seroprevalence of syphilis infection among key populations in Togo in 2017: a national cross-sectional survey Fifonsi Gbeasor, Togo
PE24/8	Socio demographics, sexual behavior and clinical manifestations of HIV+ and HIV- patients diagnosed with syphilis, Brussels 2017-2019 Agnès Libois, Belgium
PE24/9	Risk factors and prevalence of syphilis, gonorrhea and chlamydia infections in the Swiss HIV cohort study Catrina Mugglin, Switzerland
PE24/10	Predictors of serofast state after treatment for syphilis in HIV-infected patients Gregor Paul, Germany
PE24/11	A proactive approach to assess rising STIs among different at-risk groups of MSM in the early era of PrEP: a real-world clinical care setting Christina Katerina Psomas, France

PE24/12	Profiles of multidrug resistant gonorrhea in HIV-infected patients attending an urban hospital in Uganda Christine Katusiime, Uganda
PE24/13	Sexually transmitted diseases clinic in a Portuguese Infectious Diseases unit Joana Fragoso, Portugal
PE24/14	Quantification of DNA human papillomavirus 16 and 18 in anal cells improves the prediction of high grade anal intraepithelial neoplasia in HIV patients Marcos Diez, Spain
PE24/15	Primary prophylaxis against Pneumocystis jirovecii Pneumonia may be effective in preventing severe bacterial pneumonia in HIV-positive patients: findings from a large Italian center Alex Dusina, Italy
PE24/16	HHV-8 salivary shedding in individuals with different HIV status and sexual behaviour Elvira Domonova, Russian Federation
PE24/17	Insights into syphilis reinfection in HIV patients: predictors and role of serofast condition Chiara Picarelli, Italy
PE24/18	Infective endocarditis, a current health problem in Romanian injecting drug users Irina Cristiana lanache, Romania
PE24/19	Preventable risk factors and predictors of hepatic and non-hepatic co-morbidities among PLHIV Oluwakemi Odukoya, Nigeria
PE24/20	Incidence of asymptomatic HAV infection among MSM living with HIV in South-Western Poland Aleksandra Szymczak, Poland
PE24/21	Behavioural patterns to identify key populations for syphilis prevention Sara Andresen, Switzerland
PE24/22	Evaluation of a systematic sexually transmitted infections screening pilot programme in HIV positive men who have sex with men (MSM) Paula Prieto, Spain
PE24/23	Chemsex in Barcelona: a descriptive approach about men who have sex with men (MSM) who use recreational drugs in a sexual context Lorena De la Mora, Spain
PE24/24	Analysis of serum metabolite changes in early syphilis patients with or without serologic response after treatment Chia-Jui Yang, Taiwan, Republic of China
PE24/25	Stable transmission of amoebiasis among newly diagnosed HIV-positive patients in Taiwan, 2009-2018 Sung-Hsi Huang, Taiwan, Republic of China
PE24/26	Mycoplasma genitalium resistance against macrolide antibiotics in the Berlin MSM cohort tested with the Allplex MG & AziR Assay (SeeGene) Martin Obermeier, Germany

PE24/27	Predictors of ureaplasma urealyticum urinary colonization in HIV+ pregnant women: a pilot study lacopo Franconi, Italy
PE24/28	No indication of decreased syphilis susceptibility with repeated syphilis episodes in HIV-infected men who have sex with men: a multicentre prospective cohort study on risk factors and the potential role of syphilis immunity Jan Roth, Switzerland
PE24/29	The prevalence of high-risk anal HPV in HIV-positive MSM in Lebanon Nesrine Rizk, Lebanon
ePosters 09:00 - 18:00) Exhibition hall
Toxicities	5
PE32/1	Sleep and functional characteristics of Central London Outpatient HIV Cohort Ana Milinkovic, United Kingdom
PE32/2	Osteopenia and osteoporosis in young HIV-infected patients less than age of 40 years: incidence and risk factors Shu-Ying Chang, Taiwan, Republic of China
PE32/3	Predictors of weight gain in patients treated with dolutegravir Lucia Taramasso, Italy
PE32/4	Effects of lamivudine plus dolutegravir 2-drug-regimen on bone mineral density in a multicenter Italian cohort Arturo Ciccullo, Italy
PE32/5	Switching from tenofovir disoproxil fumarate (TDF) to tenofovir alafenamide (TAF) lowers alanine transaminase (ALT) and aspartate transaminase (AST) in patients with HIV infection with or without viral hepatitis co-infection Nicola Squillace, Italy
PE32/6	Weight gain in people living with HIV switched to dual therapy with dolutegravir plus rilpivirine: changes in body fat mass Pilar Vizcarra, Spain
PE32/7	Does switching to tenofovir alafenamide fumarate impair recovery of renal function in individuals newly diagnosed with tenofovir disoproxil fumarate induced renal tubular toxicity? John Booth, United Kingdom
PE32/8	Weight gain among HIV-positive persons treated with dolutegravir or elvitegravir Leïla Belkhir, Belgium
PE32/9	NRTI backbone modification impact on weight, lipids and cardiovascular risk Ana Milinkovic, United Kingdom
PE32/10	Comparative neuropsychiatric toxicity profile of dolutegravir (DTG) versus efavirenz (EFV) versus other antiretroviral third drugs used either in first-line or switch antiretroviral therapies (ART): data from Icona Foundation Study Cohort

Annalisa Mondi, Italy

PE32/11	SWORD 1&2: maintenance or improvement in renal function in PLWH through 148 weeks after switch to the dolutegravir + rilpivirine 2-drug regimen Josep M Llibre, Spain
PE32/12	Neurotoxicity related to efavirenz does not predict neurotoxicity related to dolutegravir Sara de la Fuente, Spain
PE32/13	Human embryonic stem cells exposed to dolutegravir show decreased cellular proliferation, reduced pluripotency, and increased mitochondrial toxicity, in a dose-dependent manner: preliminary data
	Marie-Soleil R. Smith, Canada
PE32/14	Dolutegravir but not raltegravir reduces cell proliferation and increases mitochondrial toxicities in cultured fibroblasts; effects that are not mitigated by telomerase reverse transcriptase
	Helene Cote, Canada

ePosters 09:00 - 18:00 Exhibition hall

Tuberculosis and opportunistic infections	
PE35/1	Nontuberculous mycobacteria infections in Russian HIV patients: clinical features and outcomes Mikhail Savchenko, Russian Federation
PE35/2	Human immunodeficiency virus and the outcome of treatment for pulmonary tuberculosis: a retrospective study in Tehran, Iran Mohammad Bagheri, Iran, Islamic Republic of
PE35/3	Rifampicin pharmacokinetics and pharmacogenetics in Ugandan patients with multi-drug resistant tuberculosis Jackson K. Mukonzo, Uganda
PE35/4	Mycobacteria-induced immune responses by mucosal-associated invariant T (MAIT) cells are impaired in patients with tuberculosis (TB) and HIV-associated TB Muki Shey, South Africa
PE35/5	Acute onset of cerebral toxoplasmosis in patients with HIV infection Tatiana Ermak, Russian Federation
PE35/6	Association between immunological status and TB disease development in HIV-infected individuals with LTBI Ngai Sze Wong, Hong Kong
PE35/7	Amoeba- a swiss army knife for diagnosis and mechanistic understanding of Legionella infection Breanne M Head, Canada
PE35/8	Causes and outcomes of hospitalizations among HIV positive persons in Georgia´s referral institution, 2012-2017 Nino Rukhadze, Georgia
PE35/9	Population pharmacokinetic analysis of dolutegravir in HIV/TB co-infected people with and without rifampicin Rajendra Singh, United States

PE35/10	Lung function and health-related quality of life among patients following pulmonary tuberculosis treatment in urban Uganda: a cross-sectional study Josephine Zawedde, Uganda
PE35/11	Clinical and laboratory characterization of progressive multifocal leukoencephalopathy in HIV-infected patients in the intensive care unit Anastasia Pokrovskaya, Russian Federation
PE35/13	Cryptococcal and tuberculosis coinfection: case series identified through the implementation of an advanced HIV disease package of care linked to a TB active case finding strategy in rural Mozambique Alejandro Blanco-Arévalo, Spain
PE35/14	Trends in latent tuberculosis screening in a cohort of HIV-infected patients from a low tuberculosis incidence country Pedro Palma, Portugal
PE35/15	Drug-induced hepatic injury developed in tuberculosis / HIV co-infection treatment Sarah Silva, Brazil

ePosters 09:00 - 18:00

Exhibition hall

NASH

PE22/1	Assessment of non alcoholic fatty liver disease in a cohort of HIV mono-infected patients Paola Columpsi, United Kingdom
PE22/2	Non-alcoholic fatty liver disease (NAFLD) and related metabolic disorders among HIV- infected patients in the country of Georgia Lali Sharvadze, Georgia
PE22/3	Non-alcoholic fatty liver disease is a significant predictor of cardiovascular risk in HIV-infected patients Adriana Cervo, Italy
PE22/4	Non alcoholic fatty liver disease diagnosed by non-invasive markers in HIV-infected patients Carmen Busca, Spain
PE22/5	Global prevalence of liver impairment in HIV population in direct antiviral agents (DAA) era: the role of fatty liver disease

ePosters 09:00 - 18:00

Exhibition hall

Viral hepatitis

PE37/1 Acute hepatitis C infection in HIV-infected patients who achieved viral suppression: incidence and risk factors

Hsin-Yen Ku, Taiwan, Republic of China

Matilde Sánchez-Conde, Spain

PE37/2	HBV infections among HIV infected HAART receiving mothers and their exposed infants in a tertiary hospital in Kenya James Kangethe, Kenya
PE37/3	Direct-acting antivirals (DAAs) improve liver stiffness measurements but do not improve the Veterans Aging Cohort Study (VACS) Index in HIV /HCV co-infected Egyptian patients: is improved discrimination needed? Ahmed Cordie, Egypt
PE37/4	HCV/HIV coinfection in the DAA era: which patients have not been treated for HCV? Fabian Dario Rodriguez-Monaco, Germany
PE37/5	Hepatitis E seroprevalence in HIV-positive patients Mustafa Altindis, Turkey
PE37/6	Success of unrestricted DAA therapy is limited by HCV reinfections and loss to follow-up in HIV-positive patients David Chromy, Austria
PE37/7	Efficacy and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide as maintenance treatment of patients with HIV and Hepatitis B Virus (HBV) coinfection Yu-Shan Huang, Taiwan, Republic of China
PE37/8	Effectiveness of hepatitis a vaccination among people living with HIV in Taiwan: is one dose enough? Chia-Jui Yang, Taiwan, Republic of China
PE37/9	HIV patients remain at high risk for advanced liver fibrosis after curing HCV infection Natalia Bolokadze, Georgia
PE37/10	HIV/HCV coinfection in Spain: trouble will soon be over Juan Berenguer, Spain
PE37/11	Care cascade of incident HCV infection among HIV-positive patients in Taiwan Miao-Hui Huang, Taiwan, Republic of China
PE37/12	Current characteristics of HIV/HBV coinfected patients in a single HIV reference centre of Madrid Luz Martín-Carbonero, Spain
PE37/13	High HCV reinfection rate in MSM living with HIV in Barcelona: the need to focus on high risk population to achieve HCV elimination Maria Martínez-Rebollar, Spain
PE37/14	Liver disease in HIV-infected subjects in the post-HCV DAA treatment era Carmen Busca, Spain
PE37/15	Seroprevalence of hepatitis E in a Portuguese cohort of human immunodeficiency virus infected patients André Silva-Pinto, Portugal
PE37/16	Loss of seroprotection against hepatitis B virus (HBV) was associated with lower CD4 counts among HIV-positive patients who were born in the era of nationwide neonatal HBV vaccination Yi-Chia Huang, Taiwan, Republic of China

PE37/17	Improvement of immunity and hepatic fibrosis after HCV treatment with DAA in people living with HIV and HCV Montserrat Laguno, Spain
PE37/18	DAA treating Hepatitis C in HIV/HCV coinfected patients in two prisons of Rome: results and problems Sara Lardo, Italy
PE37/19	Progress towards eliminating mother-to-child transmission of HIV in the Macha area in Zambia from 2010-2018 Mutinta Hamahuwa, Zambia
PE37/20	Evaluation of the hepatitis C care cascade in the country of Georgia: monitoring 4 years of progress towards elimination Tengiz Tsertsvadze, Georgia
PE37/21	Epidemiology of HIV, HBV and HCV co-infection in Israel Karen Olshtain-Pops, Israel
PE37/22	Hepatitis C treatment outcomes of HIV infected people who inject drugs in a real-world cohort Dimitris Basoulis, Greece
PE37/23	Treatment of acute HCV infection with direct acting antivirals (DAA) in HIV patients Cristina Gómez-Ayerbe, Spain
PE37/24	Hepatic fibrosis progression among HIV patients in Israel Karen Olshtain-Pops, Israel
PE37/25	Acute hepatitis B in persons living with HIV in a low hepatitis B prevalence area during the last two decades Luz Martín-Carbonero, Spain
PE37/26	Virological response to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide in HIV-positive patients with lamivudine-resistant hepatitis B virus coinfection Yu-Shan Huang, Taiwan, Republic of China
PE37/27	Impact of direct-acting antiviral (DAA) agents on T cell counts and liver stiffness in HIV/HCV-coinfected patients: a multicenter prospective observational cohort study David Dalmau, Spain
PE37/28	Trends of HCV infection among HCV-seronegative, HIV-positive patients in Taiwan between 2011-2018 Li-Hsin Su, Taiwan, Republic of China
PE37/29	The micro-elimination approach to eliminating Hepatitis C: a Fast Track City project Franco Maggiolo, Italy
PE37/30	Road to HCV elimination in HV/HCV coinfected patients by screening and universal access to DAA: baseline data from the first screening of NoCo (No-Coinfection) study Antonella d'Arminio Monforte, Italy
PE37/31	HCV cascade of care for HIV/HCV coinfected individuals in Greece and HCV treatment considerations in clinical practice Mina Psichogiou, Greece

PE37/32	Hepatitis B core-related antigen and anti-hepatitis B core antibody are not associated with liver fibrosis evolution in HIV-HBV co-infected patients during treatment with tenofovir Romuald Cruchet, France
PE37/33	Antiretroviral therapy: a possible role in lipid changes after HCV eradication by DAAs Alessandra Vergori, Italy
PE37/34	Treatment of cirrhotic monoinfected and HCV/HIV coinfected patients with direct acting antivirals (DAAs) Fábio Videira Santos, Portugal
PE37/35	Predictors of vaccine efficacy after hepatitis B vaccination in people with HIV infection Gerardo Ibarra, Germany
PE37/36	Long term response to mandatory anti-HBV vaccination: risks for disease acquisition and opportunities for re-vaccination within the ICONA cohort Roberto Rossotti, Italy
PE37/37	The assessment of HBsAg serum concentration during chronic hepatitis B phases' identification among HIV/HBV coinfected patients before antiviral therapy prescription Tetiana Melnyk, Ukraine
PE37/38	Predictors of liver fibrosis improvement after HCV eradication in HIV+ patients: data from an Italian cohort Alessandra Vergori, Italy
PE37/39	Long-term follow-up of people who use drugs (PWUD) following HCV infection therapy: drug use patterns among HIV co-infected versus mono-infected patients Astou Thiam, Canada
PE37/40	Treatment outcome of HCV single vs multi tablet regimen in mono and HIV co-infected people who use drugs (PWUD): a long-term follow-up analysis Astou Thiam, Canada

ePosters 09:00 - 18:00

Exhibition hall

Gender issues

PE10/1	Patient, clinical and virus genetic characteristics of migrants from Eastern, Central and Western Africa enrolled in the SHCS Nadine Bachmann, Switzerland
PE10/2	Menopause impacts drug use and mental health in women with HIV in Switzerland Anna Hachfeld, Switzerland
PE10/3	Gender-specific analysis of a German cohort of HIV-infected patients on Raltegravir-based therapy shows distinctive baseline co-morbidity profiles of women versus men but no impact on treatment outcomes Karen Martin, Germany
PE10/4	Menopausal symptoms, sleep disorders and anxiety/depression among premenopausal and postmenopausal HIV-infected women: a multicenter cohort study in Spain

Ines Suarez, Spain

PE10/5	An evaluation of the care given to older women attending an HIV clinic in London Claire Williams, United Kingdom
PE10/6	Anti-Mullerian hormone a plausible indicator of cardiometabolic risk in HIV-infected women Umbelina Caixas, Portugal
PE10/7	Differences in sexual health among HIV infected and uninfected women of child-bearing age Raffaella Marocco, Italy
ePosters 09:00 - 18:00	Exhibition hall
Mother-te	o-child transmission
PE21/1	HIV infection in pregnant women and children in Switzerland: how effective are measures for preventing mother-to-child transmission? Martin Gebhardt, Switzerland
PE21/2	No evidence for induced glucuronidation of dolutegravir in HIV-infected pregnant women Vera Bukkems, Netherlands
PE21/3	Comparative analysis of clinic and laboratory parameters and frequency of mother-to-child transmission of HIV among HIV-positive pregnant women with marked immunodeficiency and normal immunological status Olga Mozaleva, Russian Federation
PE21/4	Analysis of perinatal HIV transmission cases in St. Petersburg Anna Samarina, Russian Federation
PE21/5	Geopolitical assessment and relevance for acceptance of vaginal delivery in good controlled HIV-infected pregnant women in Japan
	Kimikazu Hayashi, Japan
PE21/6	Pregnancy outcomes in HIV-positive women: a retrospective national cohort study from the "Grigorios AIDS Clinic" in Cyprus
	Georgios Siakallis, Cyprus
PE21/7	New-born infants from HIV positive women: five years experience of Infectious Diseases Hospital lasi
	Alexandra Largu, Romania
PE21/8	Risk factors for peripartum virological failure in South African pregnant women on anti- retroviral therapy: East London Prospective Cohort Study
	Oladele Vincent Adeniyi, South Africa

ePosters 09:00 - 18:00

Exhibition hall

Paediatric, adolescent

PE25/1 Effect of cluster of differentiation (CD4) on viral respiratory infection in children, between 0-5 years of age. A study conducted in Kwazulu-Natal, South Africa

Temitayo Famoroti, South Africa

PE25/2	Adolescent HIV and asymptomatic malaria parasitemia (AMP) co-infection David Segun Adeniyi, Nigeria
PE25/3	Clinical features of viral diarrhea in the children of HIV Marufjon Salokhiddinov, Uzbekistan
PE25/4	High rate of rubella seronegativity in perinatally-infected HIV women of childbearing age: a case-control study Nicolas Dauby, Belgium
PE25/5	Health outcomes in adolescents and young adults living with HIV before and after transition to adult care in Barcelona Josep Ferrer Arbaizar, Spain
PE25/6	Correction of lipid abnormality by integrase inhibitor among children taking ART Anna Samarina, Russian Federation
PE25/7	Increasing contribution of sexually-transmitted HIV diagnoses in adolescents in Spain Enrique Bernal, Spain
PE25/8	Factors associated to late presentation of HIV newly diagnosed adolescents in Spain Enrique Bernal, Spain
PE25/9	Comparison of antiretroviral treatment initiation in HIV newly diagnosed adolescents in Spain Melchor Riera Jaume, Spain
PE25/10	Oral self-testing for adolescents and young adults absent or declining to test during home-based HIV testing - a mixed-method study embedded in a cluster-randomized trial in Lesotho (ADORE study) Alain Amstutz, Switzerland
PE25/11	Preterm births in women living with HIV in Switzerland: a 13-year evaluation Christian R Kahlert, Switzerland
PE25/12	Poor clinical outcomes in HIV-infected children who start antiretroviral therapy at an older age Kevin P. McKenzie, United States
PE25/13	Prevalence and predictors of unintended pregnancies among HIV positive young adults (14-24 years) attending an urban HIV clinic in Uganda Mackline Hope, Uganda
PE25/14	Microbiota composition in a cohort of underweight HIV-positive children aged 24-72 months in Cape Town, South Africa Margaret Van Niekerk, South Africa
PE25/15	Influence of maternal parameters on birth outcome in HIV-exposed newborns - 11 year observation Karolina Nowicka, Poland

ePosters 09:00 - 18:00

Exhibition hall

Cascade of care

PE6/1	Self-reported non-receipt of HIV test results: a silent barrier to HIV epidemic control in Mozambique Didier Mugabe, Mozambique
PE6/2	Improvement in ART initiation in different regions of Ukraine from 2010 to 2014 Tetiana Salyuk, Ukraine
PE6/3	The HIV treatment cascade in Azerbaijan, 2018 Natig Zulfugarov, Azerbaijan
PE6/4	Seven years of European Testing Week: impact of a regional awareness campaign on increase in awareness and testing activities in Europe Lauren Combs, Denmark
PE6/5	Impact of integrated family planning and HIV services on early postpartum contraceptive use among women with HIV in the Eastern Cape, South Africa Oladele Vincent Adeniyi, South Africa
PE6/6	The first report of Prevention of Mother-to-Child Transmission (PMTCT) of HIV in Islamic Republic of Iran Ebrahim Ghaderi, Iran, Islamic Republic of
PE6/7	New HIV diagnosis and linkage to care in two outpatient units in South Europe Alessio Pampaloni, Italy
PE6/8	The HIV- and HCV-cascade in Swiss opioid agonist treatment (OAT) patients - the SAMMSU-cohort Andrea Bregenzer, Switzerland
PE6/9	Increased Integrated testing for HIV and HCV in health care facilities: examples from the INTEGRATE activities in Lithuania and Romania Raimonda Matulionyte, Lithuania
PE6/10	AIDS and late presentation follows testing gaps in Poland - data from Test and Keep in care (TAK) Polska project Justyna Kowalska, Poland
PE6/11	Loss to follow-up and re-linkage to care in a single cohort study: who do we re-link to care? Laura Magnasco, Italy
PE6/12	Expanding access to HIV tests in 13 cities in Indonesia: an interrupted time series investigating effect of HIV policy intervention using six years population data Yane Tarigan, Australia
PE6/13	Link HIV-infected injection drug users after the imprisonment to continuum of HIV care program in Taiwan Wei-Wei Wu, Taiwan, Republic of China
PE6/14	HIV continuum of care by sex and mode of transmission in Spain, 2016: use of different sources of information Victoria Hernando, Spain
PE6/15	Temporal trends in time from HIV diagnosis to viral load suppression in CoRIS Belén Alejos, Spain
PE6/16	Navigation of HIV positive clients. Reasons of gaps in HIV cascade among PWID Oksana Pashchuk, Ukraine

PE6/17	Tracing the patterns of HIV-1 transmission among individuals with different time to diagnosis in Greece Evangelia-Georgia Kostaki, Greece
PE6/18	Late diagnosis and delayed presentation in Korean HIV/AIDS cohort Shin Woo Kim, Korea, Republic of
PE6/19	Interruption of HIV care: understanding the predictors and outcomes in the Belgian national HIV cohort Dominique Van Beckhoven, Belgium
PE6/20	The HIV continuum of care: current situation and advances. A systematic review Georgia Vourli, Greece
PE6/21	The contribution of a partnership with a civil society organization (SCO) to early HIV diagnosis and UNAIDS goals Antonio Diniz, Portugal
PE6/22	HIV cascade of care in Turkey: data from the HIV-TR cohort Deniz Gökengin, Turkey
PE6/23	Cascade analysis of anonymous voluntary HIV counseling and testing among HIV-infected patients in Taiwan Chun-Yuan Lee, Taiwan, Republic of China
PE6/24	Late presentation of HIV in Armenia Trdat Grigoryan, Armenia
PE6/25	Oral self-testing for individuals absent or refusing testing during home-based HIV testing - a cluster-randomized trial in Lesotho (HOSENG trial) Tracy R Glass, Switzerland
PE6/26	Acceptability of rapid tests for migrants during the medical consultation at the migration point Martin Duracinsky, France
PE6/27	Evaluation of the "test and treat" strategy in an high-income setting: data from a multicenter Italian cohort Gianmaria Baldin, Italy
PE6/28	Pill box return as a predictor of treatment outcome to antiretroviral therapy in PLHIV: a prospective cohort study Robert Ndege, Tanzania, United Republic of
PE6/29	Potentially missed opportunity to diagnose HIV with standard testing algorithm among adult patients with ongoing mononucleosis-like illness Anna Vassilenko, Belarus
PE6/30	HIV Continuum of Care Cascade in Cluj County, Romania. Comparative situation of the years 2016, 2017, 2018 Adriana Topan, Romania
PE6/31	People living with HIV lost to follow up in the Paris region area and actions carried out by HIV care centers Nicolas Vignier, France
PE6/32	Far from 90-90-90 goals in Latin America Maria Greco, Argentina

PE6/33	Barriers to involving patients in ART as a challenge to the national health system in Ukraine Serhii Riabokon, Ukraine
PE6/34	Index testing and intensified case finding for efficiency in HIV testing in Rwanda Eric Remera, Switzerland
ePosters 09:00 - 18:0	0 Exhibition hall
Morbidity	y/mortality in the era of cART
PE20/1	The association of rare HLA alleles with clinical disease progression in HIV-positive cohorts with varied treatment strategies Christina Ekenberg, Denmark
PE20/2	Neutrophil-to-lymphocyte ratio compared to CD4+:CD8+ T-cell ratio as a predictor of non-AIDS events in treated people living with HIV Nick Power, Ireland
PE20/3	Factors associated with virologic failure in women with HIV: Condesa specialized clinics, Mexico City
	Teresita De Jesús Cabrera Lòpez, Mexico
PE20/4	Causes of death among a cohort of HIV-infected adults in rural Tanzania Fiona Vanobberghen, Switzerland
PE20/5	Predictors of early mortality among adult HIV-infected patients on antiretroviral therapy in a Kenyan pastoralist community: a retrospective cohort study Paul Yonga, Kenya
PE20/6	Trends in underlying causes of death in HIV - infected patients from 2016 to 2018 in Ukraine: a cohort study Tetiana Kyrychenko, Ukraine
PE20/7	Dynamic of CD4+/CD8+ ratio in late presenters: impact on clinical outcomes Marta Rava, Spain
PE20/8	Retrospective investigation into the causes of death in HIV-infected patients from Bonn in the era of combined Anti-Retroviral Therapy Lukas Knieps, Germany
PE20/9	Reduced utility of early procalcitonin in HIV febrile patients admitted to the emergency department Chiara Picarelli, Italy
PE20/10	Patients with HIV and HCV in intensive care treatment: admission criteria and trends in the intensive care unit (ICU) at the University Hospital of Bonn 2014-2019 Stefan Schlabe, Germany
PE20/11	Burden of disease in PLWH harboring a 4-class drug resistant virus: data from PRESTIGIO Registry Maria Rita Parisi, Italy
PE20/12	Changing pattern of hospital admissions due to medical conditions in HIV-infected subjects in a European public health care system with free access to antiretroviral treatment Joan Raga Almudéver, Spain

PE20/13	Association of non-adherence to antiretroviral therapy with cardiovascular outcomes in virologically suppressed persons living with HIV: the Swiss HIV Cohort Study Tracy R Glass, Switzerland
PE20/14	Differences in social and mental well-being of long-term survivors among people who inject drugs and other participants in the Swiss HIV Cohort Study: 1980 - 201 Katharina Kusejko, Switzerland
PE20/15	Low pre-ART CD4 count is associated with increased risk of clinical progression or death even after reaching 500 CD4 cells/ μ L on ART Nikos Pantazis, Greece
PE20/16	A comparative analysis on blood pressure in HIV-infected individuals versus uninfected controls residing in Sub-Saharan Africa: a narrative review Edith Phalane, South Africa
PE20/17	Causes of death in AIDS/HIV-infected patients at the hospital of infectious diseases in St. Petersburg, Russia Olga Sokolova, Russian Federation
PE20/18	Dynamics and structure of mortality of HIV-positive people in Ukraine Nataliia Bugaienko, Ukraine

ePosters 09:00 - 18:00 Exhibition hall

Anastasia Murzakova, Russian Federation

09:00 - 18:00	Exhibition half
Prevalence, incidence and dynamics of HIV epidemics	
PE29/1	Monitoring rates and accessibility of HIV and STI´s testing, HAV and HBV vaccination among men who have sex with men in Slovenia Miran Solinc, Slovenia
PE29/2	Data triangulation to re-shape interventions to improve the HIV response: compering data from estimates, case reporting, and sentinel surveillance in Ukraine Tetiana Salyuk, Ukraine
PE29/3	The impact of frequent cannabis use on injection drug use patterns among people who use drugs in a Canadian setting Hudson Reddon, Canada
PE29/4	Predicting early loss to follow-up on ART: a retrospective review of clients' retention on ART in North-western Nigeria Johnson Okolie, Nigeria
PE29/5	The increasing number of late HIV diagnosis among men having sex with men and transgender women in a key population-led HIV testing and treatment facility and its societal implication in the Philippines Patrick Eustaquio, Philippines
PE29/6	HIV transmission network in a cohort of subjects with primary infection in a single clinical center in Rome Lavinia Fabeni, Italy
PE29/7	Evaluation of a multiassay approach for determination recent HIV infection in the Russian Federation

PE29/8	Ongoing spread of HIV subtype A in Tel Aviv, Israel Dan Turner, Israel
PE29/9	Simple clinical and laboratory based score may identify HIV infection recency and subsidize HIV surveillance in low and middle-income countries (LMIC), Santo André/Brazil experience Elaine Monteiro Matsuda, Brazil
PE29/10	Clinical, epidemiological & virological features of primary HIV-1 infection in an HIV reference center in Brussels: a ten years' review Arthur Poncelet, Belgium
PE29/11	Current trends in HIV genetic diversity in Russia: increase of the unique recombinants prevalence Anastasiia Antonova, Russian Federation
PE29/12	Analysis of risk factors in HIV/AIDS patients Esra Zerdali, Turkey
PE29/13	Tracing the first HIV-1 epidemics in the Milan area Alessia Lai, Italy
PE29/14	Analysis of the local HIV-1 epidemic in Vologda region, Russia: predominance of CRF03_AB and rapid expansion of URFs Ekaterina Ozhmegova, Russian Federation
PE29/15	Identification of first near full length recombinant genome of HIV-1 in Korea Mee-Kyung Kee, Korea, Republic of
PE29/16	Characteristics of HIV infection among children in Georgia, 1989-2018 Natela Chokoshvili, Georgia
PE29/17	HIV infection in older patients Barbara Belfiori, Italy
PE29/18	Seroincidence of the human herpesvirus 8 (HHV 8) infection among HIV-positive patients in Taiwan, 2016-2019 Yi-Ching Su, Taiwan, Republic of China
PE29/19	Risk factors for late presentation for HIV care in 2019 in Ukraine Maryna Sukach, Ukraine
PE29/20	Incidence of hepatitis C virus infection among people living with HIV(PLHIV): an Egyptian Cohort Study Rahma Mohamed, Egypt
PE29/21	High HIV prevalence following screening of subjects with HIV indicator conditions in a hospital setting Camilla Tincati, Italy
PE29/22	First decrease in new HIV diagnoses in 2018 among men who have sex with men (MSM), in the East PACA (Provence Alpes Côte-d´Azur) area in France
PE29/23	Philippe Bouvet de la Maisonneuve, France The collision of public health interventions on HIV-1 spread in Albania by molecular epidemiology Shkurti Enkelejda, Albania

PE29/24	Two decades of HIV infection late diagnosis: the experience of a Portuguese Hospital Sofia Jordão, Portugal
PE29/25	Characterization of HIV patients followed in a specialist consultation at a tertiary and universitary centre Fábio Videira Santos, Portugal
PE29/26	Trends in epidemiology and clinical picture of late presentation among patients of the Hospital for Infectious Diseases in Warsaw Joanna Pula, Poland
PE29/27	An evolutionary insight into a growing HIV subtype A epidemic in Serbia Marina Siljic, Serbia
PE29/28	Change of prevalence, diseases distribution and factors associated with the risk of AIDS presentation in Italy over last decade (2009-2018) Andrea Antinori, Italy
PE29/29	The effect of gender on late diagnosis of HIV infection in a high incidence European population Rita Filipe, Portugal
PE29/30	Two decades surveillance of HIV-1 transmitted drug resistance in Serbia Valentina Cirkovic, Serbia
PE29/31	3M-BRiHT - Manchester Cohort. Investigation of the feasibility and acceptability of rapid HIV testing in a European Emergency Department setting Molly M. O'Kane, Ireland
PE29/32	HIV-1 A6 subtype: its challenging identification and Southern Russian molecular epidemiology Saleta Sierra, Germany
PE29/33	Neurodevelopmental assessments to screen for HIV encephalopathy in newly diagnosed infants not on ART in Mozambique Jyodi Mohole, United States

ePosters 09:00 - 18:00

Exhibition hall

Prevention of horizontal transmission, cART as prevention

PE30/1 Tolerability and treatment completion of tenofovir alafenamide/emtricitabine/rilpivirine (TAF/FTC/RPV) as HIV postexposure prophylaxis

Marie Chauveau, France

ePosters 09:00 - 18:00

Exhibition hall

Standard of care

PE31/1 Exploring the attitudes of HIV-positive patients on single-tablet antiretroviral regimens towards generic de-simplification

Ciara Levey, Ireland

PE31/2	Comparison of Immunological and virological response to cART between HIV-1/O and HIV-1/M patients followed-up in France: the ANRS ORIVAO and COPANA studies Guillemette Unal, France
PE31/3	From HIV diagnosis to antiretroviral therapy initiation in Croatia from 2013 to 2018 Nikolina Bogdanić, Croatia
PE31/5	Tetanus seroprotection in HIV-positive subjects living in Belgium: risk factors for seronegativity, evaluation of medical history and a rapid dipstick test Nicolas Dauby, Belgium
PE31/6	The prevalence of virologic failure and resistance associated mutations in single and multi- tablet HIV treatment regimens Chien-Yu Cheng, Taiwan, Republic of China
PE31/7	Development and validation of a risk score for predicting non-adherence to antiretroviral therapy Hernando Knobel, Spain
PE31/8	Measles seroprevalence among HIV infected patients in central part of Poland - vaccination proposal Ewa Siwak, Poland
PE31/9	Nurse-led annual health review - one year follow up Marie-Pierre Klein, United Kingdom
PE31/11	Viral hepatitis in HIV-positive patients - testing, prophylaxis and treatment in Central and Eastern Europe Kerstin Kase, Estonia
PE31/12	Evaluating a national pilot process for reviewing late HIV diagnoses in England and Wales Ming Jie Lee, United Kingdom
PE31/13	GESIDA quality of care indicators for PLWH: report from two Spanish hospitals 2009-2017 Francisco Fanjul, Spain
PE31/14	Late presentation and barriers to the early HIV diagnosis in Central part of Ukraine Tetiana Koval, Ukraine
PE31/15	Operational research of barriers and facilitators to harm reduction services for intravenous drug users (including female IDUs) Tamar Zurashvili, Georgia
PE31/16	A seven-month prospective review of HIV admissions to a regional infectious disease unit in Manchester, UK Hamzah Zahid Farooq, United Kingdom
PE31/17	Annual health review for people living with HIV - an evaluation Sarah Edwards, United Kingdom
PE31/18	Analysis of adherence to HIV-positive quality of care indicators and their impact of service quality perceptions in patient: a Spanish cross-sectional study Alejandra Gimeno García, Spain

ePosters 09:00 - 18:00 Exhibition hall

Behavioural interventions

PE5/1	Close group social media network and social gatherings for comprehensive HIV services among adolescent MSM in Lagos Nigeria Orobosa Enadeghe, Nigeria
PE5/2	Good hygiene practices post circumcision: a case for low adverse events in VMMC Timothy Kipkosgei, Kenya
PE5/3	Challenges of implementing HIV counselling and testing (HCT) campaigns for higher education distance learning students at University of South Africa Nkay Pascal Kiabilua, South Africa
PE5/4	Enhancing effective HIV prevention among girls by fighting child marriage and sexual and gender based violence in Karonga district, Malawi Shora Manuel Kauluka, Malawi
PE5/5	Effectiveness of rapid HIV and HCV testing programmes based on mobile units Ekaterina Zinger, Russian Federation
PE5/6	It can't happen to me - tackling cognitive mistakes and HIV using a national campaign Arian Diskovic, Croatia
PE5/7	Is mobility still a HIV/STI associated vulnerable factor in the changing sex work dynamics among female sex workers in India? - Emerging evidence Priyanka Dixit, India
PE5/8	"Amare con Sapienza": an Italian digital ambient media prevention campaign in one of the largest European University to increase U=U, PreP, TasP knowledge Serena Vita, Italy
PE5/9	Assessing high risky sexual behaviors in vulnerable women in northern Uganda: baseline results of "Pe Atye Kena, no longer alone" study Antonella Cingolani, Italy
PE5/10	HIV/AIDS educational program for secondary school female students in Iran: a school-based randomized controlled trial Farid Yousefi, Iran, Islamic Republic of

ePosters 09:00 - 18:00 Exhibition hall

Clinical trials of vaccines

positive patients
Fatma Sebnem Erdinc, Turkey

PE8/2

Could we recommend the current herpes zoster vaccine for patients living with HIV (PLHIV)?
Thomas Huleux, France

Seroprevelance of vaccine preventable viral diseases and vaccine response among HIV

PE8/1

ePosters

09:00 - 18:00 **Exhibition hall PrEP** Establishment of the service system of HIV pre-exposure prophylaxis/post exposure PE28/1 prophylaxis (PrEP/PEP) in a certain area of Southern Taiwan Kuei Ying Wang, Taiwan, Republic of China PE28/2 Systematic review of post-migration HIV acquisition within Europe: the case for PrEP interventions for migrants Simran Mann, United Kingdom PE28/3 Self-reported STI history and associated factors among German PrEP users Uwe Koppe, Germany PE28/4 PrEP implementation among MSM in Ukraine: results of pilot project in Kyiv Roman Marchenko, Ukraine PE28/5 Emergency post-exposure prophylaxis (PEP) seeking behaviors among men who have sex with men (MSM) with recent HIV risk exposure in Thailand Tarandeep Anand, Thailand PE28/6 The back side: Lymphogranuloma venereum in PrEP-users and PLWH Sven Schellberg, Germany PE28/7 Awareness and interest in pre-exposure prophylaxis (PrEP) among MSM population in Serbia Vanja Subotic, Serbia PE28/8 PrEP reimbursement and access in Europe: 2019 update Krzysztof Tronczyński, Poland PE28/9 Users' perspective of an ideal service model for delivering pre-exposure prophylaxis (PrEP) to men who have sex with men Shui Shan Lee, Hong Kong Assessment of the trough concentrations of tenofovir in HIV-negative subjects on pre-PF28/10 exposure prophylaxis: a single center, real-life experience Dario Cattaneo, Italy PE28/11 No new HIV infections, but high incidence of syphilis among Pre-exposure Prophylaxis (PrEP) users in Georgia Ekaterine Karkashadze, Georgia PE28/12 Feasibility and acceptability of an oral pre-exposure prophylaxis (PrEP) program against HIV targeting female sex workers in Belgium Florence Deneumoustier, Belgium PE28/13 First results after 52 weeks of informal PrEP use in a cohort of MSM in Southern Spain Alejandro Berto Moran, Spain PE28/14 Clinical outcomes of pre-exposure prophylaxis from clinical center in Warsaw, Poland Iwona Cielniak, Poland PE28/15 Where are we with PrEP use in Central and Eastern Europe? - data from the ECEE Network Group Josip Begovac, Croatia

PE28/16	Sexual risk and HIV preventative behaviours among men who have sex in men in London in the era of HIV pre-exposure prophylaxis, 2019 Fiona Burns, United Kingdom
PE28/17	Chemsex and mood disorders under HIV pre-exposure prophylaxis Helene Peyriere, France
PE28/18	Pre-exposure prophylaxis one year after implementation in Portugal - the reality of a central hospital Diogo Guerra, Portugal
PE28/19	DISCOVER in Europe: a sub-analysis of the phase 3 randomized, controlled trial of daily emtricitabine/tenofovir alafenamide (F/TAF) or emtricitabine/tenofovir disoproxil fumarate (F/TDF) for HIV pre-exposure prophylaxis (PrEP)
	Frank Post, United States
PE28/20	The Good and Bad of PrEP: a 14 month follow up on awareness, adherence, efficacy and sexually transmitted diseases at Hospital de Curry Cabral Marta Leal dos Santos, Portugal
PE28/21	PrEP for life: new challenges and barriers in PrEP uptake among men who have sex with men (MSM) and transgender people (TG) in Kyiv, Ukraine Dzmitry Filippau, Ukraine
PE28/22	Analysis of the need for pre-exposure prophylaxis of HIV among people that have high risk to be infected Vitaliy Andres, Ukraine
PE28/23	Lesson learnt from a combined HIV prevention using HIV self-testing and oral pre-exposure prophylaxis (PrEP) demonstration project in the United Republic of Tanzania Neema Makyao, Tanzania, United Republic of

ePosters 09:00 - 18:00

Exhibition hall

Treatment as prevention

PE33/1 HIV-1 viral load quantification using Aptima HIV-1 Quant Dx assay in Kenya: a diagnostic accuracy study

Geoffrey Kangogo, Kenya

PE33/3 Rapid ART start in primary HIV infection: time to viral suppression in a London cohort Nicolo Girometti, United Kingdom

PE33/4 Reality check: HIV post-exposure prophylaxis (PEP) in real-life at a tertiary care centre prior to the PrEP era

Lina Thewes, Germany

ePosters 09:00 - 18:00

Exhibition hall

Access to and models of care

PE1/1	Barriers in TB services for people living with HIV and overcoming them according to the health care workers opinion in the TB facilities in Russia (sociological study) Zinaida Zagdyn, Russian Federation
PE1/2	Investigating the impact of peer counseling intervention on access and use of sexual and reproductive health services in women Living with HIV in Nepal: a prospective cohort study Khem Pokhrel, Nepal
PE1/3	Health care delivery for HIV-positive people with tuberculosis in Europe Adrian Bentzon, Denmark
PE1/4	A survey of physicians on circumstances and factors influencing testing for HIV in Lithuania Raimonda Matulionyte, Lithuania
PE1/5	Experiences of forgiveness and unforgiveness of HIV-specific offenses among people living with HIV/AIDS in Ghana Judith A. Osae-Larbi, Ghana
PE1/6	Time to antiretroviral therapy: service model adaptation during an outbreak of HIV in people who inject drugs (PWIDs) Harrison Stubbs, United Kingdom
PE1/7	HIV infection hospital-based active case finding in Sardinia, Italy: results from the SHOT project Maria Sabrina Mameli, Italy
PE1/8	Retention activities based on home visits as a tool of return and keeping in care of low adhered patients. Results of work 2016-2019 Krasnoyarsk AIDS clinic Konstantin Kandlen, Russian Federation
PE1/9	Pilot project of shared assistance with primary care for patients with HIV infection Adrián Ferre, Spain

ePosters 09:00 - 18:00

Exhibition hall

HIV and marginalised groups

Hernando Knobel, Spain

PE11/1	Sexual behaviors and seroprevalence of HIV, HBV, and HCV among hill tribe youths of Northern Thailand Tawatchai Apidechkul, Thailand
PE11/3	The blind spot: high HIV burden among slum-dwelling school-age girls in Kampala, Uganda Jude Thaddeus Ssensamba, Uganda
PE11/4	Research of behavioral models of transgender people leading to high rates of HIV prevalence in Ukraine Igor Medvid, Ukraine
PE11/5	Outreach services for HIV testing and prevention among female transgender commercial sex workers in Milan: different approaches for different populations? Giuseppe Lapadula, Italy
PE11/6	The impact of unstable housing on HIV treatment outcomes in people living with HIV/AIDS in an urban setting of Southern Europe

PE11/7	Reflection of sex work criminalization in court judgements targeting to protect health, sanitary and epidemiological well-being Marina Avramenko, Russian Federation
PE11/8	Caring for the Transgender HIV-positive patient Chiara Picarelli, Italy
PE11/9	Association of current Estradiol use with carotid intimal media thickness among transgender women: a cross-sectional study Rodrigo Moreira, Brazil
PE11/10	HIV and migrants: a demographic and clinical characterization of migrants under follow up at an Infectious Diseases Department in Lisbon, Portugal Marta Leal dos Santos, Portugal

ePosters 09:00 - 18:00 Exhibition hall

Novel consultations, remote care - telemedicine, mobile applications

PE23/1	Harnessing mobile technology for health worker capacity building to improve quality of care in resource-constrained settings Walter Joseph Arinaitwe, Uganda
PE23/2	Feasibility, uptake and acceptability of the EmERGE mHealth app in individuals living with stable HIV in five European countries Jenny Whetham, United Kingdom
PE23/3	Attracting people who use drugs to HIV prevention and care programs via darknet and messengers: evidence from St. Petersburg, Russia Aleksey Lakhov, Russian Federation
PE23/4	People living with HIV (PLHIV) and their doctors: adopters and sceptics, and those opened to e-health Christine Jacomet, France
PE23/5	Fitness tracking wearable devices and a dedicated smart phone app (MySAwH App) to predict quality of life in PLWH: a multi-centre prospective study Giovanni Guaraldi, Italy
PE23/6	The efficiency of introducing the EmERGE Pathway of care for stable Croatian PLHIV Eduard J. Beck, United Kingdom
PE23/7	'The 4th 90': a preliminary assessment of change in quality of life over 1 year of the EmERGE study: PROQOL-HIV and EQ-5D-5L, a descriptive analysis Christopher Jones, United Kingdom
PE23/8	Measuring empowerment in EmERGE mHealth platform users: a descriptive analysis of

interim data

Stephen Bremner, United Kingdom

ePosters 09:00 - 18:00 Exhibition hall

Social and behavioural science

PE30/2	Priorities for behavioral interventions in a group of long term PLWHA - the experience of the Baylor Clinical Centre of Excellence in Constanta, Romania Ana-Maria Schweitzer, Romania
PE30/3	Will HIV-infected patients taking oral ARV switch to long-acting injectable ART when It become available? Marie-Aude Khuong-Josses, France
PE30/4	Time perspectives as predictors of depression and suicidal ideation amongst adolescents and young adults with HIV: the moderating role of resilience Oluwapelumi Ashamu, Nigeria
PE30/5	Social support and quality of life of people living with AIDS receiving ART at BPKIHS Ram Sharan Mehta, Nepal
PE30/7	Knowledge, attitudes, beliefs and HIV-related behaviour in metropolitan France: investigation in a festive place Fernanda Medina, France
PE30/9	Injectable long acting antiretrovirals for HIV treatment or prevention: the ANRS CLAPT study Laurence Slama, France
DE20/10	
PE30/10	Quality of life in people living with HIV: a regional survey in Flanders Gert Scheerder, Belgium
PE30/11	Innovative strategies to sustain community participation in HIV vaccine trials, experience of Makerere University Walter Reed Project (MUWRP) in Kampala, Uganda Jauhara Nanyondo, Uganda
PE30/12	Stigma among healthcare providers towards people living with HIV/AIDS in India Akanksha Rathi, India
PE30/13	"I love my life, I don't want to miss a thing": motivators and Barriers to ART adherence among women living with HIV/AIDS in Iran Nooshin Amirisani, Iran, Islamic Republic of
PE30/14	Medical students as potential sources of information about HIV/AIDS Mykola Haras, Ukraine
PE30/15	Gender violence, intimate partner violence and domestic violence among HIV-positive patients in Alicante (Spain). Preliminary results of the VIHOLETA study Jara Llenas-García, Spain
PE30/16	Influence of stigma and discrimination on psychosocial health in children affected by AIDS in Nepal: a cross-sectional study Kalpana Gaulee Pokhrel, Nepal
PE30/17	The quality of life among people living with HIV in Taiwan in the era of STR Chung-Ching Shih, Taiwan, Republic of China
PE30/18	Experiences of and factors influencing physical activity in people living with HIV: a qualitative systematic review Megan Davies, United Kingdom

PE30/20	Perception of condom use in the era of pre-exposure prophylaxis (PrEP): a qualitative analysis	
	Shui Shan Lee, Hong Kong	
PE30/21	Recommendations for enabling timely pregnancy disclosure to clinical staff of women living with HIV Stefania Mihale. Romania	
PE30/22	Health-related quality of life in a single center cohort of people living with chronic diseases: comparison between HIV and other clinical conditions Antonella Cingolani, Italy	
PE30/23	Experiences of Dutch obstetric healthcare providers with HIV-positive pregnant women: a qualitative study Carliin Damsté, Netherlands	
PE30/24	Evaluation of knowledge, attitudes and practices among HIV positive pregnant women and their partners in four healthcare facilities in Malawi Isotta Triulzi, Italy	
PE30/25	Towards the 4th 90, measuring multi-dimensional quality of life in people living with HIV in Aquitaine, France: psychometric properties of the French version of the WHOQOL-HIV BREF Diana Barger, France	
PE30/26	Body size modifies the relationship between internalized HIV stigma and pain in people with HIV in the Southeastern USA	
	Kaylee Crockett, United States	
ePosters		
09:00 - 18:0	9 Exhibition hall	
Treatment in resource-constrained settings		
PE34/2	Optimizing clients linkage into ART using family-centered differentiated approach (FCDA) in Kebbi state, northwestern Nigeria: successes and challenges	
	Johnson Okolie, Nigeria	
PE34/3	A multi-stakeholder evaluation of the early implementation experiences of differentiated anti-retroviral therapy (ART) delivery roll-out across Uganda: a qualitative analysis	

anti-retroviral therapy (ART) delivery roll-out across Uganda: a qualitative analysis Henry Zakumumpa, Uganda

Evaluation of the financial cost of treating people living with human immunodeficiency virus in the United Kingdom versus matched HIV-negative controls in 2004, 2010 and 2017 PE34/5

Scott Francis, United Kingdom

Continuous quality improvement across the viral load testing spectrum at the Infectious Diseases Institute, Uganda $\,$ PE34/6

Harriet Tibakabikoba, Uganda

PE34/7 Pediatric HIV viral load suppression: qualitative insights of barriers and facilitators among

caregivers of children on ART in high volume sites in Kisumu County, Kenya

Nicollate Okoko, Kenya

PE34/8

Boosting economic affordability of HIV medicines while considering safety and effectiveness within transition from donor funding. Enabling access to TAF regime with better safety profile in Ukraine through advocacy campaign of community organization

Zoia Zamikhovska, Ukraine

ePosters 09:00 - 18:00 Exhibition hall

Vulnerable groups

Tamerable groups			
PE39/1	Boys having sex with boys: CD4 count as parameter to estimate the time of infection among HIV seropositive men having sex with men and its societal implications in the Philippines		
	Patrick Eustaquio, Philippines		
PE39/2	Evaluating factors increasing the vulnerability of adolescent girls and young women to HIV/AIDS infection in selected communities, Akwa Ibom State		
	Jessie Inyang, Nigeria		
PE39/3	Men's perspectives on HIV self-testing in sub-Saharan Africa: a systematic review and meta- synthesis		
	Mbuzeleni Hlongwa, South Africa		
PE39/4	Molecular-biological methods of diagnostics in the investigation of the case of transmission of HIV-infection		
	Diana Valutite, Russian Federation		
PE39/5	Implementation of demedicalized and decentralized HIV testing project in Brussels: action test, project for vulnerable populations at high HIV risk in Brussels, including Subsaharan African Migrants (SAM)		
	Tresors Kouadio, Belgium		
PE39/6	HIV prevalence, risk-taking behavior and self-testing potential among men who have sex with men and transgender people Evgeniy Pisemskiy, Russian Federation		
PE39/7	Political commitment matters in the elimination of the threat of HIV and HCV and TB among people who use drugs Gefra Fulane, Portugal		
PE39/8	Challeges in health and social care for migrant HIV patients in the Czech Republic Elena Tulupova, Czech Republic		
PE39/9	Integration of hepatitis C cure in housing facility Soleil Evant: health cost implications Erika Castro, Switzerland		
PE39/10	The role of sexual partners of people who inject drugs in better uptake of retention in HIV services Marine Gogia, Georgia		
PE39/11	Male sex workers and ICT: anthropological approach of male sex workers and the different practices online: bareback, PrEP and chemsex Maxime Maes, Belgium		
PE39/12	Portuguese League Against AIDS - mobile screening unit Maria Eugénia Saraiva, Portugal		

PE39/13 Detectable viraemia in the era of successful antiretroviral therapy; engagement with multidisciplinary services Shimu Khamlichi, United Kingdom PE39/14 Optimal HIV self-testing, potential strategies to increase HIV diagnosis in Tanzania Neema Makyao, Tanzania, United Republic of **ePosters** 09:00 - 18:00 Exhibition hall Clinical case PE7/1 Disseminated histoplasmosis in HIV, a key point of interest in Latin America Nelson Delgado, Ecuador PE7/2 H-ART to Heart: a 43 year old body builder with HIV on anti-retroviral therapy with recurrent myocardial infractions (5 heart attacks) Gavin Paul Raphael Manmathan, United Kingdom PE7/3 Immune reconstitution inflammatory syndrome presenting as toxoplasma macular retinochoroiditis of eyes Dombu Guiafaing Reine Charlye, Cameroon PE7/4 Invasive pulmonary aspergillosis and pulmonary tuberculosis in newly HIV diagnosed patients without prior ART exposure: differential diagnosis difficulties, treatment strategy Katerina Lytvin, Ukraine PE7/5 Pseudotumor mimicking lung malignancy as a clinical presentation of Mycobacterium Avium infection in AIDS patient Luka Jovanovic, Serbia PE7/6 Use of ibalizumab in a heavily treatment-experienced HIV-1-infected subject harbouring a multidrug-resistant virus Diana Canetti, Italy PE7/7 Successful use of long-acting injectable cabotegravir and rilpivirine combination therapy in a patient with HIV-1 infection unable to absorb oral medication Razan Saman, United Kingdom PE7/8 Cutaneous malignancy in a Romanian HIV-infected patient: diagnosis and treatment challenges Irina Cristiana Ianache, Romania PE7/9 Autoantibodies, drugs and a failing liver Sonia Raffe, United Kingdom

ePosters 09:00 - 18:00

Exhibition hall

HIV cure

PE12/1 Comparison of three commercial kits for quantitative analysis of HIV-1 RNA produced in Russia

Ilya Lapovok, Russian Federation

PE12/2 Optimization of genotyping by phenotypic analysis of clinical HIV-1 subtype CRF01_AE isolates from South-East Asia

Nina Marty, Switzerland

Parallel session 10:00 - 12:00

Event Hall

PS1, Women, pregnancy and children - Pharmacokinetics, injectables, endocrinology

Access to the webcasted session:

- ML1
- PS1/1
- PS1/2 PS1/3 PS1/3
- PS1/4
- PS1/5
- ML2

Chairs:

Mariana Mardarescu, Romania Sharon Walmsley, Canada

ML1	Are there gender and age differences in ARV PK?	10:00 - 10:20
	Felix Stader, Switzerland	
PS1/1	Outcomes for women in phase 3 trials of long-acting cabotegravir + rilpivirine: pooled ATLAS and FLAIR week 48 results	10:20 - 10:35
	Romina Quercia, United Kingdom	
PS1/2	Dolutegravir (DTG) use during pregnancy and birth outcomes: data from the Antiretroviral Pregnancy Registry (APR)	10:35 - 10:50
	Vani Vannappagari, United States	
PS1/3	Prevalence and outcomes of pregnancies over a 20 year period: the EuroSIDA study	10:50 - 11:05
	Justyna Kowalska, Poland	
PS1/4	Does menopause affect treatment response in HIV-infected women? a multicenter cohort in Spain	11:05 - 11:20
	Victoria Hernando, Spain	
PS1/5	Discontinuation of neonatal postexposure prophylaxis in infants born to HIV-infected mothers with suppressed plasma viral load: safety and implementation of the new Swiss recommendations	11:20 - 11:35
	Paolo Paioni, Switzerland	
ML2	Effects of obesity and hormones on the immune system - Implications for women with $\mbox{H\sc IV}$	11:35 - 11:55
	Donal O'Shea, Ireland	

Parallel session 10:00 - 12:00 San Francisco

PS2, Social and implementation science

Session interpreted in Russian

Access to the webcasted session:

 $ML1 <math display="block">PS2/1$

ML2 ML2 PS2/2 ML3

ML4

ML5

Chairs:

Esther Dixon-Williams, United Kingdom Niklaus Daniel Labhardt, Switzerland

ML1	Treatment access, optimisation and community monitoring in Russia Sergey Golovin, Russian Federation	10:00 - 10:15
PS2/1	Empowering home visiting nurses as leaders in the response to the HIV epidemic in Central Asia Yelena Kudussova, Kazakhstan	10:15 - 10:30
ML2	Innovative approaches in improving access to care in Ukraine Valeriia Rachynska, Ukraine	10:30 - 10:45
PS2/2	Extension of HIV treatment coverage in Ukraine through advocating access of dolutegravir generics to market Zoia Zamikhovska, Ukraine Sergey Dmitriev, Ukraine	10:45 - 11:00
ML3	PLWHIV 3.0 Technology makes life easier Alex Schneider, Switzerland	11:00 - 11:15
ML4	EmERGE: mHealth supported pathways of care for people living with stable HIV Jenny Whetham, United Kingdom	11:15 - 11:30
ML5	Innovations in sub-Saharan Africa - May some of these approaches be transferred to Europe? Helen Ayles, United Kingdom	11:30 - 11:45
	Panel discussion	11:45 - 12:00

Parallel session 10:00 - 12:00 Sydney PS3, Weight gain under integrase inhibitors: Is this real? Access to the webcasted session: ML1 PS3/2 PS3/2 PS3/3 PS3/5 PS3/6 Chairs: Rui Sarmento e Castro, Portugal Laura Waters, United Kingdom Are new antiretroviral treatments increasing the risks of clinical obesity? 10:00 - 10:15 MI 1 Andrew Hill, United Kingdom PS3/1 Antiretroviral therapy and body weight in the START (Strategic Timing of 10:15 - 10:30 **Antiretroviral Treatment) trial** Kasper Sommerlund Moestrup, Denmark PS3/2 Effect of doravirine on body weight and body mass index in treatment 10:30 - 10:45 naïve adults with HIV-1 Chloe Orkin, United Kingdom PS3/3 The ADVANCE clinical trial: changes from baseline to week 96 in DXA-10:45 - 11:00 assessed body composition in TAF/FTC +DTG compared to TDF/FTC+DTG, and TDF/FTC/FFV Michelle Moorhouse, South Africa PS3/4 Integrase inhibitors dolutegravir and raltegravir exert proadipogenic and 11:00 - 11:15 profibrotic effects and induce insulin resistance in adipose tissue and adipocytes Jennifer Gorwood, France PS3/5 Changes in weight after switching to dolutegravir containing 11:15 - 11:30 antiretroviral therapy in the Swiss HIV cohort study Catrina Mugglin, Switzerland PS3/6 Switching to an integrase inhibitor containing antiretroviral regimen is 11:30 - 11:45 not associated with above-average weight gain in middle-aged people living with HIV on long-term suppressive antiretroviral therapy, the AGEHIV cohort study Sebastiaan Verboeket, Netherlands

Special session 10:00 - 12:00

Boston 1-3

Cure symposium co-organised with the National Agency for AIDS Research (ANRS)

Access to the webcasted session:

- ML2
 PS14/1
 PS14/2
 PS14/2
- PS14/3
- PS14/4

Chairs:

François Dabis, France

Annemarie Wensing, Netherlands

ML1	Mechanisms of HIV persistence Maria Jose Buzón, Spain	10:00 - 10:15
ML2	Cell metabolism and HIV pathogenesis Asier Sáez-Cirión, France	10:15 - 10:30
ML3	Antiviral NK cells and HIV-1 immunotherapy Marcus Altfeld, Germany	10:30 - 10:45
PS14/1	HIV reservoir in gut from PHI treated individuals is stable over time and correlates with blood markers of HIV reservoir and inflammation-findings from the HEATHER gut study John Patrick Thornhill, United Kingdom	10:45 - 11:00
PS14/2	Effects of long-term ART on integrated and intact HIV-DNA in acutely treated vs chronically infected patients: is there a real advantage of treating early? Manuela Ceccarelli, Italy	11:00 - 11:15
PS14/3	Increased frequency of cytotoxic CXCR5+ effector memory CD8+ T cells during natural control of HIV-1 infection Philipp Adams, Luxembourg	11:15 - 11:30
PS14/4	HIV-1 reservoir formation, stability and dynamics during cART Fabian Otte, Switzerland	11:30 - 11:45

Industry sponsored session 12:15 - 13:45

San Francisco

Industry sponsored session

(For more details, please visit the conference website)

Industry sponsored session 12:15 - 13:45

Sydney

Industry sponsored session

(For more details, please visit the conference website)

Workshop/Symposium 12:15 - 13:15

Shanghai 3

Migration and HIV Session convened by EATG

Esther Dixon-Williams, United Kingdom

Convener: EATG

Chairs:

Tristan Barber, United Kingdom Esther Dixon-Williams, United Kingdom

Introduction Tristan Barber, United Kingdom Esther Dixon-Williams, United Kingdom	12:15 - 12:19
Migrant access to HIV treatment in 15 countries across WHO Europe and in closed settings/refugee camps Ferenc Bagyinszky, Germany	12:19 - 12:28
Migration and religion: The intersection between Religion, Migration and treatment and care for Black MSM? Jide Macaulay, United Kingdom	12:28 - 12:37
Migration and Women Maryan Said, Norway	12:37 - 12:46
Migration during war in Ukraine Valeriia Rachynska, Ukraine	12:46 - 12:55
Panel discussion Dennis Onyango, United Kingdom Tristan Barber, United Kingdom Maryan Said, Norway Jide Macaulay, United Kingdom Ferenc Bagyinszky, Germany Valeriia Rachynska, Ukraine	12:55 - 13:10
Summary Tristan Barber, United Kingdom	13:10 - 13:15

ePosters 12:30 - 13:15

ePosters area

Moderated ePosters II: Clinical science

Chairs:

Giovanni Guaraldi, Italy Annette Haberl, Germany

PE18/1 Are women living with HIV in increased risk of complications to birth when planning elective

caesarean section? A Danish nation wide population based study

Mathilde Ørbæk, Denmark

PE18/2 Cesarean section is still the most common mode of delivery among HIV-positive women in

Central Poland

Justyna Kowalska, Poland

PE18/3 The Swiss Mother and Child HIV Cohort Study (MoCHiV), a unique opportunity to monitor

and adapt measures to prevent HIV mother to child transmission

Christian R Kahlert, Switzerland

PE18/4 Influence of HCV co-infection and hepatitis C treatment on risk of chronic kidney disease in

HIV positive persons

Lars Peters. Denmark

PE18/5 The hepatitis C continuum of care among HIV-infected individuals in Austria

David Chromy, Austria

ePosters 12:30 - 13:15

ePosters area

Moderated ePosters I: Basic science

Chairs:

Hendrik Streeck, Germany

PE17/1 Abdominal adipose tissue is associated with alterations in tryptophan-kynurenine

metabolism and markers of systemic inflammation in people living with HIV

Marco Gelpi, Denmark

PE17/2 Integrase inhibitor negatively affects CD8 T-cell function

Enrico Richter, Germany

PE17/3 The evolution of HIV-1 drug resistance during the 3-month WHO-recommended enhanced

adherence counselling period

Jennifer Anne Brown, Switzerland

PE17/4 Replication-competent HIV-1 reservoirs form in mucosal tissue macrophages of patients

under antiretroviral therapy

Morgane Bomsel, France

PE17/5 Skin tissue resident memory T cells (TRMs) are depleted in HIV infection and reconstituted

by an early begin of ART

Simona Saluzzo, Austria

PE17/6 Baseline and emergent genotypic and phenotypic results in HIV-1-infected, heavily

treatment-experienced (HTE) participants meeting protocol-defined virologic failure (PDVF) criteria through week 96 in the fostemsavir (FTR) phase 3 BRIGHTE study

Peter Ackerman, United States

ePosters

12:30 - 13:15 ePosters area

Moderated ePosters III: Social and implementation sciences

Chairs:

Niklaus Daniel Labhardt, Switzerland

PE19/1 Untreated HCV in HIV/HCV-coinfected US population remains common despite the

availability of curative therapies

Rick Elion, United States

PE19/2 HepCare Europe - a model of integrated care in Romanian HCV/HIV co-infected patients from

key populations

Cristiana Oprea, Romania

PE19/3 Prélib: evaluating a newly launched Canadian provider of innovative internet-based services

for self-directed HIV and STI screening

Khadija Benomar, Canada

PE19/4 Employment of people living with HIV approaching that of the HIV-negative population

irrespective of migrant status and sexual orientation

Christina Carlander, Sweden

PE19/5 Retention in care and virological suppression in naïve HIV-infected transgender women

initiating treatment in Argentina: 48-week results (TRANSViiV study)

Claudia Frola, Argentina

PE19/6 Addressing the needs of female sex workers in Switzerland: model of care beyond STI

testing

Karoline Aebi-Popp, Switzerland

Parallel session 14:00 - 16:00 **Event Hall** PS4, More than the sum of its parts? Multimorbidity in PLWH Session interpreted in Russian Access to the webcasted session: ML1 PS4/1 PS4/2 PS4/3 PS4/4 PS4/7 Stefan Mauss, Germany Peter Reiss, Netherlands ML1 Neighbours visiting: Update from the 2019 co-morbidity workshop 14:00 - 14:15 Judith Currier, United States PS4/1 AIDS defining and non-defining cancers in persons living with HIV in a 14:15 - 14:30 single center cohort followed since 1986 Rocio Montejano Sanchez, Spain Incidence of CKD with TDF and non-TDF containing antiretroviral PS4/2 14:30 - 14:45 regimens by baseline D:A:D CKD risk in people living with HIV (PLWH) Ricky Hsu. United States PS4/3 The ADVANCE trial: the impact of DXA-assessed bone mineral density of 14:45 - 15:00

TDF/FTC/EFV and TDF/FTC+DTG versus TAF/FTC+DTG Michelle Moorhouse, South Africa Pericardial adipose tissue volume is independently associated with HIV PS4/4 15:00 - 15:15 status Andreas Dehlbæk Knudsen, Denmark PS4/6 Comparing a risk score against physiological markers for predicting 15:15 - 15:30 diabetes incidence in HIV+ individuals Karla I Galaviz, United States PS4/7 Development and validation of a comorbidity index for people living with 15:30 - 15:45 HIV and its ability to predict frailty and mortality

Davide De Francesco, United Kingdom

Parallel session 14:00 - 16:00 San Francisco PS5, Basic and translational HIV biology Access to the webcasted session: ML1 ML2 PS5/1 PS5/1 PS5/2 PS5/3 PS5/4 PS5/5 PS5/6 Huldrych Günthard, Switzerland Michaela Müller-Trutwin, France ML1 Inflammation, the microbiome and HIV 14:00 - 14:15 Here the interaction between the microbiome and inflammation should be discussed in HIV-infected individuals and whether this has clinical implications to date and what could be future avenues of microbiome research Roger Paredes, Spain Phylogenetics as a tool in HIV research ML2 14:15 - 14:30 To explain to physicians what can be done with phylogenetics and how these data can be interpreted and improve our understanding of spread of HIV and pathogenesis Roger Kouyos, Switzerland PS5/1 Stem-cell-like CD4+ memory T cells expand during the acute HIV-1 14:30 - 14:45 infection accelerating disease progression Jernej Pušnik, Germany PS5/2 Correlation between cerebrospinal fluid (CSF) and plasma concentrations 14:45 - 15:00 of neurofilament light protein (NFL) in treated HIV infection in the COmorBidity in Relation to AIDS (COBRA) study Jasmini Alagaratnam, United Kingdom PS5/3 TET2 genetic variation affects HIV viral load in ART-naïve persons 15:00 - 15:15 Daniel D. Murray, Denmark Temporal evolution of a unique N332 supersite directed bnAb lineage in PS5/4 15:15 - 15:30 slow progressing HIV-1 infection Merle Schanz, Switzerland PS5/5 Prevalence of InSTI resistance and effectiveness of InSTI-based regimens 15:30 - 15:45 in HIV-infected patients: results from a European cohort study Barbara Rossetti, Italy In vitro analysis of doravirine activity on HIV-1 clones harboring multiple PS5/6 15:45 - 16:00 NNRTI resistance mutations

Francesco Saladini, Italy

Parallel session 14:00 - 16:00

Sydney

PS6, Addressing the HIV and STI syndemics co-organised with the International AIDS Society (IAS)

Access to the webcasted session:

- ML1

- ML2
 ML2
 ML3
 ML4
- ML5
- PS6/2
- PS6/3

Ken Mayer, United States Fiona Mulcahy, Ireland

ML1	Global epidemiology of HIV and STI Teodora Elvira Wi, Switzerland	14:00 - 14:15
ML2	Framing the clinical issues Henry de Vries, Netherlands	14:15 - 14:30
ML3	STI in the era of PrEP and U=U Jean-Michel Molina, France	14:30 - 14:45
ML4	New and emerging STI concerns Nicola Low, Switzerland	14:45 - 15:00
ML5	Considerations for key populations Ken Mayer, United States	15:00 - 15:15
PS6/1	The natural history of anal high grade squamous intraepithelial lesions in HIV positive and HIV negative gay and bisexual men David James Templeton, Australia	15:15 - 15:30
PS6/2	The role of E6/7 mRNA for anal cancer screening in HIV-infected men who have sex with men Ana Silva-Klug, Spain	15:30 - 15:45
PS6/3	Modelling the syphilis epidemic among HIV-positive and negative MSM in Switzerland	15:45 - 16:00
	Suraj Balakrishna, Switzerland	

Parallel session 14:00 - 16:00 Boston 1-3 PS7, Antiretroviral therapy in special populations Access to the webcasted session: PS7/1 PS7/2 PS7/2 PS7/3 PS7/4 PS7/5 PS7/6 Chairs: Carlo Federico Perno, Italy Caroline Sabin, United Kingdom RPV+DRV/cobi as 2DR option in HIV-infected subjects on virologic PS7/1 14:00 - 14:20 suppression Franco Maggiolo, Italy PS7/2 Switching to DTG/3TC fixed dose combination (FDC) is non-inferior to 14:20 - 14:40 continuing a TAF-based regimen (TBR) through 48 weeks: subgroup analyses from the TANGO study lean van Wyk, United Kingdom PS7/3 Safety and efficacy of triple therapy with Dolutegravir plus 2 NRTIs, in 14:40 - 15:00 treatment-naïve HIV-2 infected patients - 48 weeks results from a phase II study Patricia Pacheco, Portugal HIV-1-RNA kinetics in blood plasma and in seminal plasma of men PS7/4 15:00 - 15:20 starting a dolutegravir-based regimen at the time of primary HIV-1 infection lade Ghosn, France PS7/5 Dolutegravir and lamivudine for maintenance of HIV viral suppression in 15:20 - 15:40 adults with and without historical resistance to lamivudine: 48-week results of a pilot clinical trial (ART-PRO) Rosa De Miguel Buckley, Spain PS7/6 Efficacy and safety of bictegravir/emtricitabine/tenofovir alafenamide vs 15:40 - 16:00 comparators in cis-women and girls (living with HIV): an analysis of 5

clinical trials

Chloe Orkin, United Kingdom

Special session 16:30 - 17:30

Event Hall

17:20 - 17:26

EACS Guidelines session

Session interpreted in Russian

Access to the webcasted session:

- Welcome
- Introduction
- ART panel
- Drug-drug interaction panel Co-morbidity panel
- Co-infection panel
- Opportunistic infections panel
- Community perspective
- Closing
-
-

Chairs:

Andri Rauch, Switzerland Lene Ryom, Denmark

Welcome

Andri Rauch, Switzerland Lene Ryom, Denmark

Introduction Manuel Battegay, Switzerland	16:30 - 16:40
ART panel Jose Arribas, Spain	16:40 - 16:48
Drug-drug interaction panel Catia Marzolini, Switzerland	16:48 - 16:56
Paddy Mallon, Ireland	16:56 - 17:04
Charles Béguelin, Switzerland	17:04 - 17:12
Ole Kirk, Denmark	17:12 - 17:20

Simon Collins, United Kingdom

Closing

Andri Rauch, Switzerland Lene Ryom, Denmark

Special session 17:30 - 18:30

San Francisco

EuroSIDA 25 years: What have we learned from cohort studies?

Access to the webcasted session:

- Welcome
- Major achievements in EuroSIDA: Perspective from invited expert
- The role of EuroSIDA in HIV, HCV and TB research in Central East and Eastern Europe
- What HIV observational cohorts
 have brought to the field
- Adapting HIV cohorts to future challenges in HIV research
- Questions/Wrap-up

Chairs:

Amanda Mocroft, United Kingdom Jürgen Rockstroh, Germany Gilles Wandeler, Switzerland

Welcome Amanda Mocroft, United Kingdom Jürgen Rockstroh, Germany Gilles Wandeler, Switzerland	17:30 - 17:35
Major achievements in EuroSIDA : Perspective from invited expert Alison Rodger, United Kingdom	17:35 - 17:45
The role of EuroSIDA in HIV, HCV and TB research in Central East and Eastern Europe Daria Podlekareva, Denmark	17:45 - 17:55
What HIV observational cohorts have brought to the field Bruno Ledergerber, Switzerland	17:55 - 18:10
Adapting HIV cohorts to future challenges in HIV research Jens D. Lundgren, Denmark	18:10 - 18:25
Questions/Wrap-up Gilles Wandeler, Switzerland	18:25 - 18:30

Workshop/Symposium 17:30 - 18:30

Boston 1-3

EACS Regional Representatives

Chairs:

Cristiana Oprea, Romania Ann Sullivan, United Kingdom

Welcome and introduction

17:30 - 17:35

Cristiana Oprea, Romania

Update on new structure of EACS - Regional Representatives and Governing Board, Q&A on EACS activities Sanjay Bhagani, United Kingdom	17:35 - 17:45
Feedback on the Standard of Care meeting in Bucharest Cristiana Oprea, Romania	17:45 - 17:55
Euroguidelines in Central and Eastern Europe network update Andrzej Horban, Poland	17:55 - 18:05
To be announced Cristina Mussini, Italy	18:05 - 18:15
Roundtable	18:15 - 18:25

Industry sponsored session 17:45 - 18:45

Sydney

Industry sponsored session

(For more details, please visit the conference website)

Industry sponsored session 17:45 - 19:15

Samarkand + Osaka

Industry sponsored session

(For more details, please visit the conference website)

Friday, 08 November 2019

Meet-the-expert/Clinical cases 07:30 - 08:30

Sydney

Clinical cases I

Chairs:

Sanjay Bhagani, United Kingdom Yvonne Gilleece, United Kingdom

Cutaneous and asymptomatic visceral leishmaniasis in late-stage HIV 07:30 - 07:50

infection

Daniela Lages, Portugal

CC1/2 An unusual neurologic manifestation 07:50 - 08:10

Luba Tau, Israel

CC1/3 Treatment with DAA HIV-HCV coinfected patient with XDR-tuberculosis 08:10 - 08:30

Narina Sargsyants, Armenia

Meet-the-expert/Clinical cases 07:30 - 08:30

Shanghai 3

HIV-associated neurocognitive disorders and neurological complications - An update

Chairs:

Andrea Calcagno, Italy Matthias Cavassini, Switzerland

Special session 07:30 - 08:30

Shanghai 1-2

Ageing with HIV

Access to the webcasted session:

- Introduction
- Do we need models of care for older people with HIV?
- Examples of models of care for older people with HIV in Europe
- ltaly
- Poland
- Norway
 Norway
 Community perspective
 Closing

Chairs:

Tristan Barber, United Kingdom Jaime Vera, United Kingdom

Introduction Tristan Barber, United Kingdom Jaime Vera, United Kingdom	07:30 - 07:32
Do we need models of care for older people with HIV? Jaime Vera, United Kingdom	07:32 - 07:40
Examples of models of care for older people with HIV in Europe	
Italy Giovanni Guaraldi, Italy	07:40 - 07:48
Poland Justyna Kowalska, Poland	07:48 - 07:56
Norway Maryan Said, Norway	07:56 - 08:04
Community perspective EATG Susan Cole, NAM aidsmap, United Kingdom	08:04 - 08:12
Panel discussion and audience questions	08:12 - 08:22
Closing Tristan Barber, United Kingdom Jaime Vera, United Kingdom	08:22 - 08:27
Workshop/Symposium 07:30 - 08:30	Boston 1-3
Euroguidelines in Central and Eastern Europe Symposium	
Chairs: Josip Begovac, Croatia Andrzej Horban, Poland Vadim Pokrovsky, Russian Federation	
Who we are and what we do? Justyna Kowalska, Poland	07:30 - 07:35
ECEE Workshop in Lviv - clinicians' perspective on HIV care in Ukraine Marta Vasylyev, Ukraine	07:35 - 07:50

Access to new cART components, new treatment strategies and clinical

HIV care in CEE - what is changing, what is not

Discussion on future perspectives and action points

07:50 - 08:05

08:05 - 08:20

08:20 - 08:30

trials in CEE

Josip Begovac, Croatia

Mike Youle, United Kingdom

Meet-the-expert/Clinical cases 07:30 - 08:30

Darwin

HIV and the liver

Chairs:

Christoph Boesecke, Germany Marina Klein, Canada

CC4/1

Hepatitis B reactivation after tenofovir cessation in an HIV-infected patient with poor immunological status

07:30 - 07:50

Luz Martin, Spain

Meet-the-expert/Clinical cases 07:30 - 08:30

Kairo 2

Vaccination in HIV: Which vaccine for whom?

Chairs:

Christoph Fux, Switzerland Carolynne Schwarze-Zander, Germany

Plenary lecture 08:30 - 09:00

Event Hall

PL3, Precision medicine in HIV

Session interpreted in Russian

Access to the webcasted session:

Precision medicine in HIV

Chairs:

Cristina Mussini, Italy

Precision medicine in HIV

08:30 - 08:55

Amalio Telenti, United States

European Hector Research Award in HIV 2019 ceremony - Best clinical science and/or epidemiological paper

08:55 - 09:00

Esteban Martínez, Spain

Plenary lecture 09:00 - 09:30

Event Hall

PL4, Whole genome sequencing for tuberculosis treatment and control: A game changer?

Session interpreted in Russian

Access to the webcasted session:

Whole genome sequencing for tuberculosis treatment and control: A game changer?

Chairs:

Paddy Mallon, Ireland

Whole genome sequencing for tuberculosis treatment and control: A game changer?

09:00 - 09:30

Iñaki Comas, Spain

ePosters 09:00 - 16:00

Exhibition hall

HIV cure

PE12/1 Comparison of three commercial kits for quantitative analysis of HIV-1 RNA produced in

Russia

Ilya Lapovok, Russian Federation

PE12/2 Optimization of genotyping by phenotypic analysis of clinical HIV-1 subtype CRF01_AE

isolates from South-East Asia

Nina Marty, Switzerland

ePosters 09:00 - 16:00

Exhibition hall

Antiretroviral therapy preclinical

PE4/3 In vivo dissection of the effects of HIV and antivirals on mitochondrial function in chronic

treated HIV

Theodoros Kelesidis, United States

PE4/4 The main barriers to "Test and Start" in Central Asia from the service providers' and

patients' point of view

Yelena Kudussova, Kazakhstan

PE4/5 Preclinical aspects of an anti-HIV molecule targeting vimentin

Celia Berta Fernandez-Ortega, Cuba

PE4/6 PK/PD modelling of bnAbs for HIV treatments identifying knowledge gaps

Mark Baker, Switzerland

PE4/7 A new inhibitor of HIV-1 infection exploiting host intracellular signaling to alter viral RNA

processing

Raymond Waiman Wong, Canada

ePosters 09:00 - 16:00 Exhibition hall

HIV drug resistance

PE13/1	Darunavir resistance among patients exposed to protease inhibitors failing ARV therapy Luis Fernando Brigido, Brazil
PE13/2	Prevalence and factors associated to the detection (population and next generation sequencing) of archived 3TC resistance mutations in aviremic HIV-infected adults (GEN-PRO) Lourdes Domínguez-Domínguez, Spain
PE13/4	Monitoring the prevalence of transmitted HIV drug resistance in Hungary Eva Ay, Hungary
PE13/5	Predominant reverse transcriptase resistance mutations as barriers to achieving elimination of mother-to-child transmission of HIV in South Africa Oladele Vincent Adeniyi, South Africa
PE13/6	Virologic failure and human immunodeficiency virus drug resistance in adolescents on antiretroviral therapy in Yaounde and Douala Magaly Jeanne Estelle Moukoko Mbonjo, Cameroon
PE13/7	Selection of integrase inhibitor (INI) resistance mutations in an INI experienced patient treated by Bictegravir Thanes Vanig, United States
PE13/8	Impact of HIV-1 subtypes and integrase natural polymorphisms on virological response to first-line integrase inhibitors based regimens Daniele Armenia, Italy
PE13/9	HIV-1 integrase inhibitor resistance associated mutations defined by majority and minority populations among individuals failing therapy Smitha Gudipati, United States
PE13/10	HIV-1 diversity and antiretroviral resistance among bulgarian citizens infected abroad and foreigners registered with HIV/AIDS in bulgaria from 2012 to 2017 (preliminary analysis) Ivailo Alexiev, Bulgaria
PE13/11	Analytical treatment interruption and its association with rearrangement of peripheral archived resistance mutations Claudia Alteri, Italy
PE13/12	A low level of darunavir resistance-associated mutation emergence in patients with virological failure during long term use of darunavir in people living with HIV, the French ANRS CO3 Aquitaine cohort Fabrice Bonnet, France
PE13/13	Patients infected with multi-class resistant HIV-1 and with viral suppression treated with no more than one active drug: comparison of historical resistance reports and drug resistance in proviral DNA
	Christian Hoffmann, Germany
PE13/14	Non-nucleoside reverse transcriptase inhibitor (NNRTI) resistance in people living with HIV-1 (PLWH) subtype non-B from the Swiss HIV Cohort Study (SHCS) Martina L. Reichmuth, Switzerland

PE13/15	HIV-1 from antiretroviral-naïve and experienced patients lack capsid substitutions associated with GS-6207 in vitro resistance Anne-Geneviève Marcelin, France
PE13/16	Long-term efficacy, safety and durability of ibalizumab in expanded access study Graeme Moyle, United Kingdom
PE13/17	Clinical impact of minority mutations in patients failing an integrase inhibitor-based regimen: what do clinicians do? Smitha Gudipati, United States
PE13/18	Identification of HIV-1 transmission clusters in Croatia, 2014 - 2017: evidence for the forward spread of HIV-1 resistant variants Josip Begovac, Croatia
PE13/19	High levels of resistance among HIV-1 treatment naive patients in Greece, a nationwide study: evidence for country and regional level transmission networks Dimitris Chatzidimitriou, Greece
PE13/20	A phase 3b, open-label, pilot study to evaluate switching to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) in virologically-suppressed HIV-1 infected adult subjects harboring NRTI resistance mutations M184V/I +/-TAMs (GS-US-292-1824): week 24 results
	Ignacio Pérez-Valero, Spain
PE13/21	Sustained viral suppression among participants with pre-existing M184V/I who switched to bictegravir/emtricitabine/tenofovir alafenamide Kristen Andreatta, United States
PE13/22	Absence of naturally existing resistance against the HIV-1 capsid inhibitor GS-6207 in HIV-1 primary isolates
	Christian Callebaut, United States
PE13/23	Impacts assessment of home based care program over adherence to ART among adolescence living with HIV and AIDS in Blantyre Malawi Lesily Samson Kapile, Malawi
PE13/24	Correlation of results analysis drug resistance of HIV-1 among patients with virological failure by next-generation sequencing and traditional population sequencing Alina Kirichenko, Russian Federation
PE13/25	Analysis of the latent reservoir of a patient infected with HIV under PrEP by single full- length HIV-1 amplification Maximilian Damagnez, Germany
PE13/26	Drug resistance profile according to HIV-1 viral load after long-term exposure to antiretroviral treatment in the absence of routine virological monitoring: results from a programmatic cohort in sub-Saharan Africa Giovanni Villa, United Kingdom
PE13/27	In vitro analysis of replicative capacity and phenotypic susceptibility of integrase mutant HIV-2 viruses Quentin Le Hingrat, France
PE13/28	Treatment simplification with two-drug regimens: impact of transmitted drug resistance mutations in residents of South-East Austria Evelyn Stelzl, Austria

PE13/29	Baseline resistance to Doravirine depends on the algorithm used for interpretation Carlos Guerrero Beltrán, Spain
PE13/30	Baseline resistance to EACS first line recommended antiretroviral regimens in newly diagnosed patients in Spain Federico García, Spain
PE13/31	A retrospective evaluation of a national home infusion provider's approach to medication adherence of parenteral ibalizumab-uiyk in the alternate-site and homecare setting Kathryn Andrusko-Furphy, United States
PE13/32	Prevalence of HIV-1 drug resistance among patients with antiretroviral therapy failure in Moscow region, Russia Natalya Lebedeva, Russian Federation
PE13/33	HIV-1 drug resistance surveillance among parturient women on anti-retroviral therapy in the Eastern Cape, South Africa: implications for elimination of mother-to-child transmission Oladele Vincent Adeniyi, South Africa
PE13/34	Antiretroviral Resistance patterns in HIV-1 infected patients failing to second-line in Bamako, Mali Almoustapha Issiaka Maiga, Mali

ePosters 09:00 - 16:00 Exhibition hall

Human genomics

J	
PE15/1	Genetic characterization of the near full-length genome of an HIV-1 A1/C/D/K/B unique recombinant form from the Eastern Cape, South Africa: a case report Oladele Vincent Adeniyi, South Africa
PE15/2	Impact of KIR and their ligands (HLA allele) on susceptibility to selected viral opportunistic conditions and HIV plasma viral load in HIV+ patients Magdalena Leszczyszyn-Pynka, Poland
	Magualetta Leszczyszyti-i ytika, i olanu
PE15/3	The identification and causal analysis of aberrant CD4 counts in an HIV cohort in Southern Alberta, Canada
	Raynell Lang, Canada
PE15/4	Placental gene expression profiles and pathways in HIV-1 positive Cameroonian women under ART
	Forgu Esemu Livo, Cameroon
PE15/5	Functional clustering and association of HLA class I alleles to viral load in HIV-positive and ART-naïve participants from the INSIGHT START study
	Adrian Gabriel Zucco, Denmark
PE15/6	miRNA expression profiling in subcutaneous adipose tissue of monozygotic twins discordant for HIV infection: validation of differentially expressed miRNA and bioinformatic analysis Nicola Squillace, Italy
PE15/7	Factors influencing late presentation into care of HIV disease Bogusz Aksak-Wąs, Poland

ePosters 09:00 - 16:00 Exhibition hall **Immunology** Immunological and metabolic effects of dasatinib treatment in IL7-stimulated CD4+ T-cells PE16/1 subpopulations Humberto Erick De La Torre Tarazona, Spain New T- and B-lymphocytes production and T-cell receptor diversity in young adults PE16/2 perinatally infected by HIV Martina Properzi, Italy PE16/3 In Vivo modelling of mechanisms of HIV-1-related monocyte dysfunction Theodoros Kelesidis, United States PE16/4 Lectin-like oxidized low-density lipoprotein (LOX-1) is elevated in proinflammatory monocytes in chronic treated HIV Theodoros Kelesidis, United States PE16/5 In vivo dissection of the impact of HIV-1 versus antivirals on immune activation in chronic treated HIV Theodoros Kelesidis, United States PE16/6 Differential impact of HIV-1 versus antivirals on systemic inflammation in chronic treated HIV Theodoros Kelesidis, United States PE16/7 Correlation between blood telomere length and CD4+ CD8+ T-cell subsets in HIV-1-positive individuals with long-term virological suppression on antiretroviral therapy Javier Rodríguez-Centeno, Spain PE16/9 Phenotypical recovery of the T-cell pool following switch to dual and triple INSTI-based cART Camilla Tincati, Italy Expression of PD-1 in a population of double-negative T cells (CD3+CD4-CD8-) in HIV-PE16/11 infected patients - the preliminary study results Weronika Rymer, Poland PE16/12 Targeting inflammation in chronic treated HIV with oral ApoA-I mimetics Theodoros Kelesidis, United States PE16/13 Poor recovery of T-cell receptor repertoire despite long-term antiretroviral therapy James Brown, United Kingdom **ePosters** 09:00 - 16:00 Exhibition hall Pathogenesis and immunopathogenesis PE26/2 Colonic microbiota exhibits disparate associations with HIV-infection and sexual practices Eveline Verheij, Netherlands PE26/3 Zonulin indicates loss of intestinal integrity and microbial translocation in HIV+ patients Max Augustin, Germany

PE26/4	Distinct pro-inflammatory and cardio-protective effects of antiretroviral drugs in vascular endothelial cells Akif A. Khawaja, United Kingdom
PE26/5	Bacterial translocation kinetics in HIV-1 infection: from acute to chronic stages Paula Aranguren-Rivas, Spain
PE26/6	Mitochondrial antioxidants attenuate In vivo liver fibrosis in chronic treated HIV Theodoros Kelesidis, United States
PE26/7	Mitochondrial antioxidants attenuate In vivo mitochondrial dysfunction and exhaustion in T cells in chronic treated HIV Theodoros Kelesidis, United States
PE26/8	Inhibition of caspase 1 reduces viral load, CD4 T cell depletion and immune activation in HIV-1 infected humanized mice Philipp Adams, Luxembourg
PE26/9	Effect of early initiation of ART on alterations in natural killer cells in HIV infected pediatric patients Romsha Kumar, India
PE26/10	HIV-DNA levels, HLA-B*27 and HLA-DRB1*13 among LTNPs, ECs and HIV controllers Arianna Gabrieli, Italy
PE26/11	Macromolecule uptake across intestinal epithelia in HIV infection Carolin Grünhagen, Germany
PE26/12	Immune cell activation as a risk factor for hypertension in people living with HIV in Sub- Saharan Africa using the recent American Heart Association and American College of Cardiology Guidelines Sepiso Masenga, Zambia

ePosters 09:00 - 16:00

Exhibition hall

Vaccines and immune based therapies

PE36/2 Development of engineered nanocarrier for controlled delivery of a protease inhibitor Saurabh Bhargava, India

ePosters 09:00 - 16:00

Exhibition hall

Virology

PE38/1	Identification of an HIV-1 BC intersubtype recombinant form, which is circulating in Spain
	Javier Enrique Cañada García, Spain

PE38/2 Viral reservoir dynamics in very early primary HIV infection (PHI) patients receiving an intensified antiretroviral regimen (ART): a pilot clinical trial

Juan Ambrosioni, Spain

PE38/3	Lamivudine-based two-drug regimens are not associated with an increased risk of detectable rectal HIV-RNA Alberto Borghetti, Italy
PE38/4	Comparison of HIV-1 viral load and drug resistance mutations between cerebrospinal fluid and plasma in patients with HIV and Cryptococcal meningitis co-infection in Botswana Nametso Kelentse, Botswana
PE38/5	HTLV-II antisense protein Aph-2 negatively regulates HIV-1 transcription Rajkumar Londhe, India
PE38/6	HIV compartmentalization between plasma and CSF and association with neurocognitive disorders Alessandro Lazzaro, Italy
PE38/7	Determinants of neurocognitive impairments in a Romanian cohort of young adults with chronic HIV infection Simona Ruta, Romania
PE38/8	Reconstruction of phylogeography for Indian HIV-1 sub-subtype A1 Ajit Patil, India
PE38/9	Broad and potent neutralizing antibody responses in HIV-1 infected Angolan patients: implications for vaccine design and efficacy Francisco Martin, Portugal
PE38/10	The XbnAb cohort: a HIV-1 cohort of 304 bnAb inducers and matched controls tailored to study determinants of bnAb induction Irene Abela, Switzerland
PE38/11	Performance of 'Xpert® HIV-1 Qual assay' for diagnosis of HIV-1 infection using Dried Blood Spot specimens Swarali Kurle, India
PE38/12	HIV-1 infections belonging to transmission clusters originating in different countries are frequently detected in Spain among newly diagnosed individuals Javier Cañada, Spain

ePosters 09:00 - 16:00

Antiretroviral observational studies

PE2/1 A study of the effect of antiretroviral therapy on sexual risk behavior in a high-risk cohort of Congolese women

Samuel Bita, Congo, the Democratic Republic of the

Exhibition hall

PE2/2 Coagulation system and HIV infection: a review

Nnamdi Nwachukwu, Nigeria

PE2/3

Effectiveness, persistence and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF), F/TAF+3rd agent or rilpivirine/F/TAF (R/F/TAF) in treatment-naïve HIV-1 infected patients - 24-month results from the German TAFNES cohort study

Hans-Jürgen Stellbrink, Germany

PE2/4	"Attracting men" - extended clinic hours as differentiated model of care in an urban Malawian cohort Sam Phiri, Malawi
PE2/5	HIV care in India: a systematic review of barriers to anti-retroviral therapy adherence Charu Kohli, India
PE2/6	Comparing NRTI-sparing dual regimens using data from the Swiss HIV cohort study Jim Young, Switzerland
PE2/7	Physicians' opinions on generic antiretroviral drugs and single tablet regimen (STR) desimplification for the treatment of HIV infection: a multicentre survey in Spain Inés Suárez-García, Spain
PE2/8	Simplifying salvage regimens with darunavir-based dual therapy in HIV-infected individuals harboring multidrug-resistance Pilar Vizcarra, Spain
PE2/9	Clinical outcomes among HIV-infected Africans with advanced disease in Spain Adrià Ramírez-Mena, Switzerland
PE2/10	The Treatment of Primary HIV (TopHIV) cohort: a prospective multicenter cohort in Germany Melanie Stecher, Germany
PE2/11	No decrease in CD4/CD8 ratio after 36 months therapy in patients who were switched to two dual regimens containing rilpivirine Cecilia Tortajada, Spain
PE2/12	Clinical experience of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) in real life practice: data from the Turkish HIV-TR cohort Volkan Korten, Turkey
PE2/13	Real world utilisation of raltegravir 1200mg once daily (The RETRO Study) Christine Mackay, United Kingdom
PE2/14	Effectiveness, persistence and safety in treatment-naïve and treatment-experienced HIV-1 infected patients receiving elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF) - 12-month evaluation of the French TARANIS cohort lean-Luc Meynard, France
PE2/15	24-month evaluation of the German TAFNES cohort - Effectiveness, persistence and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/F/TAF), F/TAF + 3rd agent or rilpivirine/F/TAF (R/F/TAF) in treatment-experienced HIV-1 infected patients
PE2/16	Heribert Knechten, Germany Effectiveness, safety and tolerability of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in HIV-1 infected adult patients in routine clinical practice - 6 months results of the BICSTaR cohort Stefan Esser, Germany
PE2/17	Short-term increase in Body Mass Index and systolic blood pressure elevation in treatment naïve persons starting INSTI-based antiretroviral therapy Ronald Galdamez, Spain
PE2/18	Baseline characteristics in JUNGLE, a German observational cohort study of Juluca as 2-drug Regimen in virologically suppressed patients, compared to the phase-3 SWORD 1 $\&$ 2 study populations
	F. Schabaz, Germany

PE2/19	Examining the efficacy in clinical practice of the dual antiretroviral therapy regimen of boosted protease inhibitors with maraviroc Abhishek Katiyar, United Kingdom
PE2/20	Good efficacy but side effects including hypercholesterolemia and body weight gain after switching to dolutegravir plus booster protease inhibitor regimen among treatment experienced HIV-positive patients Yu-Lin Lee, Taiwan, Republic of China
PE2/21	Rates of DTG/ABC/3TC discontinuation in a real-life setting: no surprises found in reported adverse events Ana Gorgulho, Portugal
PE2/22	Low baseline HIV viral loads with a history of PrEP use - how should these patients be managed? Victoria Tittle, United Kingdom
PE2/23	Lamivudine-based maintenance 2-drugs regimens: an algorithm for the estimation of 2-years risk of virological failure in clinical practice Alberto Borghetti, Italy
PE2/24	Adding raltegravir to a bPI failing regimen was not associated with higher virologic suppression Monica Maria Gomes-da-Silva, Brazil
PE2/25	Neuropsychiatric tolerability of bictegravir combined with FTC/TAF in clinical practice Christian Hoffmann, Germany
PE2/26	Real-world clinical outcomes of patients switched from complex multi-tablet regimens to TAF-based single-tablet regimens plus a boosted protease inhibitor Charlotte-Paige Rolle, United States
PE2/27	Dual therapy with fixed dose combination of darunavir/ritonavir plus raltegravir in HIV-infected patients in Argentina Diego Martin Cecchini, Argentina
PE2/28	Detectability of HIV residual viremia despite therapy is highly associated with treatment with protease inhibitor Gilles Darcis, Belgium
PE2/29	Prediction of virological failure in patients with low level HIV-1 viremia using a joint latent class model Enrique Bernal, Spain
PE2/30	Comparing effectiveness and tolerability of emtricitabine/tenofovir alafenamide (F/TAF) with emtricitabine/tenofovir disoproxil fumarate (F/TDF) in HIV-1 infected adult patients ir routine clinical practice: a cross cohort analysis Stefan Esser, Germany
PE2/31	Effectiveness of Dolutegravir-based antiretroviral therapy in a real-world setting in a Belgian cohort of 4101 HIV patients Rakan Nasreddine, Belgium
PE2/32	Characterizations of weight gain following antiretroviral regimen initiation in treatment- naive individuals living with HIV Ricky Hsu, United States

PE2/33	How to RESPOND to modern challenges for people living with HIV: a new cohort collaboration
	Bastian Neesgaard, Denmark
PE2/34	ART simplification: use of dual therapy for HIV in a public health reference center (CRT-DST/Aids) in São Paulo, Brazil Roberta Schiavon Nogueira, Brazil
PE2/35	Simplification to dual (2D) antiretroviral therapy (ART) with lamivudine and dolutegravir in HIV-infected patients with solid organ transplantation (SOT): a preliminary single-center experience
	Juan Ambrosioni, Spain
PE2/36	Comparable effectiveness of Raltegravir-based dual therapy versus other regimens in patients switched for maintenance
	Karen Martin, Germany
PE2/37	Comparison of a two-drug regimen (dolutegravir/rilpivirine) to standard three-drug regimens in virologically suppressed, treatment experienced individuals in the real world Gerald Pierone, United States
PE2/38	Effectiveness of the combination elvitegravir/cobicistat/tenofovir/emtricitabine (EVG/COB/TFV/FTC) plus darunavir in treatment-experienced patients: a multicentre cohort study
	Inés Suárez-García, Spain
PE2/39	High persistence of dolutegravir-containing 2-drug regimens in routine clinical care Sebastian Noe, Germany
PE2/40	Virologic, immunologic and clinical outcomes in antiretroviral treatment (ART) naïve individuals in the RESPOND cohort collaboration
	Amanda Mocroft, United Kingdom
PE2/41	A retrospective analysis of the EuResist data set assessing HIV dual therapy success in a real-life context
	Michael Böhm, Germany
PE2/42	The real-world impact of switching to tenofovir-alafenamide (TAF) on metabolic co- morbidities in PLWH aged over 60s Ming Jie Lee, United Kingdom
PE2/43	Effect of simplification to INSTI-based dual therapy on residual inflammation and viral reservoir Giulia Marchetti, Italy
PE2/44	Changes in LDL after switch from TDF to TAF in the U.S. Paddy Mallon, Ireland
PE2/45	A retrospective analysis of the EuResist data set assessing if NRTI resistance impairs INSTI based treatment with NRTI backbone Michael Böhm, Germany
PE2/46	Impact of archived M184V/I mutations on the effectiveness of switching to coformulated elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide among virologically suppressed HIV-positive patients Chien-Ching Hung, Taiwan, Republic of China

PE2/47	Central nervous system (CNS) side effects and viral blips post cART switch from atazanavir boosted with ritonavir (ATZ/r) to atazanavir boosted with cobicistat (ATZ/c) Stephanie Tyler, United Kingdom
PE2/48	Quantitation of cellular HIV-1 DNA levels by droplet digital PCR in virologically-suppressed patients switching to dolutegravir plus lamivudine: a prospective study Francesca Lombardi, Italy
PE2/49	Evaluation of weight gain in incarcerated individuals living with HIV/AIDS after switching to a raltegravir-based regimen Melissa Badowski, United States
PE2/50	Determinants of viral non-suppression among people living with HIV (PLHIV) in rural setting, Neno: a retrospective cohort study Potiphar Damiano, Malawi
PE2/51	Risk of developing HIV resistance in patients with low level viraemia in a large London cohort Naomi Fitzgerald, United Kingdom
PE2/52	Virological outcomes of first line regimens in women living with HIV from Icona cohort: comparison with clinical trial data Cristina Mussini, Italy
PE2/53	Well-being in people living with HIV/AIDS (PLWHA) according to cART exposure: data from IOCONA cohort Antonella Cingolani, Italy
PE2/54	Body composition changes in HIV: do INSTI matter? Giovanni Guaraldi, Italy
PE2/55	Dolutegravir-based regimens are associated with weight gain over two years following ART-initiation in ART-naïve people living with HIV (PLWH) Heidi Crane, United States
PE2/56	Efficacy and safety of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in combination with boosted darunavir (DRV) in treatment experienced patients with HIV Lucas Hill, United States
PE2/57	Real world data of using Triumeq (dolutegravir/abacavir/lamivudine; DTG/ABC/3TC): final outcomes of the 3-year German TRIUMPH cohort show good virologic effectiveness and safety in clinical routine
	Nils Postel, Germany
PE2/58	The effectiveness of E/C/F/TAF in treatment-naive (TN) or treatment-experienced (TE) adult HIV-infected patients in a real-world setting, results from southern Turkey
	Dilara Inan, Turkey
PE2/59	Comparison of efficacy and safety of a switch to fixed-dose combination FTC/TDF-TAF/RPV versus fixed-dose combination 3TC/ABC/DTG in HIV-1-infected, treatment experienced and virologically suppressed patients: a cohort study Gaetana Sterrantino, Italy
DE2/60	· •
PE2/60	COPEDOL: a 2-year French multicentric, observational, longitudinal retro-prospective study, in pretreated HIV-1-infected patients starting dolutegravir based regimen due to treatment failure
	Roland Landman, France

PE2/61	Drug-drug interactions with recommended first-line antiretroviral therapy in real-world settings
	Wang-Huei Sheng, Taiwan, Republic of China
PE2/62	Determinants of switching to TAF-based cART or dual combinations (DC) from TDF-based regimens in a cohort of HIV-infected individuals with controlled viral load≤50 copies/mL Alessandra Vergori, Italy
PE2/63	An early proactive switch to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide (E/C/T/TAF) is effective in maintaining virologic control and improving quality of life (QoL) in patients with a primary HIV-1 infection (PHI). An interim analysis of a phase IV clinical trial (ESTER study) Marta Camici, Italy
PE2/64	Prevalence of neuropsychiatric conditions in patients living with HIV-1 treated with antiretroviral therapies - a perspective from US Medicaid Wing Chow, United States
PE2/65	Switch to dolutergravir dual regimens and imflammation mediated by annexin Claudio Ucciferri, Italy
PE2/66	Efficacy of dual antiretroviral therapy (ART) as intermittent short cycle regimen in virologically suppressed HIV-infected patients: an observational cohort Romain Palich, France
PE2/67	Modelling time varying viral load and CD4 cell counts response to antiretroviral therapy in a cohort of HIV naive patients Margarida Tavares, Portugal
PE2/68	Impact of switching to E/C/F/TAF on lipid profile and renal function in HIV-infected patients Bilgul Mete, Turkey

ePosters 09:00 - 16:00 Exhibition hall

Antiretroviral randomized clinical trials

- PE3/1 Genital HIV-1 RNA and DNA shedding in virologically suppressed individuals switching from triple- to dual- or monotherapy: pooled results from two randomized controlled trials

 Laurent Hocqueloux, France
- PE3/2 Comparison of the Ease of Swallowability of B/F/TAF placebo compared to DTG/ABC/3TC placebo

John Ernest McKinnon, United States

PE3/3 Evaluation of total HIV-DNA changes in HIV-1 infected patients who continue a 2-drug regimen with dolutegravir plus one reverse transcriptase inhibitor or switch to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide enrolled in the Be-One Study Maria Mercedes Santoro, Italy

PE3/4 Phase-3 trials of new antiretrovirals are not representative of the global HIV epidemic

Toby Pepperrell, United Kingdom

PE3/5	Impact of susceptibility scoring on virologic response in heavily treatment-experienced participants with HIV-1 receiving a fostemsavir-based antiretroviral regimen: results through week 96 from the randomized cohort of the Phase 3 BRIGHTE study
	Peter Ackerman, United States
PE3/6	Reversibility of dolutegravir/lamivudine/abacavir neuropsychiatric toxicity after 24 weeks of switching to elvitegravir/cobicistat/emtricitabine/tenofovir-alafenamide (EVG/c/FTC/TAF). The DREAM Clinical Trial
	Ignacio Pérez-Valero, Spain
PE3/7	A switch to dolutegravir in combination with boosted darunavir is safe and effective in suppressed patients with HIV - a predefined psychosocial subanalysis of the DUALIS study Christoph Spinner, Germany
DE 2 /0	
PE3/8	Tenofovir alafenamide versus tenofovir disoproxil fumarate - is there a true difference in safety?
	Toby Pepperrell, United Kingdom
PE3/9	Biologic sex is not the only difference between men and women: data from the Doravirine phase 2/3 clinical trials
	Sharon Walmsley, Canada
PE3/10	No metabolic or renal benefits when switching to an NRTI-free dolutegravir-containing 2 drug regimen (2DR) - a subanalysis of the DUALIS study
	Christoph Boesecke, Germany
PE3/11	Sustained viral suppression with dolutegravir monotherapy during 9,899 patient weeks of follow-up in individuals starting combination antiretroviral therapy during primary HIV infection (EARLY SIMPLIFIED): a randomized, controlled, multi-site, non-inferiority trial
	Dominique Laurent Braun, Switzerland
PE3/12	Rapid initiation of darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) in patients with human immunodeficiency virus (HIV)-1 infection: age, race/ethnicity, and gender subgroup analyses from the DIAMOND study
	David Anderson, United States
PE3/13	A systematic review and meta-analysis evaluating the risk of central nervous system adverse events in randomised controlled trials of dolutegravir Khadija Muniath Chowdhury, United Kingdom
DED // 4	
PE3/14	Long-term efficacy and safety of bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in ART-naïve adults
	Chloe Orkin, United Kingdom
PE3/15	Switching from a 3-drug tenofovir alafenamide (TAF)-based regimen (TBR) to a 2-drug dolutegravir/lamivudine (2DR, DTG/3TC FDC) was not associated with a higher frequency of intermittent viremia in suppressed patients in the TANGO study
	Ruolan Wang, United States
PE3/16	Phase 3 randomized, controlled DISCOVER study of daily emtricitabine/tenofovir alafenamide (F/TAF) or emtricitabine/tenofovir disoproxil fumarate (F/TDF) for HIV preexposure prophylaxis (PrEP): week 96 results
	Peter J Ruane, United States
PE3/17	Single doses of long-acting capsid inhibitor GS-6207 administered by subcutaneous injection are safe and efficacious in people living with HIV Eric S Daar, United States

PE3/18 Long-term safety and efficacy of rilpivirine plus nucleoside/nucleotide reverse transcriptase inhibitors in HIV-1 infected patients: 7-year roll-over study from phase 2 and 3 clinical studies

Jean-Michel Molina, France

PE3/20 Prevalence of archived HIV-1 DNA resistance-associated mutations (RAMs) and their lack of effect on virologic outcome at week 96 in antiretroviral treatment (ART)-experienced, virologically suppressed patients receiving the once-daily, single-tablet regimen (STR) darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) in the EMERALD phase III trial

Erkki Lathouwers, Belgium

PE3/21 Islatravir efficacy and safety for selected demographic and baseline subgroups from a Phase 2 trial in treatment naïve adults with HIV-1 infection

Iean-Michel Molina, France

ePosters 09:00 - 16:00

Exhibition hall

Pharmacology, pharmacogenomics and drug interactions

PE27/1 Efficacy and safety of artemether-lumefantrine as treatment for Plasmodium falciparum uncomplicated malaria in adult patients on efavirenz based antiretroviral therapy in Zambia: an open label non-randomized interventional trial

Mike Chaponda, Zambia

PE27/2 Ritonavir-boosted darunavir plus two nucleoside reverse transcriptase inhibitors versus other regimens for initial antiretroviral therapy for people with HIV infection: a systematic review

Tatevik Balayan, Armenia

PE27/3 Towards individualization of antiretroviral therapy - more cost-effective than dose intensification in patients

Bhavik Dalal, India

PE27/4 The valproic acid - dolutegravir drug-drug interaction is based on displacement of protein binding and unlikely to be clinically relevant

Henrieke Prins, Netherlands

PE27/5 BESIDE - clinical relevance and implications for management of antiretroviral therapy due to

recreational drug use in PLWH in Germany

Karen Martin, Germany

PE27/6 Drug-drug interactions between antiretrovirals and carbamazepine or oxcarbazepine: a real-

life investigation

Cristina Gervasoni, Italy

PE27/7 Drug-drug interactions between dolutegravir (DTG) and immunosuppressant drugs (IS) in

HIV-infected patients with solid organ transplantation (SOT): a single-arm clinical trial (DTGSOT)

Christian Manzardo, Spain

• •

PE27/8 Abacavir hipersensivity reaction (HSR), associated to baseline false negative HLAB5701

screening, in antiretroviral treatment naive HIV-1 patient

Salvatore Martini, Italy

PE27/9 Central nervous system penetration of antiretroviral drugs in HIV-positive patients with neurocognitive impairment, assessed from paired plasma-CSF concentrations

Perrine Courlet, Switzerland

ePosters 09:00 - 16:00

Exhibition hall

Co-morbidities, ageing

	, 3
PE9/1	Detectable subclinical myocardial abnormalities in people living with HIV: insights from cardiac magnetic resonance imaging (MRI) Gavin Paul Raphael Manmathan, United Kingdom
	Gavin Faul Kapnael Maninathan, Onited Kingdom
PE9/2	Hypertension and ECG alterations in HIV positive patients in DREAM centres in Mozambique Isotta Triulzi, Italy
PE9/3	Cardiovascular events are declining in men with HIV aged 50 years or older in Austria Maria Kitchen, Austria
PE9/4	Prevalence of HIV-associated neurocognitive disorder (HAND) in Turkey and assessment of Addenbrooke's Cognitive Examination Revised (ACE-R) test as a screening tool Volkan Korten, Turkey
PE9/5	Pilot study assessing the Rotterdam Healthy Aging Score in a cohort of HIV-positive adults Sharon Walmsley, Canada
PE9/6	Obesity and HIV - the overlaping epidemics Justyna Kowalska, Poland
PE9/7	Exhaled nitric oxide levels are higher in people living with HIV compared to uninfected controls suggesting increased eosinophilic pulmonary inflammation Rebekka Faber Thudium, Denmark
PE9/8	Comparison of changes in bone microarchitecture with abacavir-lamivudine versus tenofovir disoproxil fumarate-emtricitabine in adults living with HIV
	Roger Bedimo, United States
PE9/9	Limitations of FRAX equation for predicting low bone mineral density or bone loss progression among people living with HIV: the role of secondary causes of osteoporosis Pilar Vizcarra, Spain
PE9/10	Elevated body mass index during pregnancy and gestational weight gain in HIV-infected women in Cape Town, South Africa: association with adverse birth outcomes Hlengi Madlala, South Africa
PE9/11	Facilitating primary care non-antiretroviral drug prescribing in people living with HIV: the Think ARV project Jaime Vera, United Kingdom
PE9/12	Characterization of moderate and severe anemia by peripheral blood smear in HIV infected patients in the Kilombero and Ulanga antiretroviral cohort Vanesa Anton-Vazquez, United Kingdom
PE9/13	HIV infection and smoking: PET imaging reveals early pulmonary perfusion abnormalities Puja Kohli, United States

PE9/14	Bariatric surgery in HIV obese patients: first results of the French ObéVIH ongoing study Valérie Pourcher, France
PE9/16	Plasma cotinine cut-off for distinguishing smokers from non-smokers among people living with HIV (PLWH)
	Omid Rezahosseini, Denmark
PE9/17	An analysis of HIV and co-morbidity profiles for adults accessing health care in Khayelitsha, South Africa
	Richard Osei-Yeboah, South Africa
PE9/18	Femoral arteries better indicator than carotid arteries of cardiovascular risk in HIV/AIDS patients
	Gordana Dragovic Lukic, Serbia
PE9/19	Cardiovascular risk assessment in PLWH over 50: agreement between cardiovascular risk predictors and Coronary Artery Calcium CT Scoring (CACS)
	Branca Pereira, United Kingdom
PE9/20	Safety and tolerance of denosumab in HIV patients Sara Vela, Spain
PE9/21	Lower incidence of liver steatosis in patients treated with lamivudine plus dolutegravir dual therapy Davide Moschese, Italy
DE0/22	
PE9/22	Correlations between computerised and standard cognitive testing in persons with HIV and controls
	Davide De Francesco, United Kingdom
PE9/23	Whole body MRI detects high prevalence of incidental findings in older HIV-1-infected patients participating in a randomised, controlled trial of maraviroc and/or metformin for non-alcoholic fatty liver disease
	Sarah Pett, United Kingdom
PE9/24	An analysis of potential drug-drug interactions in an aging HIV cohort Pádraig Gardiner, Ireland
PE9/25	A standardized comparison of cardiovascular risk factor prevalence between people living with HIV and general population in Spain
	Vicente Estrada, Spain
PE9/26	Subclinical atherosclerosis burden by ultrasound in carotid and femoral territories in HIV subjects: relationships with HIV and non-HIV related factors
	Vicente Estrada, Spain
PE9/27	Subcutaneous adipose tissue modifications induced by a switch to dual raltegravir- maraviroc therapy in controlled HIV-infected patients: a sub-study of the ANRS- ROCnRAL157 clinical trial
	Jacqueline Capeau, France
PE9/28	Results of 10 year experience of a specialist clinic for people living with HIV over 50 at Chelsea and Westminster Hospital
	Branca Pereira, United Kingdom
PE9/29	Discordance in diagnosis of osteoporosis in HIV-infected patients: prevalence, characteristics, and impact on FRAX equation Pilar Vizcarra, Spain

PE9/30	CD4/CD8 ratio is a better indicator of acute phase inflammation than absolute CD4 count during virally-suppressed HIV infection Rodney Rousseau, Canada
PE9/31	Immune activation and chronic inflammation: is there an additional effect of HIV in a geriatric population? Clotilde Allavena, France
PE9/32	Trends in cardiovascular risk factors and estimated 10-year cardiovascular risk score in a spanish cohort of PLWH: 2010-2018 Francisco Fanjul, Spain
PE9/33	Prevalence of depression and associated psychosocial factors among HIV positive patients attending ART clinic at Gulu Regional Referral Hospital Ronald Kiyemba, Uganda
PE9/34	Potentially inappropriate medications in older adults with HIV in the region of Madrid, Spain Beatriz López-Centeno, Spain
PE9/35	Impact of the reproductive/hormonal status on weight, fat and insulin resistance in HIV-infected women switching from a PI regimen to dual raltegravir-etravirine therapy: results from the ANRS163-ETRAL trial at 48 and 96 weeks acqueline Capeau, France
PE9/37	Age- and sex-related differences in concomitant diseases and use of co-medication in patients with treated HIV-infection in Germany Karen Martin, Germany
PE9/38	Kidney transplantation in HIV-positive patients in Israel including the first case of HIV-positive living donor to HIV-positive recipient with a 7-year follow-up Eugene Katchman, Israel
PE9/39	Vitamin D deficiency and frailty phenotype in HIV-infected men Fiona Bhondoekhan, United States
PE9/40	The UCSD performance-based skills assessment is associated to cognitive performance in HIV positive population with very good immunological condition Valentina Delle Donne, Italy
PE9/41	Alcohol, smoking and the association with HIV virological non-suppression among people living with HIV on ART Timothy Peter Wynne Jones, United Kingdom
PE9/42	Decreasing incidence of diabetes mellitus in HIV-positive Taiwanese patients on combination antiretroviral therapy from 2004 to 2011 Pei-Ying Wu, Taiwan, Republic of China
PE9/43	Incidental findings in PLWH over 50 undergoing coronary artery calcium scoring (CACS) for cardiovascular risk assessment Maria Mazzitelli, United Kingdom
PE9/44	Aging biomarkers, inflammatory cytokines and development of cardiovascular ischemic events or diabetes in HIV-infected persons Jose I Bernardino, Spain
PE9/45	Falls but not frailty are common in people living with HIV using an mHealth platform: issues of ageing within the EmERGE cohort Tom Levett. United Kingdom

PE9/46	A standardized comparison of cardiovascular risk factor treatment in people living with HIV and general population Vicente Estrada, Spain
PE9/48	Perceptions of ageing and desire for ageing information amongst users of the EmERGE mHealth platform Tom Levett, United Kingdom
PE9/49	Switching to bictegravir/emtricitabine/tenofovir alafenamide (B/F/TAF) in adults aged >65 or older: week 48 results from a phase 3b, open-label trial Franco Maggiolo, Italy
PE9/50	Safety and efficacy of switching from tenofovir disoproxil fumarate to tenofovir alafenamide in people with HIV aged 50 years and older Hans-Jürgen Stellbrink, Germany
PE9/51	HIV testing in patients diagnosed with community acquired pneumonia or primary lung cancer from 2014 to 2018 in a tertiary reference hospital in Northern Spain Teresa Rubio Obanos, Spain
PE9/52	Menopause in aging women living with HIV: changes in bone mineral density and trabecular bone score Giovanni Guaraldi, Italy
PE9/53	Higher anti-CMV IgG concentrations are not associated with longitudinal brain injury in virally suppressed people with HIV Jonathan Underwood, United Kingdom
PE9/55	Higher Prevalence of CKD in HIV+ individuals compared to the general population Stefan Esser, Germany
PE9/56	Effect of CMV viraemia on endothelial dysfunction over 42 weeks in Malawian adults initiating ART with advanced immune suppression Christine Kelly, Ireland
PE9/57	High prevalence of neurocognitive impairment in adults with perinatally acquired HIV infection Irene Portilla-Tamarit, Spain
PE9/58	Modeling 2018 AHA cholesterol guidelines in HIV Giacomo Ciusa, Italy
PE9/59	A multi-disciplinary Neuro-HIV Platform in managing patients with neurocognitive impairment Phanie Bidlingmeyer, Switzerland
PE9/60	Archi-Prevaleat project. A national register of color-Doppler ultrasonography of the epi- aortic vessels in patients living with HIV Salvatore Martini, Italy
PE9/61	Preliminary results of a diagnostic-therapeutic work-up to early detect cardiovascular disease in HIV positive patients Giovanni Millotti, Italy
PE9/62	Bone mineral density changes in young African women on tenofovir disoproxil fumarate antiretroviral therapy and non-hormonal contraception Flavia Kiweewa Matovu, Uganda

PE9/63	Examination of HIV-infected patients regarding weight gain while using integrase inhibitors in Japan Ryoko Sekiya, Japan
PE9/65	Predictors of sarcopenia and its impact on components of the frailty phenotype in an Asian population living with HIV Grace Lui, Hong Kong
PE9/66	Failure to restore CD4 cell count with combination antiretroviral therapy is associated with increased systemic inflammation Rodney Rousseau, Canada
PE9/67	High prevalence of left ventricular systolic dysfunction assessed by speckle tracking in asymptomatic HIV patients Dimitris Basoulis, Greece
PE9/68	Polypharmacy and drug-drug interactions - prevalence in a Portuguese HIV Metabolic Clinic Joana Fragoso, Portugal
PE9/69	Bone density alterations in the HIV-infected patient - epidemiologic characterization of a Portuguese cohort Diogo Guerra, Portugal
PE9/70	Cigarette smoking disproportionately impairs nitric oxide signaling in pulmonary artery endothelial cells in HIV: role of viral and host factors
	Saurabh Aggarwal, United States
PE9/71	Frailty phenotype in older virologically suppressed PLWHIV is strongly correlated with specific comorbidities and tobacco use Christina Katerina Psomas, France
PE9/72	HIV-FUNCFRAIL study: differences between women and men aging with HIV Fátima Brañas, Spain
PE9/73	Prevalence, risk factors and outcomes of cardiovascular, metabolic and chronic kidney diseases in HIV-infected vs. uninfected adults in sub-Saharan Africa: a systematic review and meta-analysis Ajibola Awotiwon, South Africa
PE9/74	People living with HIV are more likely to be screened for cardiovascular disease risk factors than other members of the general population in Botswana - a community based study Onkabetse Julia Molefe-Baikai, Botswana
PE9/75	APOL1 high risk genotype has an adverse impact on kidney function in African HIV-infected patients with high viral load Nongodo Firmin Kabore, France
PE9/76	Comparison of 2 frailty scores in PLWHIV aged 50 and over: SOF index and FRIED phenotype Christina Katerina Psomas, France
PE9/77	Annexin V, Annexin A1 and cardiovascular risk in HIVpopulation Claudio Ucciferri, Italy
PE9/78	Could we consider the intima-media thickness (c-IMT) > 1mm as a risk factor for cardiovascular diseases in HIV+ subjects chronically treated with antiretrovirals? Alessio Pampaloni, Italy

PE9/79	Immune reconstitution inflammatory syndrome (IRIS) in HIV-infected hospitalized patients with advanced disease Alberto Díaz-de Santiago, Spain
PE9/80	Low Body Mass Index (BMI) in ART naïve HIV-positive subjects and risk of virological failure and drug discontinuation: data from the ICONA Foundation Cohort Roberto Rossotti, Italy
PE9/81	Sistatin C, KIM1 and NGAL as biological markers for detecting early kidney injury in HIV positive patients Aslıhan Ulu, Turkey
PE9/82	Long-term AIDS survivors: comorbidities and polypharmacy a new challenge María José Galindo Puerto, Spain
PE9/83	Risk Factors associated to immune reconstitution inflammatory syndrome (IRIS) in HIV- infected hospitalized patients with advanced disease Alberto Díaz-de Santiago, Spain
PE9/84	Sleep disorders and depression through efavirenz to dolutegravir transition in Brazil: what really changed after all Melissa Medeiros, Brazil
PE9/85	Patterns of inflammation and comorbidity in Human Immunodeficiency Virus (HIV) infection: a clustering analysis from the CARDAMONE study Sonia Zebachi, France
PE9/86	Cognitive impairment in patients with HIV in a Mexican hospital Lucia Carrazco Ibarra, Mexico
PE9/87	Clinical management of ageing people living with HIV in Europe: The view of the care providers Marta Boffito, United Kingdom
PE9/88	Real-word characterization of the Portuguese population living with HIV who initiated Raltegravir based-regimen in the last three years - REALITY Study Joana Almeida, Portugal
PE9/89	Long-term lipid-lowering-therapy in HIV is clinically effective Henning Drechsler, United States

ePosters 09:00 - 16:00

Exhibition hall

HIV-associated and non HIV-associated tumours

PE14/1 Prevalence of anal dysplasia among persons living with human immunodeficiency virus (HIV)

Adelaine Lopez, Philippines

PE14/2 HIV infection is associated with reduced survival among hepatocellular carcinoma cases from an urban referral hospital: Kampala, Uganda

Sara Nsibirwa, Uganda

PE14/3	High prevalence of anal and cervical dysplasia in a cohort of HIV-infected women, but low prevalence of concomitant lesions Ana Gomez, Ecuador
PE14/4	Malignant and benign skin lesions in HIV-1 infected people Alessandra Latini, Italy
PE14/5	Results of HPV-testing for anal screening in HIV-infected women Anna Popova, Russian Federation
PE14/6	COHORT SDT (Granada): decrease of the incidence of HSIL+ in the anal mucosa of HIV+ patients MSM after the performance of a screening, diagnostic and therapeutic program (2010-2018) Carmen Hidalgo-Tenorio, Spain
PE14/7	Prospective longitudinal study on immunogenicity and safety of vaccination against human papillomavirus (HPV) with the 9valent vaccine in HIV-positive women, the Papillon study: preliminary results on tolerance and safety Déborah Konopnicki, Belgium
PE14/8	Cancer trends and outcomes in a cohort of people living with HIV Andrea De Vito, Italy
PE14/9	Rate of HCC occurrence and associated risk factors in a multicentric cohort of HIV/HCV co- infected patients treated with DAAs Alice Toschi, Italy

ePosters 09:00 - 16:00

Exhibition hall

Other coinfections/Sexually transmitted infections

PE24/2	High rates of ocular and neurosyphilis in a large German, city-based university hospital: lessons learned on ocular syphilis Laura Franziska Wagner, Germany
PE24/3	Decreasing rate of HIV and HBV co-infection in nationwide Korean HIV/AIDS cohort and its meaning Yoonjung Kim, Korea, Republic of
PE24/5	Prevalence of syphilitic hepatitis among HIV-infected patients in Istanbul, Turkey, a region with increasing incidence of syphilis and HIV infection Ozlem Altuntas Aydin, Turkey
PE24/6	Seroconversion rate after yellow fever vaccine in HIV- positive patients Charlotte Martin, Belgium
PE24/7	Low seroprevalence of syphilis infection among key populations in Togo in 2017: a national cross-sectional survey Fifonsi Gbeasor, Togo
PE24/8	Socio demographics, sexual behavior and clinical manifestations of HIV+ and HIV- patients diagnosed with syphilis, Brussels 2017-2019

Agnès Libois, Belgium

PE24/9	Risk factors and prevalence of syphilis, gonorrhea and chlamydia infections in the Swiss HIV cohort study Catrina Mugglin, Switzerland
PE24/10	Predictors of serofast state after treatment for syphilis in HIV-infected patients Gregor Paul, Germany
PE24/11	A proactive approach to assess rising STIs among different at-risk groups of MSM in the early era of PrEP: a real-world clinical care setting Christina Katerina Psomas, France
PE24/12	Profiles of multidrug resistant gonorrhea in HIV-infected patients attending an urban hospital in Uganda Christine Katusiime, Uganda
PE24/13	Sexually transmitted diseases clinic in a Portuguese Infectious Diseases unit Joana Fragoso, Portugal
PE24/14	Quantification of DNA human papillomavirus 16 and 18 in anal cells improves the prediction of high grade anal intraepithelial neoplasia in HIV patients Marcos Diez, Spain
PE24/15	Primary prophylaxis against Pneumocystis jirovecii Pneumonia may be effective in preventing severe bacterial pneumonia in HIV-positive patients: findings from a large Italian center Alex Dusina, Italy
PE24/16	HHV-8 salivary shedding in individuals with different HIV status and sexual behaviour Elvira Domonova, Russian Federation
PE24/17	Insights into syphilis reinfection in HIV patients: predictors and role of serofast condition Chiara Picarelli, Italy
PE24/18	Infective endocarditis, a current health problem in Romanian injecting drug users Irina Cristiana Ianache, Romania
PE24/19	Preventable risk factors and predictors of hepatic and non-hepatic co-morbidities among PLHIV Oluwakemi Odukoya, Nigeria
PE24/20	Incidence of asymptomatic HAV infection among MSM living with HIV in South-Western Poland Aleksandra Szymczak, Poland
PE24/21	Behavioural patterns to identify key populations for syphilis prevention Sara Andresen, Switzerland
PE24/22	Evaluation of a systematic sexually transmitted infections screening pilot programme in HIV-positive men who have sex with men (MSM) Paula Prieto, Spain
PE24/23	Chemsex in Barcelona: a descriptive approach about men who have sex with men (MSM) who use recreational drugs in a sexual context Lorena De la Mora, Spain
PE24/24	Analysis of serum metabolite changes in early syphilis patients with or without serologic response after treatment Chia-Jui Yang, Taiwan, Republic of China

PE24/25	Stable transmission of amoebiasis among newly diagnosed HIV-positive patients in Taiwan, 2009-2018 Sung-Hsi Huang, Taiwan, Republic of China
PE24/26	Mycoplasma genitalium resistance against macrolide antibiotics in the Berlin MSM cohort tested with the Allplex MG & AziR Assay (SeeGene) Martin Obermeier, Germany
PE24/27	Predictors of ureaplasma urealyticum urinary colonization in HIV+ pregnant women: a pilot study lacopo Franconi, Italy
PE24/28	No indication of decreased syphilis susceptibility with repeated syphilis episodes in HIV-infected men who have sex with men: a multicentre prospective cohort study on risk factors and the potential role of syphilis immunity Jan Roth, Switzerland
PE24/29	The prevalence of high-risk anal HPV in HIV-positive MSM in Lebanon Nesrine Rizk, Lebanon
ePosters 09:00 - 16:00 Exhibition hall	
Toxicities	
PE32/1	Sleep and functional characteristics of Central London Outpatient HIV Cohort Ana Milinkovic, United Kingdom
PE32/2	Osteopenia and osteoporosis in young HIV-infected patients less than age of 40 years: incidence and risk factors Shu-Ying Chang, Taiwan, Republic of China

	Shu-Ying Chang, Taiwan, Republic of China
PE32/3	Predictors of weight gain in patients treated with dolutegravir Lucia Taramasso, Italy
PE32/4	Effects of lamivudine plus dolutegravir 2-drug-regimen on bone mineral density in a multicenter Italian cohort Arturo Ciccullo, Italy
PE32/5	Switching from tenofovir disoproxil fumarate (TDF) to tenofovir alafenamide (TAF) lowers alanine transaminase (ALT) and aspartate transaminase (AST) in patients with HIV infection with or without viral hepatitis co-infection Nicola Squillace, Italy
PE32/6	Weight gain in people living with HIV switched to dual therapy with dolutegravir plus rilpivirine: changes in body fat mass Pilar Vizcarra, Spain
PE32/7	Does switching to tenofovir alafenamide fumarate impair recovery of renal function in individuals newly diagnosed with tenofovir disoproxil fumarate induced renal tubular toxicity?

Weight gain among HIV-positive persons treated with dolutegravir or elvitegravir

PE32/8

John Booth, United Kingdom

Leïla Belkhir, Belgium

PE32/9	NRTI backbone modification impact on weight, lipids and cardiovascular risk Ana Milinkovic, United Kingdom
PE32/10	Comparative neuropsychiatric toxicity profile of dolutegravir (DTG) versus efavirenz (EFV) versus other antiretroviral third drugs used either in first-line or switch antiretroviral therapies (ART): data from Icona Foundation Study Cohort Annalisa Mondi, Italy
PE32/11	SWORD 1&2: maintenance or improvement in renal function in PLWH through 148 weeks after switch to the dolutegravir + rilpivirine 2-drug regimen Josep M Llibre, Spain
PE32/12	Neurotoxicity related to efavirenz does not predict neurotoxicity related to dolutegravir Sara de la Fuente, Spain
PE32/13	Human embryonic stem cells exposed to dolutegravir show decreased cellular proliferation, reduced pluripotency, and increased mitochondrial toxicity, in a dose-dependent manner: preliminary data Marie-Soleil R. Smith, Canada
PE32/14	Dolutegravir but not raltegravir reduces cell proliferation and increases mitochondrial toxicities in cultured fibroblasts; effects that are not mitigated by telomerase reverse transcriptase Helene Cote, Canada

ePosters 09:00 - 16:00

Exhibition hall

Breanne M Head, Canada

Tuberculosis and opportunistic infections	
PE35/1	Nontuberculous mycobacteria infections in Russian HIV patients: clinical features and outcomes Mikhail Savchenko, Russian Federation
PE35/2	Human immunodeficiency virus and the outcome of treatment for pulmonary tuberculosis: a retrospective study in Tehran, Iran Mohammad Bagheri, Iran, Islamic Republic of
PE35/3	Rifampicin pharmacokinetics and pharmacogenetics in Ugandan patients with multi-drug resistant tuberculosis Jackson K. Mukonzo, Uganda
PE35/4	Mycobacteria-induced immune responses by mucosal-associated invariant T (MAIT) cells are impaired in patients with tuberculosis (TB) and HIV-associated TB Muki Shey, South Africa
PE35/5	Acute onset of cerebral toxoplasmosis in patients with HIV infection Tatiana Ermak, Russian Federation
PE35/6	Association between immunological status and TB disease development in HIV-infected individuals with LTBI Ngai Sze Wong, Hong Kong
PE35/7	Amoeba- a swiss army knife for diagnosis and mechanistic understanding of Legionella infection

PE35/8	Causes and outcomes of hospitalizations among HIV positive persons in Georgia´s referral institution, 2012-2017 Nino Rukhadze, Georgia
PE35/9	Population pharmacokinetic analysis of dolutegravir in HIV/TB co-infected people with and without rifampicin Rajendra Singh, United States
PE35/10	Lung function and health-related quality of life among patients following pulmonary tuberculosis treatment in urban Uganda: a cross-sectional study Josephine Zawedde, Uganda
PE35/11	Clinical and laboratory characterization of progressive multifocal leukoencephalopathy in HIV-infected patients in the intensive care unit Anastasia Pokrovskaya, Russian Federation
PE35/13	Cryptococcal and tuberculosis coinfection: case series identified through the implementation of an advanced HIV disease package of care linked to a TB active case finding strategy in rural Mozambique Alejandro Blanco-Arévalo, Spain
PE35/14	Trends in latent tuberculosis screening in a cohort of HIV-infected patients from a low tuberculosis incidence country Pedro Palma, Portugal
PE35/15	Drug-induced hepatic injury developed in tuberculosis / HIV co-infection treatment Sarah Silva, Brazil

ePosters 09:00 - 16:00

Exhibition hall

NASH

PE22/1	Assessment of non alcoholic fatty liver disease in a cohort of HIV mono-infected patients Paola Columpsi, United Kingdom
PE22/2	Non-alcoholic fatty liver disease (NAFLD) and related metabolic disorders among HIV-infected patients in the country of Georgia Lali Sharvadze, Georgia
PE22/3	Non-alcoholic fatty liver disease is a significant predictor of cardiovascular risk in HIV-infected patients Adriana Cervo, Italy
PE22/4	Non alcoholic fatty liver disease diagnosed by non-invasive markers in HIV-infected patients Carmen Busca, Spain
PE22/5	Global prevalence of liver impairment in HIV population in direct antiviral agents (DAA) era: the role of fatty liver disease

Matilde Sánchez-Conde, Spain

ePosters 09:00 - 16:00 Exhibition hall

Viral hepatitis

PE37/1	Acute hepatitis C infection in HIV-infected patients who achieved viral suppression: incidence and risk factors Hsin-Yen Ku, Taiwan, Republic of China
PE37/2	HBV infections among HIV infected HAART receiving mothers and their exposed infants in a tertiary hospital in Kenya James Kangethe, Kenya
PE37/3	Direct-acting antivirals (DAAs) improve liver stiffness measurements but do not improve the Veterans Aging Cohort Study (VACS) Index in HIV /HCV co-infected Egyptian patients: is improved discrimination needed? Ahmed Cordie, Egypt
PE37/4	HCV/HIV coinfection in the DAA era: which patients have not been treated for HCV? Fabian Dario Rodriguez-Monaco, Germany
PE37/5	Hepatitis E seroprevalence in HIV-positive patients Mustafa Altindis, Turkey
PE37/6	Success of unrestricted DAA therapy is limited by HCV reinfections and loss to follow-up in HIV-positive patients David Chromy, Austria
PE37/7	Efficacy and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide as maintenance treatment of patients with HIV and Hepatitis B Virus (HBV) coinfection Yu-Shan Huang, Taiwan, Republic of China
PE37/8	Effectiveness of hepatitis a vaccination among people living with HIV in Taiwan: is one dose enough? Chia-Jui Yang, Taiwan, Republic of China
PE37/9	HIV patients remain at high risk for advanced liver fibrosis after curing HCV infection Natalia Bolokadze, Georgia
PE37/10	HIV/HCV coinfection in Spain: trouble will soon be over Juan Berenguer, Spain
PE37/11	Care cascade of incident HCV infection among HIV-positive patients in Taiwan Miao-Hui Huang, Taiwan, Republic of China
PE37/12	Current characteristics of HIV/HBV coinfected patients in a single HIV reference centre of Madrid Luz Martín-Carbonero, Spain
PE37/13	High HCV reinfection rate in MSM living with HIV in Barcelona: the need to focus on high risk population to achieve HCV elimination Maria Martínez-Rebollar, Spain
PE37/14	Liver disease in HIV-infected subjects in the post-HCV DAA treatment era Carmen Busca, Spain
PE37/15	Seroprevalence of hepatitis E in a Portuguese cohort of human immunodeficiency virus infected patients André Silva-Pinto, Portugal

PE37/16	Loss of seroprotection against hepatitis B virus (HBV) was associated with lower CD4 counts among HIV-positive patients who were born in the era of nationwide neonatal HBV vaccination
	Yi-Chia Huang, Taiwan, Republic of China
PE37/17	Improvement of immunity and hepatic fibrosis after HCV treatment with DAA in people living with HIV and HCV
	Montserrat Laguno, Spain
PE37/18	DAA treating Hepatitis C in HIV/HCV coinfected patients in two prisons of Rome: results and problems
	Sara Lardo, Italy
PE37/19	Progress towards eliminating mother-to-child transmission of HIV in the Macha area in Zambia from 2010-2018
	Mutinta Hamahuwa, Zambia
PE37/20	Evaluation of the hepatitis C care cascade in the country of Georgia: monitoring 4 years of progress towards elimination Tengiz Tsertsvadze, Georgia
PE37/21	Epidemiology of HIV, HBV and HCV co-infection in Israel Karen Olshtain-Pops, Israel
PE37/22	Hepatitis C treatment outcomes of HIV infected people who inject drugs in a real-world cohort
	Dimitris Basoulis, Greece
PE37/23	Treatment of acute HCV infection with direct acting antivirals (DAA) in HIV patients Cristina Gómez-Ayerbe, Spain
PE37/24	Hepatic fibrosis progression among HIV patients in Israel Karen Olshtain-Pops, Israel
PE37/25	Acute hepatitis B in persons living with HIV in a low hepatitis B prevalence area during the last two decades Luz Martín-Carbonero, Spain
PE37/26	Virological response to elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide in HIV-positive patients with lamivudine-resistant hepatitis B virus coinfection Yu-Shan Huang, Taiwan, Republic of China
PE37/27	Impact of direct-acting antiviral (DAA) agents on T cell counts and liver stiffness in HIV/HCV-coinfected patients: a multicenter prospective observational cohort study David Dalmau, Spain
PE37/28	Trends of HCV infection among HCV-seronegative, HIV-positive patients in Taiwan between 2011-2018
	Li-Hsin Su, Taiwan, Republic of China
PE37/29	The micro-elimination approach to eliminating Hepatitis C: a Fast Track City project Franco Maggiolo, Italy
PE37/30	Road to HCV elimination in HV/HCV coinfected patients by screening and universal access to DAA: baseline data from the first screening of NoCo (No-Coinfection) study Antonella d'Arminio Monforte, Italy

PE37/31	HCV cascade of care for HIV/HCV coinfected individuals in Greece and HCV treatment considerations in clinical practice Mina Psichogiou, Greece
PE37/32	Hepatitis B core-related antigen and anti-hepatitis B core antibody are not associated with liver fibrosis evolution in HIV-HBV co-infected patients during treatment with tenofovir Romuald Cruchet, France
PE37/33	Antiretroviral therapy: a possible role in lipid changes after HCV eradication by DAAs Alessandra Vergori, Italy
PE37/34	Treatment of cirrhotic monoinfected and HCV/HIV coinfected patients with direct acting antivirals (DAAs) Fábio Videira Santos, Portugal
PE37/35	Predictors of vaccine efficacy after hepatitis B vaccination in people with HIV infection Gerardo Ibarra, Germany
PE37/36	Long term response to mandatory anti-HBV vaccination: risks for disease acquisition and opportunities for re-vaccination within the ICONA cohort Roberto Rossotti, Italy
PE37/37	The assessment of HBsAg serum concentration during chronic hepatitis B phases' identification among HIV/HBV coinfected patients before antiviral therapy prescription Tetiana Melnyk, Ukraine
PE37/38	Predictors of liver fibrosis improvement after HCV eradication in HIV+ patients: data from an Italian cohort Alessandra Vergori, Italy
PE37/39	Long-term follow-up of people who use drugs (PWUD) following HCV infection therapy: drug use patterns among HIV co-infected versus mono-infected patients Astou Thiam, Canada
PE37/40	Treatment outcome of HCV single vs multi tablet regimen in mono and HIV co-infected people who use drugs (PWUD): a long-term follow-up analysis Astou Thiam, Canada

ePosters 09:00 - 16:00

Exhibition hall

Gender issues

PE10/1	Patient, clinical and virus genetic characteristics of migrants from Eastern, Central and Western Africa enrolled in the SHCS
	Nadine Bachmann, Switzerland
PE10/2	Menopause impacts drug use and mental health in women with HIV in Switzerland Anna Hachfeld, Switzerland
PE10/3	Gender-specific analysis of a German cohort of HIV-infected patients on Raltegravir-based therapy shows distinctive baseline co-morbidity profiles of women versus men but no impact on treatment outcomes
	Karen Martin, Germany

PE10/4	Menopausal symptoms, sleep disorders and anxiety/depression among premenopausal and postmenopausal HIV-infected women: a multicenter cohort study in Spain Ines Suarez, Spain
PE10/5	An evaluation of the care given to older women attending an HIV clinic in London Claire Williams, United Kingdom
PE10/6	Anti-Mullerian hormone a plausible indicator of cardiometabolic risk in HIV-infected women Umbelina Caixas, Portugal
PE10/7	Differences in sexual health among HIV infected and uninfected women of child-bearing age Raffaella Marocco, Italy

ePosters 09:00 - 16:00

Mother-to-child transmission

PE21/1	HIV infection in pregnant women and children in Switzerland: how effective are measures for preventing mother-to-child transmission? Martin Gebhardt, Switzerland
PE21/2	No evidence for induced glucuronidation of dolutegravir in HIV-infected pregnant women Vera Bukkems, Netherlands
PE21/3	Comparative analysis of clinic and laboratory parameters and frequency of mother-to-child transmission of HIV among HIV-positive pregnant women with marked immunodeficiency and normal immunological status Olga Mozaleva, Russian Federation
PE21/4	Analysis of perinatal HIV transmission cases in St. Petersburg Anna Samarina, Russian Federation
PE21/5	Geopolitical assessment and relevance for acceptance of vaginal delivery in good controlled HIV-infected pregnant women in Japan Kimikazu Hayashi, Japan
PE21/6	Pregnancy outcomes in HIV-positive women: a retrospective national cohort study from the "Grigorios AIDS Clinic" in Cyprus Georgios Siakallis, Cyprus
PE21/7	New-born infants from HIV positive women: five years experience of Infectious Diseases Hospital lasi Alexandra Largu, Romania
PE21/8	Risk factors for peripartum virological failure in South African pregnant women on anti-

retroviral therapy: East London Prospective Cohort Study

Oladele Vincent Adeniyi, South Africa

ePosters 09:00 - 16:00

Exhibition hall

Exhibition hall

Paediatric, adolescent

PE25/1	Effect of cluster of differentiation (CD4) on viral respiratory infection in children, between 0-5 years of age. A study conducted in Kwazulu-Natal, South Africa Temitayo Famoroti, South Africa
PE25/2	Adolescent HIV and asymptomatic malaria parasitemia (AMP) co-infection David Segun Adeniyi, Nigeria
PE25/3	Clinical features of viral diarrhea in the children of HIV Marufjon Salokhiddinov, Uzbekistan
PE25/4	High rate of rubella seronegativity in perinatally-infected HIV women of childbearing age: a case-control study Nicolas Dauby, Belgium
PE25/5	Health outcomes in adolescents and young adults living with HIV before and after transition to adult care in Barcelona Josep Ferrer Arbaizar, Spain
PE25/6	Correction of lipid abnormality by integrase inhibitor among children taking ART Anna Samarina, Russian Federation
PE25/7	Increasing contribution of sexually-transmitted HIV diagnoses in adolescents in Spain Enrique Bernal, Spain
PE25/8	Factors associated to late presentation of HIV newly diagnosed adolescents in Spain Enrique Bernal, Spain
PE25/9	Comparison of antiretroviral treatment initiation in HIV newly diagnosed adolescents in Spain Melchor Riera Jaume, Spain
PE25/10	Oral self-testing for adolescents and young adults absent or declining to test during home-based HIV testing - a mixed-method study embedded in a cluster-randomized trial in Lesotho (ADORE study) Alain Amstutz, Switzerland
PE25/11	Preterm births in women living with HIV in Switzerland: a 13-year evaluation Christian R Kahlert, Switzerland
PE25/12	Poor clinical outcomes in HIV-infected children who start antiretroviral therapy at an older age Kevin P. McKenzie, United States
PE25/13	Prevalence and predictors of unintended pregnancies among HIV positive young adults (14-24 years) attending an urban HIV clinic in Uganda Mackline Hope, Uganda
PE25/14	Microbiota composition in a cohort of underweight HIV-positive children aged 24-72 months in Cape Town, South Africa Margaret Van Niekerk, South Africa
PE25/15	Influence of maternal parameters on birth outcome in HIV-exposed newborns - 11 year observation Karolina Nowicka, Poland

ePosters 09:00 - 16:00 Exhibition hall

Cascade of care

PE6/1	Self-reported non-receipt of HIV test results: a silent barrier to HIV epidemic control in Mozambique Didier Mugabe, Mozambique
PE6/2	Improvement in ART initiation in different regions of Ukraine from 2010 to 2014 Tetiana Salyuk, Ukraine
PE6/3	The HIV treatment cascade in Azerbaijan, 2018 Natig Zulfugarov, Azerbaijan
PE6/4	Seven years of European Testing Week: impact of a regional awareness campaign on increase in awareness and testing activities in Europe Lauren Combs, Denmark
PE6/5	Impact of integrated family planning and HIV services on early postpartum contraceptive use among women with HIV in the Eastern Cape, South Africa Oladele Vincent Adeniyi, South Africa
PE6/6	The first report of Prevention of Mother-to-Child Transmission (PMTCT) of HIV in Islamic Republic of Iran Ebrahim Ghaderi, Iran, Islamic Republic of
PE6/7	New HIV diagnosis and linkage to care in two outpatient units in South Europe Alessio Pampaloni, Italy
PE6/8	The HIV- and HCV-cascade in Swiss opioid agonist treatment (OAT) patients - the SAMMSU-cohort Andrea Bregenzer, Switzerland
PE6/9	Increased Integrated testing for HIV and HCV in health care facilities: examples from the INTEGRATE activities in Lithuania and Romania Raimonda Matulionyte, Lithuania
PE6/10	AIDS and late presentation follows testing gaps in Poland - data from Test and Keep in care (TAK) Polska project Justyna Kowalska, Poland
PE6/11	Loss to follow-up and re-linkage to care in a single cohort study: who do we re-link to care? Laura Magnasco, Italy
PE6/12	Expanding access to HIV tests in 13 cities in Indonesia: an interrupted time series investigating effect of HIV policy intervention using six years population data Yane Tarigan, Australia
PE6/13	Link HIV-infected injection drug users after the imprisonment to continuum of HIV care program in Taiwan Wei-Wei Wu, Taiwan, Republic of China
PE6/14	HIV continuum of care by sex and mode of transmission in Spain, 2016: use of different sources of information Victoria Hernando, Spain
PE6/15	Temporal trends in time from HIV diagnosis to viral load suppression in CoRIS Belén Alejos, Spain

PE6/16	Navigation of HIV positive clients. Reasons of gaps in HIV cascade among PWID Oksana Pashchuk, Ukraine
PE6/17	Tracing the patterns of HIV-1 transmission among individuals with different time to diagnosis in Greece Evangelia-Georgia Kostaki, Greece
PE6/18	Late diagnosis and delayed presentation in Korean HIV/AIDS cohort Shin Woo Kim, Korea, Republic of
PE6/19	Interruption of HIV care: understanding the predictors and outcomes in the Belgian nationa HIV cohort Dominique Van Beckhoven, Belgium
PE6/20	The HIV continuum of care: current situation and advances. A systematic review Georgia Vourli, Greece
PE6/21	The contribution of a partnership with a civil society organization (SCO) to early HIV diagnosis and UNAIDS goals Antonio Diniz, Portugal
PE6/22	HIV cascade of care in Turkey: data from the HIV-TR cohort Deniz Gökengin, Turkey
PE6/23	Cascade analysis of anonymous voluntary HIV counseling and testing among HIV-infected patients in Taiwan Chun-Yuan Lee, Taiwan, Republic of China
PE6/24	Late presentation of HIV in Armenia Trdat Grigoryan, Armenia
PE6/25	Oral self-testing for individuals absent or refusing testing during home-based HIV testing - a cluster-randomized trial in Lesotho (HOSENG trial) Tracy R Glass, Switzerland
PE6/26	Acceptability of rapid tests for migrants during the medical consultation at the migration point Martin Duracinsky, France
PE6/27	Evaluation of the "test and treat" strategy in an high-income setting: data from a multicenter Italian cohort Gianmaria Baldin, Italy
PE6/28	Pill box return as a predictor of treatment outcome to antiretroviral therapy in PLHIV: a prospective cohort study Robert Ndege, Tanzania, United Republic of
PE6/29	Potentially missed opportunity to diagnose HIV with standard testing algorithm among adult patients with ongoing mononucleosis-like illness Anna Vassilenko, Belarus
PE6/30	HIV Continuum of Care Cascade in Cluj County, Romania. Comparative situation of the years 2016, 2017, 2018 Adriana Topan, Romania
PE6/31	People living with HIV lost to follow up in the Paris region area and actions carried out by HIV care centers Nicolas Vignier, France

Far from 90-90-90 goals in Latin America

PE6/32

-,-	Maria Greco, Argentina
PE6/33	Barriers to involving patients in ART as a challenge to the national health system in Ukraine Serhii Riabokon, Ukraine
PE6/34	Index testing and intensified case finding for efficiency in HIV testing in Rwanda Eric Remera, Switzerland
ePosters 09:00 - 16:0	0 Exhibition hall
Morbidit	y/mortality in the era of cART
PE20/1	The association of rare HLA alleles with clinical disease progression in HIV-positive cohorts with varied treatment strategies Christina Ekenberg, Denmark
PE20/2	Neutrophil-to-lymphocyte ratio compared to CD4+:CD8+ T-cell ratio as a predictor of non-AIDS events in treated people living with HIV Nick Power, Ireland
PE20/3	Factors associated with virologic failure in women with HIV: Condesa specialized clinics, Mexico City Teresita De Jesús Cabrera Lòpez, Mexico
PE20/4	Causes of death among a cohort of HIV-infected adults in rural Tanzania Fiona Vanobberghen, Switzerland
PE20/5	Predictors of early mortality among adult HIV-infected patients on antiretroviral therapy in a Kenyan pastoralist community: a retrospective cohort study Paul Yonga, Kenya
PE20/6	Trends in underlying causes of death in HIV - infected patients from 2016 to 2018 in Ukraine: a cohort study Tetiana Kyrychenko, Ukraine
PE20/7	Dynamic of CD4+/CD8+ ratio in late presenters: impact on clinical outcomes Marta Rava, Spain
PE20/8	Retrospective investigation into the causes of death in HIV-infected patients from Bonn in the era of combined Anti-Retroviral Therapy Lukas Knieps, Germany
PE20/9	Reduced utility of early procalcitonin in HIV febrile patients admitted to the emergency department Chiara Picarelli, Italy

Patients with HIV and HCV in intensive care treatment: admission criteria and trends in the

Burden of disease in PLWH harboring a 4-class drug resistant virus: data from PRESTIGIO

intensive care unit (ICU) at the University Hospital of Bonn 2014-2019

PE20/10

PE20/11

Stefan Schlabe, Germany

Maria Rita Parisi, Italy

Registry

PE20/12	Changing pattern of hospital admissions due to medical conditions in HIV-infected subjects in a European public health care system with free access to antiretroviral treatment Joan Raga Almudéver, Spain
PE20/13	Association of non-adherence to antiretroviral therapy with cardiovascular outcomes in virologically suppressed persons living with HIV: the Swiss HIV Cohort Study Tracy R Glass, Switzerland
PE20/14	Differences in social and mental well-being of long-term survivors among people who inject drugs and other participants in the Swiss HIV Cohort Study: 1980 - 201 Katharina Kusejko, Switzerland
PE20/15	Low pre-ART CD4 count is associated with increased risk of clinical progression or death even after reaching 500 CD4 cells/ μ L on ART Nikos Pantazis, Greece
PE20/16	A comparative analysis on blood pressure in HIV-infected individuals versus uninfected controls residing in Sub-Saharan Africa: a narrative review Edith Phalane, South Africa
PE20/17	Causes of death in AIDS/HIV-infected patients at the hospital of infectious diseases in St. Petersburg, Russia Olga Sokolova, Russian Federation
PE20/18	Dynamics and structure of mortality of HIV-positive people in Ukraine Nataliia Bugaienko, Ukraine

ePosters 09:00 - 16:00

Exhibition hall

Prevalence, incidence and dynamics of HIV epidemics

PE29/1	Monitoring rates and accessibility of HIV and STI´s testing, HAV and HBV vaccination among men who have sex with men in Slovenia Miran Solinc, Slovenia
PE29/2	Data triangulation to re-shape interventions to improve the HIV response: compering data from estimates, case reporting, and sentinel surveillance in Ukraine Tetiana Salyuk, Ukraine
PE29/3	The impact of frequent cannabis use on injection drug use patterns among people who use drugs in a Canadian setting Hudson Reddon, Canada
PE29/4	Predicting early loss to follow-up on ART: a retrospective review of clients' retention on ART in North-western Nigeria Johnson Okolie, Nigeria
PE29/5	The increasing number of late HIV diagnosis among men having sex with men and transgender women in a key population-led HIV testing and treatment facility and its societal implication in the Philippines Patrick Eustaquio, Philippines

HIV transmission network in a cohort of subjects with primary infection in a single clinical

Page 150 / 174

center in RomeLavinia Fabeni, Italy

PE29/6

PE29/7	Evaluation of a multiassay approach for determination recent HIV infection in the Russian Federation Anastasia Murzakova, Russian Federation
PE29/8	Ongoing spread of HIV subtype A in Tel Aviv, Israel Dan Turner, Israel
PE29/9	Simple clinical and laboratory based score may identify HIV infection recency and subsidize HIV surveillance in low and middle-income countries (LMIC), Santo André/Brazil experience Elaine Monteiro Matsuda, Brazil
PE29/10	Clinical, epidemiological & virological features of primary HIV-1 infection in an HIV reference center in Brussels: a ten years' review Arthur Poncelet, Belgium
PE29/11	Current trends in HIV genetic diversity in Russia: increase of the unique recombinants prevalence Anastasiia Antonova, Russian Federation
PE29/12	Analysis of risk factors in HIV/AIDS patients Esra Zerdali, Turkey
PE29/13	Tracing the first HIV-1 epidemics in the Milan area Alessia Lai, Italy
PE29/14	Analysis of the local HIV-1 epidemic in Vologda region, Russia: predominance of CRF03_AB and rapid expansion of URFs Ekaterina Ozhmegova, Russian Federation
PE29/15	Identification of first near full length recombinant genome of HIV-1 in Korea Mee-Kyung Kee, Korea, Republic of
PE29/16	Characteristics of HIV infection among children in Georgia, 1989-2018 Natela Chokoshvili, Georgia
PE29/17	HIV infection in older patients Barbara Belfiori, Italy
PE29/18	Seroincidence of the human herpesvirus 8 (HHV 8) infection among HIV-positive patients in Taiwan, 2016-2019 Yi-Ching Su, Taiwan, Republic of China
PE29/19	Risk factors for late presentation for HIV care in 2019 in Ukraine Maryna Sukach, Ukraine
PE29/20	Incidence of hepatitis C virus infection among people living with HIV(PLHIV): an Egyptian Cohort Study Rahma Mohamed, Egypt
PE29/21	High HIV prevalence following screening of subjects with HIV indicator conditions in a hospital setting Camilla Tincati, Italy
PE29/22	First decrease in new HIV diagnoses in 2018 among men who have sex with men (MSM), in the East PACA (Provence Alpes Côte-d´Azur) area in France Philippe Bouvet de la Maisonneuve, France

PE29/23	The collision of public health interventions on HIV-1 spread in Albania by molecular epidemiology
	Shkurti Enkelejda, Albania
PE29/24	Two decades of HIV infection late diagnosis: the experience of a Portuguese Hospital
	Sofia Jordão, Portugal
PE29/25	Characterization of HIV patients followed in a specialist consultation at a tertiary and universitary centre
	Fábio Videira Santos, Portugal
PE29/26	Trends in epidemiology and clinical picture of late presentation among patients of the Hospital for Infectious Diseases in Warsaw
	Joanna Pula, Poland
PE29/27	An evolutionary insight into a growing HIV subtype A epidemic in Serbia Marina Siljic, Serbia
PE29/28	Change of prevalence, diseases distribution and factors associated with the risk of AIDS presentation in Italy over last decade (2009-2018) Andrea Antinori, Italy
PE29/29	The effect of gender on late diagnosis of HIV infection in a high incidence European population Rita Filipe, Portugal
PE29/30	Two decades surveillance of HIV-1 transmitted drug resistance in Serbia Valentina Cirkovic, Serbia
PE29/31	3M-BRiHT - Manchester Cohort. Investigation of the feasibility and acceptability of rapid HIV testing in a European Emergency Department setting Molly M. O'Kane, Ireland
PE29/32	HIV-1 A6 subtype: its challenging identification and Southern Russian molecular epidemiology Saleta Sierra, Germany
PE29/33	Neurodevelopmental assessments to screen for HIV encephalopathy in newly diagnosed infants not on ART in Mozambique Jyodi Mohole, United States

ePosters 09:00 - 16:00

Exhibition hall

Prevention of horizontal transmission, cART as prevention

PE30/1 Tolerability and treatment completion of tenofovir alafenamide/emtricitabine/rilpivirine (TAF/FTC/RPV) as HIV postexposure prophylaxis

Marie Chauveau, France

ePosters 09:00 - 16:00

Exhibition hall

Standard of care

PE31/1	Exploring the attitudes of HIV-positive patients on single-tablet antiretroviral regimens towards generic de-simplification Ciara Levey, Ireland
PE31/2	Comparison of Immunological and virological response to cART between HIV-1/O and HIV-1/M patients followed-up in France: the ANRS ORIVAO and COPANA studies Guillemette Unal, France
PE31/3	From HIV diagnosis to antiretroviral therapy initiation in Croatia from 2013 to 2018 Nikolina Bogdanić, Croatia
PE31/5	Tetanus seroprotection in HIV-positive subjects living in Belgium: risk factors for seronegativity, evaluation of medical history and a rapid dipstick test Nicolas Dauby, Belgium
PE31/6	The prevalence of virologic failure and resistance associated mutations in single and multitablet HIV treatment regimens
	Chien-Yu Cheng, Taiwan, Republic of China
PE31/7	Development and validation of a risk score for predicting non-adherence to antiretroviral therapy Hernando Knobel, Spain
PE31/8	Measles seroprevalence among HIV infected patients in central part of Poland - vaccination proposal Ewa Siwak, Poland
PE31/9	Nurse-led annual health review - one year follow up Marie-Pierre Klein, United Kingdom
PE31/11	Viral hepatitis in HIV-positive patients - testing, prophylaxis and treatment in Central and Eastern Europe Kerstin Kase, Estonia
PE31/12	Evaluating a national pilot process for reviewing late HIV diagnoses in England and Wales Ming Jie Lee, United Kingdom
PE31/13	GESIDA quality of care indicators for PLWH: report from two Spanish hospitals 2009-2017 Francisco Fanjul, Spain
PE31/14	Late presentation and barriers to the early HIV diagnosis in Central part of Ukraine Tetiana Koval, Ukraine
PE31/15	Operational research of barriers and facilitators to harm reduction services for intravenous drug users (including female IDUs) Tamar Zurashvili, Georgia
PE31/16	A seven-month prospective review of HIV admissions to a regional infectious disease unit in Manchester, UK Hamzah Zahid Farooq, United Kingdom
DE01/17	
PE31/17	Annual health review for people living with HIV - an evaluation Sarah Edwards, United Kingdom
PE31/18	Analysis of adherence to HIV-positive quality of care indicators and their impact of service quality perceptions in patient: a Spanish cross-sectional study Alejandra Gimeno García, Spain

ePosters 09:00 - 16:00 Exhibition hall

Behavioural interventions

PE5/1	Close group social media network and social gatherings for comprehensive HIV services among adolescent MSM in Lagos Nigeria Orobosa Enadeghe, Nigeria
PE5/2	Good hygiene practices post circumcision: a case for low adverse events in VMMC Timothy Kipkosgei, Kenya
PE5/3	Challenges of implementing HIV counselling and testing (HCT) campaigns for higher education distance learning students at University of South Africa Nkay Pascal Kiabilua, South Africa
PE5/4	Enhancing effective HIV prevention among girls by fighting child marriage and sexual and gender based violence in Karonga district, Malawi Shora Manuel Kauluka, Malawi
PE5/5	Effectiveness of rapid HIV and HCV testing programmes based on mobile units Ekaterina Zinger, Russian Federation
PE5/6	It can't happen to me - tackling cognitive mistakes and HIV using a national campaign Arian Diskovic, Croatia
PE5/7	Is mobility still a HIV/STI associated vulnerable factor in the changing sex work dynamics among female sex workers in India? - Emerging evidence Priyanka Dixit, India
PE5/8	"Amare con Sapienza": an Italian digital ambient media prevention campaign in one of the largest European University to increase U=U, PreP, TasP knowledge Serena Vita, Italy
PE5/9	Assessing high risky sexual behaviors in vulnerable women in northern Uganda: baseline results of "Pe Atye Kena, no longer alone" study Antonella Cingolani, Italy
PE5/10	HIV/AIDS educational program for secondary school female students in Iran: a school-based randomized controlled trial Farid Yousefi, Iran, Islamic Republic of

ePosters 09:00 - 16:00

Exhibition hall

Clinical trials of vaccines

PE8/1 Seroprevelance of vaccine preventable viral diseases and vaccine response among HIV positive patients

Fatma Sebnem Erdinc, Turkey

PE8/2 Could we recommend the current herpes zoster vaccine for patients living with HIV (PLHIV)?

Thomas Huleux, France

ePosters 09:00 - 16:00 Exhibition hall

Treatment as prevention

PE33/1 HIV-1 viral load quantification using Aptima HIV-1 Quant Dx assay in Kenya: a diagnostic accuracy study
Geoffrey Kangogo, Kenya

PE33/3 Rapid ART start in primary HIV infection: time to viral suppression in a London cohort
Nicolo Girometti, United Kingdom

PE33/4 Reality check: HIV post-exposure prophylaxis (PEP) in real-life at a tertiary care centre prior to the PrEP era

ePosters 09:00 - 16:00 Exhibition hall

Access to and models of care

Lina Thewes, Germany

Access to and models of care		
PE1/1	Barriers in TB services for people living with HIV and overcoming them according to the health care workers opinion in the TB facilities in Russia (sociological study) Zinaida Zagdyn, Russian Federation	
PE1/2	Investigating the impact of peer counseling intervention on access and use of sexual and reproductive health services in women Living with HIV in Nepal: a prospective cohort study Khem Pokhrel, Nepal	
PE1/3	Health care delivery for HIV-positive people with tuberculosis in Europe Adrian Bentzon, Denmark	
PE1/4	A survey of physicians on circumstances and factors influencing testing for HIV in Lithuania Raimonda Matulionyte, Lithuania	
PE1/5	Experiences of forgiveness and unforgiveness of HIV-specific offenses among people living with HIV/AIDS in Ghana Judith A. Osae-Larbi, Ghana	
PE1/6	Time to antiretroviral therapy: service model adaptation during an outbreak of HIV in people who inject drugs (PWIDs) Harrison Stubbs, United Kingdom	
PE1/7	HIV infection hospital-based active case finding in Sardinia, Italy: results from the SHOT project Maria Sabrina Mameli, Italy	
PE1/8	Retention activities based on home visits as a tool of return and keeping in care of low adhered patients. Results of work 2016-2019 Krasnoyarsk AIDS clinic Konstantin Kandlen, Russian Federation	
PE1/9	Pilot project of shared assistance with primary care for patients with HIV infection Adrián Ferre, Spain	

ePosters
09:00 - 16:00 Exhibition hall

HIV and marginalised groups

PE11/1	Sexual behaviors and seroprevalence of HIV, HBV, and HCV among hill tribe youths of Northern Thailand Tawatchai Apidechkul, Thailand
PE11/3	The blind spot: high HIV burden among slum-dwelling school-age girls in Kampala, Uganda Jude Thaddeus Ssensamba, Uganda
PE11/4	Research of behavioral models of transgender people leading to high rates of HIV prevalence in Ukraine Igor Medvid, Ukraine
PE11/5	Outreach services for HIV testing and prevention among female transgender commercial sex workers in Milan: different approaches for different populations? Giuseppe Lapadula, Italy
PE11/6	The impact of unstable housing on HIV treatment outcomes in people living with HIV/AIDS in an urban setting of Southern Europe Hernando Knobel, Spain
PE11/7	Reflection of sex work criminalization in court judgements targeting to protect health, sanitary and epidemiological well-being Marina Avramenko, Russian Federation
PE11/8	Caring for the Transgender HIV-positive patient Chiara Picarelli, Italy
PE11/9	Association of current Estradiol use with carotid intimal media thickness among transgender women: a cross-sectional study Rodrigo Moreira, Brazil
PE11/10	HIV and migrants: a demographic and clinical characterization of migrants under follow up at an Infectious Diseases Department in Lisbon, Portugal Marta Leal dos Santos, Portugal

ePosters 09:00 - 16:00 Exhibition hall

Social and behavioural science

PE30/2	Priorities for behavioral interventions in a group of long term PLWHA - the experience of the Baylor Clinical Centre of Excellence in Constanta, Romania Ana-Maria Schweitzer, Romania
PE30/3	Will HIV-infected patients taking oral ARV switch to long-acting injectable ART when It become available?
	Marie-Aude Khuong-Josses, France
PE30/4	Time perspectives as predictors of depression and suicidal ideation amongst adolescents and young adults with HIV: the moderating role of resilience
	Oluwapelumi Ashamu, Nigeria

PE30/5	Social support and quality of life of people living with AIDS receiving ART at BPKIHS Ram Sharan Mehta, Nepal
PE30/7	Knowledge, attitudes, beliefs and HIV-related behaviour in metropolitan France: investigation in a festive place Fernanda Medina, France
PE30/9	Injectable long acting antiretrovirals for HIV treatment or prevention: the ANRS CLAPT study Laurence Slama, France
PE30/10	Quality of life in people living with HIV: a regional survey in Flanders Gert Scheerder, Belgium
PE30/11	Innovative strategies to sustain community participation in HIV vaccine trials, experience of Makerere University Walter Reed Project (MUWRP) in Kampala, Uganda Jauhara Nanyondo, Uganda
PE30/12	Stigma among healthcare providers towards people living with HIV/AIDS in India Akanksha Rathi, India
PE30/13	"I love my life, I don't want to miss a thing": motivators and Barriers to ART adherence among women living with HIV/AIDS in Iran Nooshin Amirisani, Iran, Islamic Republic of
PE30/14	Medical students as potential sources of information about HIV/AIDS Mykola Haras, Ukraine
PE30/15	Gender violence, intimate partner violence and domestic violence among HIV-positive patients in Alicante (Spain). Preliminary results of the VIHOLETA study Jara Llenas-García, Spain
PE30/16	Influence of stigma and discrimination on psychosocial health in children affected by AIDS in Nepal: a cross-sectional study Kalpana Gaulee Pokhrel, Nepal
PE30/17	The quality of life among people living with HIV in Taiwan in the era of STR Chung-Ching Shih, Taiwan, Republic of China
PE30/18	Experiences of and factors influencing physical activity in people living with HIV: a qualitative systematic review Megan Davies, United Kingdom
PE30/20	Perception of condom use in the era of pre-exposure prophylaxis (PrEP): a qualitative analysis Shui Shan Lee, Hong Kong
PE30/21	Recommendations for enabling timely pregnancy disclosure to clinical staff of women living with HIV Stefania Mihale, Romania
PE30/22	Health-related quality of life in a single center cohort of people living with chronic diseases: comparison between HIV and other clinical conditions Antonella Cingolani, Italy
PE30/23	Experiences of Dutch obstetric healthcare providers with HIV-positive pregnant women: a qualitative study Carlijn Damsté, Netherlands

PE30/24	Evaluation of knowledge, attitudes and practices among HIV positive pregnant women and their partners in four healthcare facilities in Malawi Isotta Triulzi, Italy
PE30/25	Towards the 4th 90, measuring multi-dimensional quality of life in people living with HIV in Aquitaine, France: psychometric properties of the French version of the WHOQOL-HIV BREF Diana Barger, France
PE30/26	Body size modifies the relationship between internalized HIV stigma and pain in people with HIV in the Southeastern USA Kaylee Crockett, United States

ePosters 09:00 - 16:00

Exhibition hall

Treatment in resource-constrained settings

PE34/2	Optimizing clients linkage into ART using family-centered differentiated approach (FCDA) in Kebbi state, northwestern Nigeria: successes and challenges Johnson Okolie, Nigeria
PE34/3	A multi-stakeholder evaluation of the early implementation experiences of differentiated anti-retroviral therapy (ART) delivery roll-out across Uganda: a qualitative analysis Henry Zakumumpa, Uganda
PE34/5	Evaluation of the financial cost of treating people living with human immunodeficiency virus in the United Kingdom versus matched HIV-negative controls in 2004, 2010 and 2017 Scott Francis, United Kingdom
PE34/6	Continuous quality improvement across the viral load testing spectrum at the Infectious Diseases Institute, Uganda Harriet Tibakabikoba, Uganda
PE34/7	Pediatric HIV viral load suppression: qualitative insights of barriers and facilitators among caregivers of children on ART in high volume sites in Kisumu County, Kenya Nicollate Okoko, Kenya
PE34/8	Boosting economic affordability of HIV medicines while considering safety and effectiveness within transition from donor funding. Enabling access to TAF regime with better safety profile in Ukraine through advocacy campaign of community organization Zoia Zamikhovska, Ukraine

ePosters 09:00 - 16:00

Exhibition hall

Vulnerable groups

- PE39/1 Boys having sex with boys: CD4 count as parameter to estimate the time of infection among HIV seropositive men having sex with men and its societal implications in the Philippines
 Patrick Eustaquio, Philippines
- PE39/2 Evaluating factors increasing the vulnerability of adolescent girls and young women to HIV/AIDS infection in selected communities, Akwa Ibom State

 Jessie Inyang, Nigeria

PE39/3	Men's perspectives on HIV self-testing in sub-Saharan Africa: a systematic review and meta- synthesis Mbuzeleni Hlongwa, South Africa
PE39/4	Molecular-biological methods of diagnostics in the investigation of the case of transmission of HIV-infection Diana Valutite, Russian Federation
PE39/5	Implementation of demedicalized and decentralized HIV testing project in Brussels: action test, project for vulnerable populations at high HIV risk in Brussels, including Subsaharan African Migrants (SAM)
	Tresors Kouadio, Belgium
PE39/6	HIV prevalence, risk-taking behavior and self-testing potential among men who have sex with men and transgender people Evgeniy Pisemskiy, Russian Federation
PE39/7	Political commitment matters in the elimination of the threat of HIV and HCV and TB among people who use drugs Gefra Fulane, Portugal
PE39/8	Challeges in health and social care for migrant HIV patients in the Czech Republic Elena Tulupova, Czech Republic
PE39/9	Integration of hepatitis C cure in housing facility Soleil Evant: health cost implications Erika Castro, Switzerland
PE39/10	The role of sexual partners of people who inject drugs in better uptake of retention in HIV services Marine Gogia, Georgia
PE39/11	Male sex workers and ICT: anthropological approach of male sex workers and the different practices online: bareback, PrEP and chemsex Maxime Maes, Belgium
PE39/12	Portuguese League Against AIDS - mobile screening unit Maria Eugénia Saraiva, Portugal
PE39/13	Detectable viraemia in the era of successful antiretroviral therapy; engagement with multi- disciplinary services Shimu Khamlichi, United Kingdom
PE39/14	Optimal HIV self-testing, potential strategies to increase HIV diagnosis in Tanzania Neema Makyao, Tanzania, United Republic of

ePosters 09:00 - 16:00

Exhibition hall

Clinical case

PE7/1 Disseminated histoplasmosis in HIV, a key point of interest in Latin America Nelson Delgado, Ecuador

PE7/2 H-ART to Heart: a 43 year old body builder with HIV on anti-retroviral therapy with recurrent myocardial infractions (5 heart attacks)

Gavin Paul Raphael Manmathan, United Kingdom

PE7/3	Immune reconstitution inflammatory syndrome presenting as toxoplasma macular retinochoroiditis of eyes
	Dombu Guiafaing Reine Charlye, Cameroon
PE7/4	Invasive pulmonary aspergillosis and pulmonary tuberculosis in newly HIV diagnosed patients without prior ART exposure: differential diagnosis difficulties, treatment strategy
	Katerina Lytvin, Ukraine
PE7/5	Pseudotumor mimicking lung malignancy as a clinical presentation of Mycobacterium Avium infection in AIDS patient
	Luka Jovanovic, Serbia
PE7/6	Use of ibalizumab in a heavily treatment-experienced HIV-1-infected subject harbouring a multidrug-resistant virus
	Diana Canetti, Italy
PE7/7	Successful use of long-acting injectable cabotegravir and rilpivirine combination therapy in a patient with HIV-1 infection unable to absorb oral medication
	Razan Saman, United Kingdom
PE7/8	Cutaneous malignancy in a Romanian HIV-infected patient: diagnosis and treatment challenges
	Irina Cristiana lanache, Romania
PE7/9	Autoantibodies, drugs and a failing liver Sonia Raffe, United Kingdom

ePosters 09:00 - 16:00

Exhibition hall

Novel consultations, remote care - telemedicine, mobile applications

PE23/1	Harnessing mobile technology for health worker capacity building to improve quality of care in resource-constrained settings Walter Joseph Arinaitwe, Uganda
PE23/2	Feasibility, uptake and acceptability of the EmERGE mHealth app in individuals living with stable HIV in five European countries Jenny Whetham, United Kingdom
PE23/3	Attracting people who use drugs to HIV prevention and care programs via darknet and messengers: evidence from St. Petersburg, Russia Aleksey Lakhov, Russian Federation
PE23/4	People living with HIV (PLHIV) and their doctors: adopters and sceptics, and those opened to e-health Christine Jacomet, France
PE23/5	Fitness tracking wearable devices and a dedicated smart phone app (MySAwH App) to predict quality of life in PLWH: a multi-centre prospective study Giovanni Guaraldi, Italy
PE23/6	The efficiency of introducing the EmERGE Pathway of care for stable Croatian PLHIV

Eduard J. Beck, United Kingdom

PE23/7	'The 4th 90': a preliminary assessment of change in quality of life over 1 year of the EmERGE study: PROQOL-HIV and EQ-5D-5L, a descriptive analysis Christopher Jones, United Kingdom	
PE23/8	Measuring empowerment in EmERGE mHealth platform users: a descriptive analysis of interim data Stephen Bremner, United Kingdom	
ePosters 09:00 - 16:0	0 Exhibition hall	
PrEP		
PE28/1	Establishment of the service system of HIV pre-exposure prophylaxis/post exposure prophylaxis (PrEP/PEP) in a certain area of Southern Taiwan Kuei Ying Wang, Taiwan, Republic of China	
PE28/2	Systematic review of post-migration HIV acquisition within Europe: the case for PrEP interventions for migrants Simran Mann, United Kingdom	
PE28/3	Self-reported STI history and associated factors among German PrEP users Uwe Koppe, Germany	
PE28/4	PrEP implementation among MSM in Ukraine: results of pilot project in Kyiv Roman Marchenko, Ukraine	
PE28/5	Emergency post-exposure prophylaxis (PEP) seeking behaviors among men who have sex with men (MSM) with recent HIV risk exposure in Thailand Tarandeep Anand, Thailand	
PE28/6	The back side: Lymphogranuloma venereum in PrEP-users and PLWH Sven Schellberg, Germany	
PE28/7	Awareness and interest in pre-exposure prophylaxis (PrEP) among MSM population in Serbia Vanja Subotic, Serbia	
PE28/8	PrEP reimbursement and access in Europe: 2019 update Krzysztof Tronczyński, Poland	
PE28/9	Users' perspective of an ideal service model for delivering pre-exposure prophylaxis (PrEP) to men who have sex with men Shui Shan Lee, Hong Kong	
PE28/10	Assessment of the trough concentrations of tenofovir in HIV-negative subjects on pre- exposure prophylaxis: a single center, real-life experience Dario Cattaneo, Italy	
PE28/11	No new HIV infections, but high incidence of syphilis among Pre-exposure Prophylaxis (PrEP) users in Georgia Ekaterine Karkashadze, Georgia	
PE28/12	Feasibility and acceptability of an oral pre-exposure prophylaxis (PrEP) program against HIV targeting female sex workers in Belgium Florence Deneumoustier, Belgium	

PE28/13	First results after 52 weeks of informal PrEP use in a cohort of MSM in Southern Spain Alejandro Berto Moran, Spain
PE28/14	Clinical outcomes of pre-exposure prophylaxis from clinical center in Warsaw, Poland Iwona Cielniak, Poland
PE28/15	Where are we with PrEP use in Central and Eastern Europe? - data from the ECEE Network Group Josip Begovac, Croatia
PE28/16	Sexual risk and HIV preventative behaviours among men who have sex in men in London in the era of HIV pre-exposure prophylaxis, 2019 Fiona Burns, United Kingdom
PE28/17	Chemsex and mood disorders under HIV pre-exposure prophylaxis Helene Peyriere, France
PE28/18	Pre-exposure prophylaxis one year after implementation in Portugal - the reality of a central hospital Diogo Guerra, Portugal
PE28/19	DISCOVER in Europe: a sub-analysis of the phase 3 randomized, controlled trial of daily emtricitabine/tenofovir alafenamide (F/TAF) or emtricitabine/tenofovir disoproxil fumarate (F/TDF) for HIV pre-exposure prophylaxis (PrEP) Frank Post, United States
PE28/20	The Good and Bad of PrEP: a 14 month follow up on awareness, adherence, efficacy and sexually transmitted diseases at Hospital de Curry Cabral Marta Leal dos Santos, Portugal
PE28/21	PrEP for life: new challenges and barriers in PrEP uptake among men who have sex with men (MSM) and transgender people (TG) in Kyiv, Ukraine Dzmitry Filippau, Ukraine
PE28/22	Analysis of the need for pre-exposure prophylaxis of HIV among people that have high risk to be infected Vitaliy Andres, Ukraine
PE28/23	Lesson learnt from a combined HIV prevention using HIV self-testing and oral pre-exposure prophylaxis (PrEP) demonstration project in the United Republic of Tanzania Neema Makvao. Tanzania. United Republic of

Parallel session 10:00 - 12:00

Event Hall

PS8, Antiretroviral therapy: Today and in the future

Session interpreted in Russian

Access to the webcasted session:

 $PS8/1 <math display="block">PS8/2$

PS8/3

PS8/4 PS8/5

ML1

PS8/7

Chairs:

Jose Arribas, Spain Alexandra Calmy, Switzerland

PS8/1	Adherence and clinical outcomes in asymptomatic patients starting ART: the Swiss HIV Cohort Study	10:00 - 10:15
	Tracy R Glass, Switzerland	
PS8/2	Assessments of very low level HIV replication for dolutegravir+lamivudine (DTG+3TC) vs dolutegravir+tenofovir disoproxil/emtricitabine (DTG+TDF/FTC) in the GEMINI 1&2 studies through week 96	10:15 - 10:30
	Mark Underwood, United States	
PS8/3	Dolutegravir/emtricitabine dual therapy is non-inferior to standard combination antiretroviral therapy in maintaining HIV suppression throughout 48 weeks (SIMPL'HIV study) Delphine Sculier, Switzerland	10:30 - 10:45
PS8/4	Risk of failure in dual therapy versus triple therapy in naïve HIV-patients: a meta-analysis	10:45 - 11:00
	Antonio Russo, Italy	
PS8/5	Shorter time to treatment failure in PLHIV switched to dolutegravir plus either rilpivirine or lamivudine compared to integrase inhibitor-based triple therapy in a large Spanish cohort - VACH	11:00 - 11:15
	Ramón Teira, Spain	
PS8/6	Five-year follow-up of patients enrolled in NEAT001/ANRS 143 randomized clinical trial (NEAT001 LONG TERM (NLT) study) Francois Raffi, France	11:15 - 11:30
ML1	Panel discussion: Controversies in antiretroviral therapy Jacques Reynes, France Hans-Jürgen Stellbrink, Germany	11:30 - 11:45
	, ,	
PS8/7	Uptake and discontinuation of Integrase Inhibitors (INSTIs) in a large cohort setting	11:45 - 11:55

Lauren Greenberg, United Kingdom

Parallel session 10:00 - 12:00

San Francisco

PS9, Emerging issues in public health and epidemiology of HIV in Europe

Access to the webcasted session:

- ML1
 ML2
 PS9/1
 PS9/1

PS9/4

PS9/6

Chairs:

Akaki Abutidze, Georgia Teymur Noori, Sweden

ML1	Epidemiology of HIV in Central and Eastern Europe Antons Mozalevskis, Denmark	10:00 - 10:15
ML2	Euroguidelines in Central and Eastern Europe ECEE network/Euroguidelines group Arjan Harxhi, Albania	10:15 - 10:30
PS9/1	Current trends in HIV/AIDS epidemic in Russia Natalia Ladnaya, Russian Federation	10:30 - 10:45
PS9/2	A simple tool to evaluate the effectiveness of HIV care for settings with gaps in data availability Dorthe Raben, Denmark	10:45 - 11:00
PS9/3	HIV continuum of care: bridging cross-sectional and longitudinal analyses Giota Touloumi, Greece	11:00 - 11:15
PS9/4	Reaching the second and third UNAIDS 90-90-90 targets is accompanied by a dramatic reduction in primary HIV infection and in recent HIV infections in a large French nationwide HIV cohort Adrien Le Guillou, France	11:15 - 11:30
PS9/5	Similar but different: using combined phylogenies of Austria and Switzerland reveals differences in transmission patterns of the local HIV-1 epidemics Katharina Kusejko, Switzerland	11:30 - 11:45
PS9/6	'Chems4EU' a study describing chemsex use across 4 European countries in MSM attending HIV services Katie Conway, United Kingdom	11:45 - 12:00

Parallel session 10:00 - 12:00

Boston 1-3

PS10, Severe infections co-organised with the European Society of Clinical Microbiology and Infectious Diseases (ESCMID)

Access to the webcasted session:

- ML1
- ML3
 ML3
 PS10/1
 PS10/2
- PS10/3
- PS10/4
-

Chairs:

Nathalie de Castro, France Winfried Kern, Germany

ML1	The burden of histoplasmosis and HIV: Connecting the dots Mathieu Nacher, French Guiana	10:00 - 10:15
ML2	Hemophagocytic syndrome during HIV infection: How to sail to weather the storm? Lionel Galicier, France	10:15 - 10:30
ML3	Tuberculosis and HIV: recent advances and perspectives Nathalie de Castro, France	10:30 - 10:45
PS10/1	Frequency, presentation and predictors of strongyloidiasis in HIV-infected migrants at the Institute of Tropical Medicine Antwerp (ITM), Belgium Caroline Theunissen, Belgium	10:45 - 11:00
PS10/2	Diagnosing tuberculosis in people living with HIV in a rural district of Mozambique: yield of TB-LAM, digital chest X ray and Xpert®Ultra Santiago Izco, Spain	11:00 - 11:15
PS10/3	A New Health Care Index independently predicts 12-month mortality among HIV positive individuals diagnosed with tuberculosis Ashley Roen, United Kingdom	11:15 - 11:30
PS10/4	Comparison of TB drug susceptibility, treatment regimens and outcome among TB/HIV-patients in a setting with high prevalence of resistant TB: results from a national and supranational reference laboratories Daria Podlekareva, Denmark	11:30 - 11:45
PS10/5	Influence of vitamin D deficiency on development of opportunistic infection in people living with HIV/AIDS (PWHA) Shinwon Lee, Korea, Republic of	11:45 - 12:00

Industry sponsored session 12:15 - 13:45

San Francisco

Industry sponsored session

(For more details, please visit the conference website)

Special session 12:45 - 13:45

Shanghai 3

EACS General Assembly

Chair: Jürgen Rockstroh, EACS President

Special session 12:45 - 13:45

Shanghai 1-2

Best poster discussion I - Antiretroviral (ARV)

Thierry Prazuck, France

Access to the webcasted session:

BPD1/1 BPD1/4 BPD1/5

Chairs:

Christine Katlama, France Vadim Rassokhin, Russian Federation

BPD1/1	Causes of treatment failure in independent and industry-funded clinical trials of dolutegravir for HIV, and outcomes of unsuppressed patients continued on treatment in the ADVANCE study Toby Pepperrell, United Kingdom	12:45 - 12:55
BPD1/2	Evolution of drug interactions with antiretroviral medications in HIV- infected patients Majdouline El Moussaoui, Belgium	12:55 - 13:05
BPD1/3	Drug interaction profiles for first line antiretroviral therapy and selected fixed-dose antiretroviral combinations over 20 years of the Liverpool Drug Interaction website Best Poster Sara Gibbons, United Kingdom	13:05 - 13:15
BPD1/4	Retrospective analysis of co-medication patterns among patients treated for HIV, and potential interactions with antiviral treatment, in Norway during 2012-2018 using the Norwegian population-based prescription database Lars Heggelund, Norway	13:15 - 13:25
BPD1/5	TDF/FTC is a cost-saving maintenance option in HIV-infected people with low reservoir	13:25 - 13:35

Special session 12:45 - 13:45

Boston 1-3

Best poster discussion II - Ageing: Long-term complications

Access to the webcasted session:

BDP2/2 BPD2/3

BPD2/4

BPD2/5

Chairs:

Antonella d'Arminio Monforte, Italy Serhat Ünal, Turkey

BPD2/1	DXA Scan vs. FRAX score for the evaluation of fracture risk in a cohort of elderly people living with HIV Maria Mazzitelli, United Kingdom	12:45 - 12:57
BPD2/2	Prevalence of and risk factors for low bone mineral density assessed by central quantitative computed tomography in people living with HIV and uninfected controls Best poster Magda Teresa Thomsen, Denmark	12:57 - 13:09
BPD2/3	Restless legs syndrome and health-related quality of life in HIV: results from the POPPY sleep substudy Ken Kunisaki, United States	13:09 - 13:21
BPD2/4	Depression and kynurenine/tryptophan ratio in people living with HIV Ninna Drivsholm, Denmark	13:21 - 13:33
BPD2/5	Antiretroviral therapy and clearance of oncogenic HPVs in HIV positive MSM Carmen Hidalgo-Tenorio, Spain	13:33 - 13:45
	Carmen mango Tenono, Spani	

Special session 12:45 - 13:45

Darwin

Best poster discussion III - Hot topics

Access to the webcasted session:

BPD3/2

BPD3/3

Chairs

Marta Vasylyev, Ukraine Casper Rokx, Netherlands

BPD3/4 Novel highly potent CD4bs bNAb with restricted pathway to HIV-1 escape 12:45 - 12:52

Best poster

Philipp Schommers, Germany

BPD3/2	Harnessing big data on Indonesian MSM and transgender individuals using temanteman.org platforms to assess their vulnerabilities, HIV support seeking patterns and immediate HIV prevention needs Tarandeep Anand, Thailand	12:52 - 12:59
BPD3/3	Prescription of antimicrobials in primary health care as a marker to identify people living with undiagnosed HIV infection Raquel Martin-Iguacel, Denmark	12:59 - 13:06
BPD3/1	HIV infection in individuals seeking post-exposure prophylaxis (PEP): a retrospective data linkage study Frédérique Hovaguimian, Switzerland	13:06 - 13:13
BPD3/5	Effect of noresthisterone, combined contraceptive vaginal ring (CCVR) and COCPs on HIV cervical target cells in adolescent girls: a randomized crossover study Iyaloo Konstantinus, South Africa	13:13 - 13:20

Parallel session 14:00 - 16:00

San Francisco

PS11, Where do we stand with HIV prevention today?

Session interpreted in Russian

Access to the webcasted session:

ML1 PS11/1

PS11/2

PS11/5

PS11/7

Diane Ponscarme, France Ann Sullivan, United Kingdom

Combination prevention - The overview of what is being done in Europe Claudia Estcourt, United Kingdom	14:00 - 14:15
PrEP persistence and associated factors: an analysis from the ANRS Prevenir study Dominique Costagliola, France	14:15 - 14:30
Monitoring PrEP implementation in Belgium: national surveillance results, 2017-2018 Jessika Deblonde, Belgium	14:30 - 14:45
Awareness gaps on pre-exposure prophylaxis among late adolescents and young adults in the region characterised by high HIV prevalence and sexual violence Evitavo Omolara Owolabi. South Africa	14:45 - 15:00
Risk factors for inadequate HIV and STI testing among German PrEP users Janna Seifried, Germany	15:00 - 15:15
	Claudia Estcourt, United Kingdom PrEP persistence and associated factors: an analysis from the ANRS Prevenir study Dominique Costagliola, France Monitoring PrEP implementation in Belgium: national surveillance results, 2017-2018 Jessika Deblonde, Belgium Awareness gaps on pre-exposure prophylaxis among late adolescents and young adults in the region characterised by high HIV prevalence and sexual violence Eyitayo Omolara Owolabi, South Africa Risk factors for inadequate HIV and STI testing among German PrEP users

PS11/5	Changes in bone mineral density over 2 years in men who have sex with men on tenofovir disoproxil fumarate-based HIV pre-exposure prophylaxis: longitudinal cohort data Andrew Carr, Australia	15:15 - 15:30
PS11/6	Can HIV epidemics be eliminated using PrEP? Sofia Jijon, France	15:30 - 15:45
PS11/7	Drop in HIV diagnoses among MSM in Paris: combined effect of PrEP, testing and political support to the communities Eve Plenel, France	15:45 - 16:00
Parallel sess 14:00 - 16:0	0	Shanghai 1-2
PS12, Vii	ral co-infection and liver disease	
<a hi<br="" href="hi
<a hi<="" href="hi
<td>e webcasted session: ttp://resourcelibrary.eacs.cyim.com?mediald=78776" target="_blank">ML1</td> ttp://resourcelibrary.eacs.cyim.com?mediald=78777" target="_blank">PS12/1 ttp://resourcelibrary.eacs.cyim.com?mediald=78778" target="_blank">PS12/2 ttp://resourcelibrary.eacs.cyim.com?mediald=78787" target="_blank">PS12/3 ttp://resourcelibrary.eacs.cyim.com?mediald=78788" target="_blank">PS12/3	e webcasted session: ttp://resourcelibrary.eacs.cyim.com?mediald=78776" target="_blank">ML1	
<a href="ht</td><td>tp://resourcelibrary.eacs.cyim.com?mediald=78789" target="_blank">PS12/5		
<a href="ht</td><td>tp://resourcelibrary.eacs.cyim.com?mediald=78815" target="_blank">PS12/7 		
	ani, United Kingdom ewski, Poland	
ML1	Micro-elimination of HCV - A reality? Graham Cooke, United Kingdom	14:00 - 14:15
PS12/1	"Giving HepC a place and letting it go again": response to a sexual risk reduction intervention in HIV/HCV co-infected men who have sex with men Patrizia Künzler-Heule, Switzerland	14:15 - 14:30
PS12/2	Impairment of CD8 T cell memory in DAA treated HCV/HIV co-infected patients Matthias Hoffmann, Switzerland	14:30 - 14:45
PS12/3	Evolution of non-invasive markers of liver fibrosis in HIV-hepatitis C virus (HCV) co-infection before and after sustained virologic response (SVR): results from the Canadian co-infection cohort Marina Klein, Canada	14:45 - 15:00
PS12/4	HIV/HBV coinfection in Spain: prevalence and clinical characteristics Juan Berenguer, Spain	15:00 - 15:15
PS12/5	Outcomes after switching from TDF to TAF in HIV/HBV-coinfected individuals with renal impairment: a nationwide cohort study Bernard Surial, Switzerland	15:15 - 15:30

PS12/6	Hepatic steatosis in HIV monoinfected individuals: which impact has baseline BMI and treatment with integrase inhibitors? Jenny Bischoff, Germany	15:30 - 15:45
PS12/7	Evolutive NAFLD predicts frailty in people living with HIV (PLWH) Jovana Milic, Italy	15:45 - 16:00

Parallel session 14:00 - 16:00

Boston 1-3

PS13, Liverpool/EACS pharmacology workshop - Pharmacology today and tomorrow

Access to the webcasted session:

- $ML1 <math display="block">ML2$
- ML3

- ML5
 ML4
 ML5
 PS13/1
- PS13/2
- PS13/3

Chairs:

Saye Khoo, United Kingdom Catia Marzolini, Switzerland

ML1	Introduction Saye Khoo, United Kingdom Catia Marzolini, Switzerland	14:00 - 14:05
ML2	Long-acting antiretroviral drugs Marta Boffito, United Kingdom	14:05 - 14:30
ML3	Clinical case 1 - Complex DDIs José Moltó, Spain	14:30 - 14:50
ML4	Clinical case 2 - Administration of drugs through feeding tube & absorption/DDIs issues Ales Chrdle, Czech Republic	14:50 - 15:10
ML5	Clinical case 3 - Cancer drugs DDIs Caroline Solas, France	15:10 - 15:30
PS13/1	Safety and PK of subcutaneous GS-6207, a novel HIV-1 capsid inhibitor Rebecca Begley, United States	15:30 - 15:40
PS13/2	A multicentred randomised controlled open study of the utility and acceptability of a medicines optimisation review (MOR) toolkit compared to standard pharmaceutical care in HIV outpatients Jaime Vera, United Kingdom	15:40 - 15:50
PS13/3	Prevalence of potential drug-drug interactions in patients of the Swiss HIV cohort study in the era of HIV integrase inhibitors Elisabeth Deutschmann, Switzerland	15:50 - 16:00

Industry sponsored session 16:15 - 17:45

San Francisco

Industry sponsored session

(For more details, please visit the conference website)

Workshop/Symposium 17:45 - 19:15

Sydney

YING symposium - Growing your research

Convener: EACS

Session interpreted in Russian

Chairs:

Nathan Clumeck, Belgium Annemarie Wensing, Netherlands

YING intro and how (not) to network Casper Rokx, Netherlands	17:45 - 18:05
Developing a good research question; how to search and some common pitfalls Christoph Spinner, Germany	18:05 - 18:25
Anca Streinu-Cercel, Romania	18:25 - 18:45
What's happening in clinical research on HIV/AIDS in Europe Agnès Libois, Belgium	18:45 - 18:55
Roundtable and discussion	18:55 - 19:15

Saturday, 09 November 2019

Meet-the-expert/Clinical cases 07:30 - 08:30

Montreal

Clinical cases II

Session interpreted in Russian

Chairs:

Hansjakob Furrer, Switzerland David Jilich, Czech Republic

CC2/1	A case of rash in MSM patient - overlapping epidemics in Central and Eastern Europe can challenge a doctor	07:30 - 07:50
	Justyna Kowalska, Poland	
CC2/2	Intestinal talaromycosis in an AIDS patient: a very rare presentation Sireethorn Nimitvilai, Thailand	07:50 - 08:10
CC2/3	Failure of daily PrEP with low peak levels of TDF/FTC with identification of the 1841 mutation	08:10 - 08:30
	Benjamin Hampel, Switzerland	

Roundtable discussion 08:30 - 09:45

Montreal

Roundtable discussion: UNAIDS goals after 2020 - What next?

Session interpreted in Russian

Access to the webcasted session:

 $<\!a\ href="http://resourcelibrary.eacs.cyim.com?mediald=78820"\ target="_blank">UNAIDS\ goals\ after\ 2020\ -\ What\ next?$

Roundtable discussion: UNAIDS goals after 2020 - What next?

Chairs:

Valerie Delpech, United Kingdom

UNAIDS goals after 2020 - What next?

08:30 - 08:40

Peter Ghys, Switzerland

Roundtable discussion: UNAIDS goals after 2020 - What next?

08:40 - 09:45

Nikos Dedes, Greece Peter Ghys, Switzerland Jean-Michel Molina, France Teymur Noori, Sweden Nicole Seguy, Denmark Liliya Ten, Kyrgyzstan Marco Vitoria, Switzerland

Workshop/Symposium 10:00 - 10:45

Montreal

Fast-track cities. Calculus for success: Fast-track cities on a pathway from 90-90-90 to getting to zero

Convener: IAPAC

Session interpreted in Russian

Access to the webcasted session:

Equity-based data to support a strategic focus of HIV resource and programme prioritization

Community engagement to generate demand for and deliver HIV and supportive services

Addressing HIV and intersectional stigma as enemies of public health and barriers to progress Question & answer period

Chairs:

Bertrand Audoin, France

Equity-based data to support a strategic focus of HIV resource and programme prioritization	10:00 - 10:06
Philippe Bouvet de la Maisonneuve, France	
Community engagement to generate demand for and deliver HIV and supportive services	10:06 - 10:12
Olga Rudnieva, Ukraine	
Addressing HIV and intersectional stigma as enemies of public health and barriers to progress	10:12 - 10:18
Jorge Garrido, Spain	
Mobilizing financial resources for sustained urban AIDS responses to support getting to zero	10:18 - 10:24
Helen Corkin, United Kingdom	
Question & answer period	10:24 - 10:44

Special session 11:00 - 12:45

Montreal

Status report and standard of care co-organised with the European Centre for Disease Prevention and Control (ECDC) and the British HIV Association (BHIVA)

Session interpreted in Russian

Access to the webcasted session:

- Tuberculosis
- Hepatitis
- BHIVA late presentation audit:
 What can we learn?

Results of the European pilot audit on Hepatitis screening, prevention and management in people living with HIV

Chairs:

Nikoloz Chkhartishvili, Georgia Cristiana Oprea, Romania Chloe Orkin, United Kingdom

Tuberculosis Cristiana Oprea, Romania	11:00 - 11:15
Hepatitis Mojca Maticic, Slovenia	11:15 - 11:30
BHIVA late presentation audit: What can we learn? David Chadwick, United Kingdom	11:30 - 11:45
Pilot TB audit: Where are we? Georg Behrens, Germany	11:45 - 11:55
Results of the European pilot audit on Hepatitis screening, prevention and management in people living with HIV Ann Sullivan, United Kingdom	11:55 - 12:05
Panel discussion Georg Behrens, Germany Nikoloz Chkhartishvili, Georgia Cristiana Oprea, Romania Chloe Orkin, United Kingdom Anastasia Pharris, Sweden Ann Sullivan, United Kingdom	12:05 - 12:35

Ceremony 12:45 - 13:00

Montreal

Closing remarks

Session interpreted in Russian

Manuel Battegay, Local Conference Co-Chair Jürgen Rockstroh, EACS President and Conference Co-Chair

Elena Vovc, Denmark